

# Engineering Data

## Multi-Split Type Air Conditioners - Heat Pump -

### 2/3/4MXM-A Series



**INVERTER**



# Multi-Split Type Air Conditioners

## 2/3/4MXM-A Series

|                                                                                        |    |
|----------------------------------------------------------------------------------------|----|
| 1. Lineup .....                                                                        | 2  |
| 2. Specifications.....                                                                 | 3  |
| 2.1 Outdoor Unit .....                                                                 | 3  |
| 2.2 Combination Capacity: 2MXM18AVJU9 .....                                            | 5  |
| 2.3 Combination Capacity: 3MXM24AVJU9 .....                                            | 9  |
| 2.4 Combination Capacity: 4MXM36AVJU9 .....                                            | 13 |
| 3. Capacity Tables .....                                                               | 21 |
| 3.1 2MXM18AVJU9 Cooling .....                                                          | 21 |
| 3.2 2MXM18AVJU9 Heating.....                                                           | 23 |
| 3.3 3MXM24AVJU9 Cooling .....                                                          | 25 |
| 3.4 3MXM24AVJU9 Heating.....                                                           | 30 |
| 3.5 4MXM36AVJU9 Cooling .....                                                          | 34 |
| 3.6 4MXM36AVJU9 Heating.....                                                           | 45 |
| 3.7 Capacity Correction Factor by the Length of Refrigerant Piping<br>(Reference)..... | 54 |

# 1. Lineup

| Indoor Unit                                   |             | Outdoor Unit                                                      | Power Supply                |
|-----------------------------------------------|-------------|-------------------------------------------------------------------|-----------------------------|
| <b>Wall Mounted Type</b><br>CTXV, FTXV Series | CTXV07AVJU9 | <b>Standard Type</b><br>2MXM18AVJU9<br>3MXM24AVJU9<br>4MXM36AVJU9 | 1 phase, 208 - 230 V, 60 Hz |
|                                               | FTXV09AVJU9 |                                                                   |                             |
|                                               | FTXV12AVJU9 |                                                                   |                             |
|                                               | FTXV15AVJU9 |                                                                   |                             |
|                                               | FTXV18AVJU9 |                                                                   |                             |
|                                               | FTXV24AVJU9 |                                                                   |                             |

**Note:** Power Supply Intake ; Outdoor Unit

## Cautions



1. Air conditioners should not be installed in areas where corrosive gasses, such as acid gas or alkaline gas, are produced.
2. If the outdoor unit is to be installed close to the sea shore, direct exposure to the sea breeze should be avoided and choose an outdoor unit with anti-corrosion treatment.

## 2. Specifications

### 2.1 Outdoor Unit

| Model                               |                   |             | 2MXM18AVJU9                                                          |                                              | 3MXM24AVJU9                                                          |                                              |
|-------------------------------------|-------------------|-------------|----------------------------------------------------------------------|----------------------------------------------|----------------------------------------------------------------------|----------------------------------------------|
|                                     |                   |             | Cooling                                                              | Heating                                      | Cooling                                                              | Heating                                      |
| Power Supply                        |                   | Phase       | 1φ                                                                   |                                              | 1φ                                                                   |                                              |
|                                     |                   | Hz, V       | 60 Hz, 208 - 230 V                                                   |                                              | 60 Hz, 208 - 230 V                                                   |                                              |
| COP@5°F                             |                   | W/W         | —                                                                    | 1.8                                          | —                                                                    | 1.8                                          |
| EER2                                |                   | Btu/W-h     | 12.0                                                                 | —                                            | 12.0                                                                 | —                                            |
| SEER2                               |                   |             | 21.0                                                                 | —                                            | 21.0                                                                 | —                                            |
| HSPF2                               |                   |             | —                                                                    | 10.0                                         | —                                                                    | 10.0                                         |
| Casing Color                        |                   |             | Ivory White                                                          |                                              | Ivory White                                                          |                                              |
| Compressor                          | Type              |             | Hermetically Sealed Swing Type                                       |                                              | Hermetically Sealed Swing Type                                       |                                              |
|                                     | Model             |             | 2Y147BKBX1A                                                          |                                              | 2Y260BPAX1A                                                          |                                              |
|                                     | Motor Output      | W           | 1,300                                                                |                                              | 2,400                                                                |                                              |
| Refrigerant Oil                     | Model             |             | FW68DA                                                               |                                              | FW68DA                                                               |                                              |
|                                     | Charge            | fl oz (L)   | 22.0 (0.65)                                                          |                                              | 30.4 (0.9)                                                           |                                              |
| Refrigerant                         | Type              |             | R-32                                                                 |                                              | R-32                                                                 |                                              |
|                                     | Charge            | lbs (kg)    | 3.3 (1.50)                                                           |                                              | 4.9 (2.2)                                                            |                                              |
| Airflow Rates                       |                   | cfm         | 2,112                                                                | 2,140                                        | 2,055                                                                | 2,140                                        |
|                                     |                   | m³/min      | 59.8                                                                 | 60.6                                         | 58.2                                                                 | 60.6                                         |
| Fan                                 | Type              |             | Propeller                                                            |                                              | Propeller                                                            |                                              |
|                                     | Motor Output      | W           | 150                                                                  |                                              | 150                                                                  |                                              |
|                                     | Running Current   | A           | 0.31                                                                 | 0.33                                         | 0.29                                                                 | 0.33                                         |
|                                     | Power Consumption | W           | 65.4                                                                 | 67.7                                         | 61.0                                                                 | 67.7                                         |
| Starting Current                    |                   | A           | 14.0                                                                 |                                              | 17.0                                                                 |                                              |
| Dimensions (H × W × D)              |                   | in. (mm)    | 29-1/2 × 34-1/4 × 12-5/8 (750 × 870 × 320)                           |                                              | 29-1/2 × 34-1/4 × 12-5/8 (750 × 870 × 320)                           |                                              |
| Packaged Dimensions (H × W × D)     |                   | in. (mm)    | 32-1/16 × 40-5/16 × 16 (814 × 1,024 × 406)                           |                                              | 32-1/16 × 40-5/16 × 16 (814 × 1,024 × 406)                           |                                              |
| Weight (Mass)                       |                   | lbs (kg)    | 127 (58)                                                             |                                              | 140 (64)                                                             |                                              |
| Gross Weight (Gross Mass)           |                   | lbs (kg)    | 135 (61)                                                             |                                              | 148 (67)                                                             |                                              |
| Sound Pressure Level                |                   | dB(A)       | 52                                                                   | 54                                           | 52                                                                   | 54                                           |
| Piping Connection                   | Liquid            | in. (mm)    | φ 1/4 × 2 (φ 6.4 × 2)                                                |                                              | φ 1/4 × 3 (φ 6.4 × 3)                                                |                                              |
|                                     | Gas               | in. (mm)    | φ 3/8 × 1, φ 1/2 × 1 (φ 9.5 × 1, φ 12.7 × 1)                         |                                              | φ 3/8 × 1, φ 1/2 × 2 (φ 9.5 × 1, φ 12.7 × 2)                         |                                              |
|                                     | Drain             | in. (mm)    | I.D. φ 5/8 (φ 15.9)                                                  |                                              | I.D. φ 5/8 (φ 15.9)                                                  |                                              |
| Heat Insulation                     |                   |             | Both Liquid and Gas Pipes                                            |                                              | Both Liquid and Gas Pipes                                            |                                              |
| No. of Wiring Connections           |                   |             | 3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring) |                                              | 3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring) |                                              |
| Max. Interunit Piping Length        | ft (m)            |             | 164 (50) (for Total of Each Room)                                    |                                              | 230 (70) (for Total of Each Room)                                    |                                              |
|                                     | ft (m)            |             | 82 (25) (for One Room)                                               |                                              | 82 (25) (for One Room)                                               |                                              |
| Amount of Additional Charge         |                   | oz/ft (g/m) | 0.22 (20) (98-3/8 ft (30 m) or more)                                 |                                              | 0.22 (20) (131-1/4 ft (40 m) or more)                                |                                              |
| Max. Installation Height Difference | ft (m)            |             | 49-1/4 (15) (Between Indoor Unit and Outdoor Unit)                   |                                              | 49-1/4 (15) (Between Indoor Unit and Outdoor Unit)                   |                                              |
|                                     | ft (m)            |             | 24-5/8 (7.5) (Between Indoor Units)                                  |                                              | 24-5/8 (7.5) (Between Indoor Units)                                  |                                              |
| Conditions Based on                 |                   |             | Indoor : 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB)                       | Indoor : 70°FDB (21°CDB) / 60°FWB (15.6°CWB) | Indoor : 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB)                       | Indoor : 70°FDB (21°CDB) / 60°FWB (15.6°CWB) |
|                                     |                   |             | Outdoor : 95°FDB (35°CDB) / 75°FWB (24°CWB)                          | Outdoor : 47°FDB (8.3°CDB) / 43°FWB (6°CWB)  | Outdoor : 95°FDB (35°CDB) / 75°FWB (24°CWB)                          | Outdoor : 47°FDB (8.3°CDB) / 43°FWB (6°CWB)  |
|                                     |                   |             | Piping length: 25 ft (7.5 m)                                         |                                              | Piping length: 25 ft (7.5 m)                                         |                                              |
| Drawing No.                         |                   |             | 3D151521A                                                            |                                              | 3D152057A                                                            |                                              |

#### Conversion Formulae

kcal/h = kW × 860  
 Btu/h = kW × 3412  
 cfm = m³/min × 35.3

| Model                               |                   |                     | 4MXM36AVJU9                                                                                        |                                                                                             |
|-------------------------------------|-------------------|---------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|                                     |                   |                     | Cooling                                                                                            | Heating                                                                                     |
| Power Supply                        |                   | Phase               | 1 $\phi$                                                                                           |                                                                                             |
|                                     |                   | Hz, V               | 60 Hz, 208 - 230 V                                                                                 |                                                                                             |
| COP@5°F                             |                   | W/W                 | —                                                                                                  | 1.8                                                                                         |
| EER2                                |                   | Btu/W·h             | 10.0                                                                                               | —                                                                                           |
| SEER2                               |                   |                     | 20.0                                                                                               | —                                                                                           |
| HSPF2                               |                   |                     | —                                                                                                  | 9.5                                                                                         |
| Casing Color                        |                   |                     | Ivory White                                                                                        |                                                                                             |
| Compressor                          | Type              |                     | Hermetically Sealed Swing Type                                                                     |                                                                                             |
|                                     | Model             |                     | 2Y260BPAX1A                                                                                        |                                                                                             |
|                                     | Motor Output      | W                   | 2,400                                                                                              |                                                                                             |
| Refrigerant Oil                     | Model             |                     | FW68DA                                                                                             |                                                                                             |
|                                     | Charge            | fl oz (L)           | 30.4 (0.9)                                                                                         |                                                                                             |
| Refrigerant                         | Type              |                     | R-32                                                                                               |                                                                                             |
|                                     | Charge            | lbs (kg)            | 4.9 (2.2)                                                                                          |                                                                                             |
| Airflow Rates                       |                   | cfm                 | 2,402                                                                                              | 2,518                                                                                       |
|                                     |                   | m <sup>3</sup> /min | 68.0                                                                                               | 71.3                                                                                        |
| Fan                                 | Type              |                     | Propeller                                                                                          |                                                                                             |
|                                     | Motor Output      | W                   | 150                                                                                                |                                                                                             |
|                                     | Running Current   | A                   | 0.44                                                                                               | 0.49                                                                                        |
|                                     | Power Consumption | W                   | 90.9                                                                                               | 102.7                                                                                       |
| Starting Current                    |                   | A                   | 18.5                                                                                               |                                                                                             |
| Dimensions (H × W × D)              |                   | in. (mm)            | 29-1/2 × 34-1/4 × 12-5/8 (750 × 870 × 320)                                                         |                                                                                             |
| Packaged Dimensions (H × W × D)     |                   | in. (mm)            | 32-1/16 × 40-5/16 × 16 (814 × 1,024 × 406)                                                         |                                                                                             |
| Weight (Mass)                       |                   | lbs (kg)            | 142 (65)                                                                                           |                                                                                             |
| Gross Weight (Gross Mass)           |                   | lbs (kg)            | 150 (68)                                                                                           |                                                                                             |
| Sound Pressure Level                |                   | dB(A)               | 56                                                                                                 | 60                                                                                          |
| Piping Connection                   | Liquid            | in. (mm)            | $\phi$ 1/4 × 4 ( $\phi$ 6.4 × 4)                                                                   |                                                                                             |
|                                     | Gas               | in. (mm)            | $\phi$ 3/8 × 1, $\phi$ 1/2 × 2, $\phi$ 5/8 × 1 ( $\phi$ 9.5 × 1, $\phi$ 12.7 × 2, $\phi$ 15.9 × 1) |                                                                                             |
|                                     | Drain             | in. (mm)            | I.D. $\phi$ 5/8 ( $\phi$ 15.9)                                                                     |                                                                                             |
| Heat Insulation                     |                   |                     | Both Liquid and Gas Pipes                                                                          |                                                                                             |
| No. of Wiring Connections           |                   |                     | 3 for Power Supply, 4 for Interunit Wiring (Including Ground Wiring)                               |                                                                                             |
| Max. Interunit Piping Length        | ft (m)            |                     | 230 (70) (for Total of Each Room)                                                                  |                                                                                             |
|                                     | ft (m)            |                     | 82 (25) (for One Room)                                                                             |                                                                                             |
| Amount of Additional Charge         |                   | oz/ft (g/m)         | 0.22 (20) (131-1/4 ft (40 m) or more)                                                              |                                                                                             |
| Max. Installation Height Difference | ft (m)            |                     | 49-1/4 (15) (Between Indoor Unit and Outdoor Unit)                                                 |                                                                                             |
|                                     | ft (m)            |                     | 24-5/8 (7.5) (Between Indoor Units)                                                                |                                                                                             |
| Conditions Based on                 |                   |                     | Indoor ; 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB)<br>Outdoor ; 95°FDB (35°CDB) / 75°FWB (24°CWB)      | Indoor ; 70°FDB (21°CDB) / 60°FWB (15.6°CWB)<br>Outdoor ; 47°FDB (8.3°CDB) / 43°FWB (6°CWB) |
|                                     |                   |                     | Piping length: 25 ft (7.5 m)                                                                       |                                                                                             |
| Drawing No.                         |                   |                     | 3D151522A                                                                                          |                                                                                             |

## Conversion Formulae

kcal/h = kW × 860  
 Btu/h = kW × 3412  
 cfm = m<sup>3</sup>/min × 35.3

## 2.2 Combination Capacity: 2MXM18AVJU9

### Cooling [60 Hz, 208 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |        | Power factor (%) |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|--------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               |        |                  |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating |                  |
| 07                         | Wall                | —      | —      | —      | —      | 7.00                         | —      | —      | —      | —      | 7.00                    | 4.90 ~ 8.20   | 630             | 450 ~ 740     | 3.1               | 2.2 ~ 3.6     | 98     |                  |
| 09                         | Wall                | —      | —      | —      | —      | 9.00                         | —      | —      | —      | —      | 9.00                    | 4.90 ~ 10.50  | 800             | 460 ~ 940     | 3.9               | 2.3 ~ 4.6     | 98     |                  |
| 12                         | Wall                | —      | —      | —      | —      | 12.00                        | —      | —      | —      | —      | 12.00                   | 4.90 ~ 14.00  | 1,030           | 460 ~ 1,220   | 5.1               | 2.3 ~ 6.0     | 98     |                  |
| 15                         | Wall                | —      | —      | —      | —      | 15.00                        | —      | —      | —      | —      | 15.00                   | 5.60 ~ 17.50  | 1,210           | 490 ~ 1,480   | 5.9               | 2.4 ~ 7.3     | 98     |                  |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 7.00   | —      | —      | —      | 14.00                   | 5.60 ~ 16.30  | 1,100           | 460 ~ 1,330   | 5.4               | 2.3 ~ 6.5     | 98     |                  |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 6.87                         | 8.83   | —      | —      | —      | 15.70                   | 5.60 ~ 18.70  | 1,250           | 470 ~ 1,620   | 6.1               | 2.3 ~ 7.9     | 98     |                  |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 6.34                         | 10.86  | —      | —      | —      | 17.20                   | 5.60 ~ 21.00  | 1,430           | 470 ~ 1,950   | 7.0               | 2.3 ~ 9.6     | 98     |                  |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 5.47                         | 11.73  | —      | —      | —      | 17.20                   | 6.30 ~ 21.00  | 1,270           | 490 ~ 1,790   | 6.2               | 2.4 ~ 8.8     | 98     |                  |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 8.60                         | 8.60   | —      | —      | —      | 17.20                   | 5.60 ~ 21.00  | 1,430           | 470 ~ 1,950   | 7.0               | 2.3 ~ 9.6     | 98     |                  |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 7.37                         | 9.83   | —      | —      | —      | 17.20                   | 5.70 ~ 21.00  | 1,430           | 480 ~ 1,950   | 7.0               | 2.4 ~ 9.6     | 98     |                  |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 6.45                         | 10.75  | —      | —      | —      | 17.20                   | 6.40 ~ 21.00  | 1,270           | 500 ~ 1,810   | 6.2               | 2.5 ~ 8.9     | 98     |                  |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 8.60                         | 8.60   | —      | —      | —      | 17.20                   | 5.70 ~ 21.00  | 1,420           | 480 ~ 1,940   | 7.0               | 2.4 ~ 9.5     | 98     |                  |

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  - The total capacity of connected indoor units is up to 24.0 kBtu/h.
  - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  - The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series

3D152668

## Heating [60 Hz, 208 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) |                  |
| 07                         | Wall                | —      | —      | —      | —      | 8.30                         | —      | —      | —      | —      | 8.30                    | 1.70 ~ 9.70   | 740             | 130 ~ 900     | 3.6               | 0.6 ~ 4.4     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 10.30                        | —      | —      | —      | —      | 10.30                   | 1.70 ~ 12.50  | 960             | 140 ~ 1,190   | 4.7               | 0.7 ~ 5.8     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 13.30                        | —      | —      | —      | —      | 13.30                   | 1.70 ~ 16.70  | 1,250           | 140 ~ 1,690   | 6.1               | 0.7 ~ 8.3     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 16.30                        | —      | —      | —      | —      | 16.30                   | 3.60 ~ 20.80  | 1,280           | 230 ~ 1,800   | 6.3               | 1.1 ~ 8.8     | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.65                         | 7.65   | —      | —      | —      | 15.30                   | 2.80 ~ 19.40  | 1,120           | 210 ~ 1,590   | 5.5               | 1.0 ~ 7.8     | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.44                         | 9.56   | —      | —      | —      | 17.00                   | 2.90 ~ 22.20  | 1,260           | 220 ~ 1,910   | 6.2               | 1.1 ~ 9.4     | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 6.82                         | 11.68  | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,400           | 230 ~ 2,310   | 6.9               | 1.1 ~ 11.3    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 5.89                         | 12.61  | —      | —      | —      | 18.50                   | 3.60 ~ 25.00  | 1,070           | 220 ~ 1,900   | 5.2               | 1.1 ~ 9.3     | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.25                         | 9.25   | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,390           | 230 ~ 2,310   | 6.8               | 1.1 ~ 11.3    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 7.93                         | 10.57  | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,380           | 240 ~ 2,280   | 6.8               | 1.2 ~ 11.2    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 6.94                         | 11.56  | —      | —      | —      | 18.50                   | 3.60 ~ 25.00  | 1,060           | 230 ~ 1,840   | 5.2               | 1.1 ~ 9.0     | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 9.25                         | 9.25   | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,370           | 250 ~ 2,250   | 6.7               | 1.2 ~ 11.0    | 98               |

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  2. The total capacity of connected indoor units is up to 24.0 kBtu/h.
  3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  4. The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series

3D152675



## Cooling [60 Hz, 230 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 7.00                         | —      | —      | —      | —      | 7.00                    | 4.90 ~ 8.20   | 630             | 450 ~ 740     | 2.8               | 2.0 ~ 3.3     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 9.00                         | —      | —      | —      | —      | 9.00                    | 4.90 ~ 10.50  | 800             | 460 ~ 940     | 3.5               | 2.0 ~ 4.2     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 12.00                        | —      | —      | —      | —      | 12.00                   | 4.90 ~ 14.00  | 1,030           | 460 ~ 1,220   | 4.6               | 2.0 ~ 5.4     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 15.00                        | —      | —      | —      | —      | 15.00                   | 5.60 ~ 17.50  | 1,210           | 490 ~ 1,480   | 5.4               | 2.2 ~ 6.6     | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 7.00   | —      | —      | —      | 14.00                   | 5.60 ~ 16.30  | 1,100           | 460 ~ 1,330   | 4.9               | 2.0 ~ 5.9     | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 6.87                         | 8.83   | —      | —      | —      | 15.70                   | 5.60 ~ 18.70  | 1,250           | 470 ~ 1,620   | 5.5               | 2.1 ~ 7.2     | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 6.34                         | 10.86  | —      | —      | —      | 17.20                   | 5.60 ~ 21.00  | 1,430           | 470 ~ 1,950   | 6.3               | 2.1 ~ 8.7     | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 5.47                         | 11.73  | —      | —      | —      | 17.20                   | 6.30 ~ 21.00  | 1,270           | 490 ~ 1,790   | 5.6               | 2.2 ~ 7.9     | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 8.60                         | 8.60   | —      | —      | —      | 17.20                   | 5.60 ~ 21.00  | 1,430           | 470 ~ 1,950   | 6.3               | 2.1 ~ 8.7     | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 7.37                         | 9.83   | —      | —      | —      | 17.20                   | 5.70 ~ 21.00  | 1,430           | 480 ~ 1,950   | 6.3               | 2.1 ~ 8.7     | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 6.45                         | 10.75  | —      | —      | —      | 17.20                   | 6.40 ~ 21.00  | 1,270           | 500 ~ 1,810   | 5.6               | 2.2 ~ 8.0     | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 8.60                         | 8.60   | —      | —      | —      | 17.20                   | 5.70 ~ 21.00  | 1,420           | 480 ~ 1,940   | 6.3               | 2.1 ~ 8.6     | 98               |

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  - The total capacity of connected indoor units is up to 24.0 kBTU/h.
  - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  - The above is the value for connecting with the following indoor units.  
7.0 kBTU/h class; wall mount type A series  
9.0 kBTU/h class; wall mount type A series  
12.0 kBTU/h class; wall mount type A series  
15.0 kBTU/h class; wall mount type A series

3D152700

## Heating [60 Hz, 230 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) |                  |
| 07                         | Wall                | —      | —      | —      | —      | 8.30                         | —      | —      | —      | —      | 8.30                    | 1.70 ~ 9.70   | 740             | 130 ~ 900     | 3.3               | 0.6 ~ 4.0     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 10.30                        | —      | —      | —      | —      | 10.30                   | 1.70 ~ 12.50  | 960             | 140 ~ 1,190   | 4.3               | 0.6 ~ 5.3     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 13.30                        | —      | —      | —      | —      | 13.30                   | 1.70 ~ 16.70  | 1,250           | 140 ~ 1,690   | 5.5               | 0.6 ~ 7.5     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 16.30                        | —      | —      | —      | —      | 16.30                   | 3.60 ~ 20.80  | 1,280           | 230 ~ 1,800   | 5.7               | 1.0 ~ 8.0     | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.65                         | 7.65   | —      | —      | —      | 15.30                   | 2.80 ~ 19.40  | 1,120           | 210 ~ 1,590   | 5.0               | 0.9 ~ 7.1     | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.44                         | 9.56   | —      | —      | —      | 17.00                   | 2.90 ~ 22.20  | 1,260           | 220 ~ 1,910   | 5.6               | 1.0 ~ 8.5     | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 6.82                         | 11.68  | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,400           | 230 ~ 2,310   | 6.2               | 1.0 ~ 10.2    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 5.89                         | 12.61  | —      | —      | —      | 18.50                   | 3.60 ~ 25.00  | 1,070           | 220 ~ 1,900   | 4.7               | 1.0 ~ 8.4     | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.25                         | 9.25   | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,390           | 230 ~ 2,310   | 6.2               | 1.0 ~ 10.2    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 7.93                         | 10.57  | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,380           | 240 ~ 2,280   | 6.1               | 1.1 ~ 10.1    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 6.94                         | 11.56  | —      | —      | —      | 18.50                   | 3.60 ~ 25.00  | 1,060           | 230 ~ 1,840   | 4.7               | 1.0 ~ 8.2     | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 9.25                         | 9.25   | —      | —      | —      | 18.50                   | 2.90 ~ 25.00  | 1,370           | 250 ~ 2,250   | 6.1               | 1.1 ~ 10.0    | 98               |

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  2. The total capacity of connected indoor units is up to 24.0 kBtu/h.
  3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  4. The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series

3D152709

## 2.3 Combination Capacity: 3MXM24AVJU9

### Cooling [60 Hz, 208 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 7.00                         | —      | —      | —      | —      | 7.00                    | 6.60 ~ 9.30   | 390             | 350 ~ 590     | 1.9               | 1.7 ~ 2.9     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 9.00                         | —      | —      | —      | —      | 9.00                    | 6.60 ~ 12.00  | 600             | 360 ~ 860     | 2.9               | 1.8 ~ 4.2     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 12.00                        | —      | —      | —      | —      | 12.00                   | 6.70 ~ 16.00  | 860             | 360 ~ 1,280   | 4.2               | 1.8 ~ 6.3     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 15.00                        | —      | —      | —      | —      | 15.00                   | 8.00 ~ 20.00  | 1,070           | 360 ~ 1,680   | 5.2               | 1.8 ~ 8.2     | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 18.00                        | —      | —      | —      | —      | 18.00                   | 8.10 ~ 24.00  | 1,420           | 360 ~ 2,190   | 7.0               | 1.8 ~ 10.7    | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 7.00   | —      | —      | —      | 14.00                   | 7.80 ~ 18.70  | 960             | 330 ~ 1,500   | 4.7               | 1.6 ~ 7.4     | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 9.00   | —      | —      | —      | 16.00                   | 7.90 ~ 21.30  | 1,200           | 340 ~ 1,830   | 5.9               | 1.7 ~ 9.0     | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 12.00  | —      | —      | —      | 19.00                   | 8.00 ~ 25.20  | 1,560           | 340 ~ 2,360   | 7.7               | 1.7 ~ 11.6    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 15.00  | —      | —      | —      | 22.00                   | 9.30 ~ 28.80  | 1,810           | 340 ~ 2,660   | 8.9               | 1.7 ~ 13.0    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 6.44                         | 16.56  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,790   | 9.5               | 2.8 ~ 13.7    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 9.00   | —      | —      | —      | 18.00                   | 8.00 ~ 24.00  | 1,410           | 350 ~ 2,180   | 6.9               | 1.7 ~ 10.7    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 12.00  | —      | —      | —      | 21.00                   | 8.00 ~ 27.60  | 1,780           | 350 ~ 2,680   | 8.7               | 1.7 ~ 13.1    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 8.63                         | 14.38  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,800   | 9.5               | 2.8 ~ 13.7    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 7.67                         | 15.33  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,800   | 9.5               | 2.8 ~ 13.7    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 11.50                        | 11.50  | —      | —      | —      | 23.00                   | 8.10 ~ 30.00  | 2,070           | 350 ~ 3,010   | 10.2              | 1.7 ~ 14.8    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 10.22                        | 12.78  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,800   | 9.5               | 2.8 ~ 13.7    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 9.20                         | 13.80  | —      | —      | —      | 23.00                   | 11.60 ~ 30.00 | 1,930           | 570 ~ 2,800   | 9.5               | 2.8 ~ 13.7    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 11.50                        | 11.50  | —      | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,800           | 560 ~ 2,590   | 8.8               | 2.7 ~ 12.7    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 10.45                        | 12.55  | —      | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,800           | 560 ~ 2,590   | 8.8               | 2.7 ~ 12.7    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 11.50                        | 11.50  | —      | —      | —      | 23.00                   | 12.70 ~ 30.00 | 1,800           | 560 ~ 2,590   | 8.8               | 2.7 ~ 12.7    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 7.00   | —      | —      | 21.00                   | 9.10 ~ 27.60  | 1,680           | 310 ~ 2,510   | 8.2               | 1.5 ~ 12.3    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 9.00   | —      | —      | 23.00                   | 9.20 ~ 30.00  | 1,910           | 320 ~ 2,780   | 9.4               | 1.6 ~ 13.6    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.19                         | 6.19   | 10.62  | —      | —      | 23.00                   | 11.40 ~ 30.00 | 1,910           | 550 ~ 2,780   | 9.4               | 2.7 ~ 13.6    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.55                         | 5.55   | 11.90  | —      | —      | 23.00                   | 12.40 ~ 30.00 | 1,780           | 540 ~ 2,570   | 8.7               | 2.6 ~ 12.6    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.03                         | 5.03   | 12.94  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,780           | 540 ~ 2,570   | 8.7               | 2.6 ~ 12.6    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 6.44                         | 8.28   | 8.28   | —      | —      | 23.00                   | 9.30 ~ 30.00  | 1,910           | 330 ~ 2,780   | 9.4               | 1.6 ~ 13.6    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 5.75                         | 7.39   | 9.86   | —      | —      | 23.00                   | 11.40 ~ 30.00 | 1,920           | 550 ~ 2,780   | 9.4               | 2.7 ~ 13.6    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.19                         | 6.68   | 11.13  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,780           | 540 ~ 2,570   | 8.7               | 2.6 ~ 12.6    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.74                         | 6.09   | 12.18  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,780           | 540 ~ 2,570   | 8.7               | 2.6 ~ 12.6    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 5.19                         | 8.90   | 8.90   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,780   | 9.4               | 2.7 ~ 13.6    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.74                         | 8.12   | 10.15  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,780           | 540 ~ 2,570   | 8.7               | 2.6 ~ 12.6    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.35                         | 7.46   | 11.19  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,780           | 550 ~ 2,570   | 8.7               | 2.7 ~ 12.6    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.35                         | 9.32   | 9.32   | —      | —      | 23.00                   | 13.50 ~ 30.00 | 1,710           | 530 ~ 2,430   | 8.4               | 2.6 ~ 11.9    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.67                         | 7.67   | 7.67   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,790   | 9.4               | 2.7 ~ 13.7    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.90                         | 6.90   | 9.20   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,790   | 9.4               | 2.7 ~ 13.7    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.27                         | 6.27   | 10.45  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,790           | 550 ~ 2,580   | 8.8               | 2.7 ~ 12.7    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.75                         | 5.75   | 11.50  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 8.8               | 2.7 ~ 12.7    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.27                         | 8.36   | 8.36   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,790   | 9.4               | 2.7 ~ 13.7    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.75                         | 7.67   | 9.58   | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 8.8               | 2.7 ~ 12.7    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.31                         | 7.08   | 10.62  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 8.8               | 2.7 ~ 12.7    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.31                         | 8.85   | 8.85   | —      | —      | 23.00                   | 13.60 ~ 30.00 | 1,660           | 540 ~ 2,440   | 8.1               | 2.6 ~ 12.0    | 98               |
| 12 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.67                         | 7.67   | 7.67   | —      | —      | 23.00                   | 11.60 ~ 30.00 | 1,920           | 560 ~ 2,790   | 9.4               | 2.7 ~ 13.7    | 98               |
| 12 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.08                         | 7.08   | 8.85   | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 8.8               | 2.7 ~ 12.7    | 98               |

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  - The total capacity of connected indoor units is up to 39.0 kBtu/h.
  - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  - The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series

3D152670

3D152671

## Heating [60 Hz, 208 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 8.30                         | —      | —      | —      | —      | 8.30                    | 4.70 ~ 14.00  | 710             | 380 ~ 1,220   | 3.5               | 1.9 ~ 6.0     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 10.30                        | —      | —      | —      | —      | 10.30                   | 4.70 ~ 18.00  | 880             | 390 ~ 1,630   | 4.3               | 1.9 ~ 8.0     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 13.30                        | —      | —      | —      | —      | 13.30                   | 4.80 ~ 24.00  | 1,130           | 390 ~ 2,240   | 5.5               | 1.9 ~ 11.0    | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 16.30                        | —      | —      | —      | —      | 16.30                   | 5.10 ~ 30.00  | 1,260           | 370 ~ 2,690   | 6.2               | 1.8 ~ 13.2    | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 19.30                        | —      | —      | —      | —      | 19.30                   | 5.20 ~ 36.00  | 1,510           | 370 ~ 3,400   | 7.4               | 1.8 ~ 16.7    | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.65                         | 7.65   | —      | —      | —      | 15.30                   | 5.20 ~ 28.00  | 1,140           | 330 ~ 2,400   | 5.6               | 1.6 ~ 11.8    | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.57                         | 9.73   | —      | —      | —      | 17.30                   | 5.20 ~ 32.00  | 1,300           | 340 ~ 2,840   | 6.4               | 1.7 ~ 13.9    | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.44                         | 12.76  | —      | —      | —      | 20.20                   | 5.20 ~ 36.00  | 1,550           | 340 ~ 3,350   | 7.6               | 1.7 ~ 16.4    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.35                         | 15.75  | —      | —      | —      | 23.10                   | 5.60 ~ 36.00  | 1,610           | 320 ~ 3,060   | 7.9               | 1.6 ~ 15.0    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 6.72                         | 17.28  | —      | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,680           | 520 ~ 3,040   | 8.2               | 2.6 ~ 14.9    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.65                         | 9.65   | —      | —      | —      | 19.30                   | 5.30 ~ 36.00  | 1,470           | 340 ~ 3,350   | 7.2               | 1.7 ~ 16.4    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.47                         | 12.63  | —      | —      | —      | 22.10                   | 5.30 ~ 36.00  | 1,720           | 340 ~ 3,330   | 8.4               | 1.7 ~ 16.3    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 15.00  | —      | —      | —      | 24.00                   | 8.90 ~ 36.00  | 1,680           | 510 ~ 3,040   | 8.2               | 2.5 ~ 14.9    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 8.00                         | 16.00  | —      | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,630           | 520 ~ 3,020   | 8.0               | 2.6 ~ 14.8    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 5.30 ~ 36.00  | 1,890           | 350 ~ 3,330   | 9.3               | 1.7 ~ 16.3    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 10.67                        | 13.33  | —      | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,680           | 510 ~ 3,030   | 8.2               | 2.5 ~ 14.9    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 9.60                         | 14.40  | —      | —      | —      | 24.00                   | 9.10 ~ 36.00  | 1,630           | 520 ~ 2,960   | 8.0               | 2.6 ~ 14.5    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 9.50 ~ 36.00  | 1,430           | 470 ~ 2,750   | 7.0               | 2.3 ~ 13.5    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 10.91                        | 13.09  | —      | —      | —      | 24.00                   | 9.60 ~ 36.00  | 1,420           | 480 ~ 2,680   | 7.0               | 2.4 ~ 13.1    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,420           | 480 ~ 2,660   | 7.0               | 2.4 ~ 13.0    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.37                         | 7.37   | 7.37   | —      | —      | 22.10                   | 5.60 ~ 36.00  | 1,480           | 290 ~ 3,010   | 7.3               | 1.4 ~ 14.8    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.30                         | 7.30   | 9.39   | —      | —      | 24.00                   | 5.70 ~ 36.00  | 1,650           | 290 ~ 3,000   | 8.1               | 1.4 ~ 14.7    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.46                         | 6.46   | 11.08  | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,600           | 480 ~ 2,930   | 7.8               | 2.4 ~ 14.4    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.79                         | 5.79   | 12.41  | —      | —      | 24.00                   | 9.60 ~ 36.00  | 1,390           | 440 ~ 2,650   | 6.8               | 2.2 ~ 13.0    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.25                         | 5.25   | 13.50  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,390           | 440 ~ 2,640   | 6.8               | 2.2 ~ 13.0    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 6.72                         | 8.64   | 8.64   | —      | —      | 24.00                   | 5.70 ~ 36.00  | 1,590           | 290 ~ 2,930   | 7.8               | 1.4 ~ 14.4    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.00                         | 7.71   | 10.29  | —      | —      | 24.00                   | 9.10 ~ 36.00  | 1,590           | 480 ~ 2,920   | 7.8               | 2.4 ~ 14.3    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.42                         | 6.97   | 11.61  | —      | —      | 24.00                   | 9.60 ~ 36.00  | 1,380           | 440 ~ 2,640   | 6.8               | 2.2 ~ 13.0    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.94                         | 6.35   | 12.71  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,380           | 440 ~ 2,620   | 6.8               | 2.2 ~ 12.9    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 5.42                         | 9.29   | 9.29   | —      | —      | 24.00                   | 9.20 ~ 36.00  | 1,580           | 480 ~ 2,910   | 7.8               | 2.4 ~ 14.3    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.94                         | 8.47   | 10.59  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,380           | 440 ~ 2,630   | 6.8               | 2.2 ~ 12.9    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.54                         | 7.78   | 11.68  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 450 ~ 2,610   | 6.5               | 2.2 ~ 12.8    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.54                         | 9.73   | 9.73   | —      | —      | 24.00                   | 10.20 ~ 36.00 | 1,190           | 400 ~ 2,360   | 5.8               | 2.0 ~ 11.6    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 8.00                         | 8.00   | 8.00   | —      | —      | 24.00                   | 9.10 ~ 36.00  | 1,590           | 480 ~ 2,920   | 7.8               | 2.4 ~ 14.3    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.20                         | 7.20   | 9.60   | —      | —      | 24.00                   | 9.20 ~ 36.00  | 1,580           | 480 ~ 2,910   | 7.8               | 2.4 ~ 14.3    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 6.55   | 10.91  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,380           | 440 ~ 2,620   | 6.8               | 2.2 ~ 12.9    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.00                         | 6.00   | 12.00  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 440 ~ 2,610   | 6.5               | 2.2 ~ 12.8    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 8.73   | 8.73   | —      | —      | 24.00                   | 9.20 ~ 36.00  | 1,570           | 490 ~ 2,890   | 7.7               | 2.4 ~ 14.2    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.00                         | 8.00   | 10.00  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 440 ~ 2,610   | 6.5               | 2.2 ~ 12.8    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.54                         | 7.38   | 11.08  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 450 ~ 2,550   | 6.5               | 2.2 ~ 12.5    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.54                         | 9.23   | 9.23   | —      | —      | 24.00                   | 10.30 ~ 36.00 | 1,150           | 400 ~ 2,300   | 5.6               | 2.0 ~ 11.3    | 98               |
| 12 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.00                         | 8.00   | 8.00   | —      | —      | 24.00                   | 9.30 ~ 36.00  | 1,530           | 490 ~ 2,880   | 7.5               | 2.4 ~ 14.1    | 98               |
| 12 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.38                         | 7.38   | 9.23   | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 440 ~ 2,550   | 6.5               | 2.2 ~ 12.5    | 98               |

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  - The total capacity of connected indoor units is up to 39.0 kBtu/h.
  - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  - The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series

3D152677

3D152678

## Cooling [60 Hz, 230 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 7.00                         | —      | —      | —      | —      | 7.00                    | 6.60 ~ 9.30   | 390             | 350 ~ 590     | 1.7               | 1.6 ~ 2.6     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 9.00                         | —      | —      | —      | —      | 9.00                    | 6.60 ~ 12.00  | 600             | 360 ~ 860     | 2.7               | 1.6 ~ 3.8     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 12.00                        | —      | —      | —      | —      | 12.00                   | 6.70 ~ 16.00  | 860             | 360 ~ 1,280   | 3.8               | 1.6 ~ 5.7     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 15.00                        | —      | —      | —      | —      | 15.00                   | 8.00 ~ 20.00  | 1,070           | 360 ~ 1,680   | 4.7               | 1.6 ~ 7.5     | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 18.00                        | —      | —      | —      | —      | 18.00                   | 8.10 ~ 24.00  | 1,420           | 360 ~ 2,190   | 6.3               | 1.6 ~ 9.7     | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 7.00   | —      | —      | —      | 14.00                   | 7.80 ~ 18.70  | 960             | 330 ~ 1,500   | 4.3               | 1.5 ~ 6.7     | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 9.00   | —      | —      | —      | 16.00                   | 7.90 ~ 21.30  | 1,200           | 340 ~ 1,830   | 5.3               | 1.5 ~ 8.1     | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 12.00  | —      | —      | —      | 19.00                   | 8.00 ~ 25.20  | 1,560           | 340 ~ 2,360   | 6.9               | 1.5 ~ 10.5    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 15.00  | —      | —      | —      | 22.00                   | 9.30 ~ 28.80  | 1,810           | 340 ~ 2,660   | 8.0               | 1.5 ~ 11.8    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 6.44                         | 16.56  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,790   | 8.6               | 2.5 ~ 12.4    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 9.00   | —      | —      | —      | 18.00                   | 8.00 ~ 24.00  | 1,410           | 350 ~ 2,180   | 6.3               | 1.6 ~ 9.7     | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 12.00  | —      | —      | —      | 21.00                   | 8.00 ~ 27.60  | 1,780           | 350 ~ 2,680   | 7.9               | 1.6 ~ 11.9    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 8.63                         | 14.38  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,800   | 8.6               | 2.5 ~ 12.4    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 7.67                         | 15.33  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,800   | 8.6               | 2.5 ~ 12.4    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 11.50                        | 11.50  | —      | —      | —      | 23.00                   | 8.10 ~ 30.00  | 2,070           | 350 ~ 3,010   | 9.2               | 1.6 ~ 13.4    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 10.22                        | 12.78  | —      | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,930           | 570 ~ 2,800   | 8.6               | 2.5 ~ 12.4    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 9.20                         | 13.80  | —      | —      | —      | 23.00                   | 11.60 ~ 30.00 | 1,930           | 570 ~ 2,800   | 8.6               | 2.5 ~ 12.4    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 11.50                        | 11.50  | —      | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,800           | 560 ~ 2,590   | 8.0               | 2.5 ~ 11.5    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 10.45                        | 12.55  | —      | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,800           | 560 ~ 2,590   | 8.0               | 2.5 ~ 11.5    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 11.50                        | 11.50  | —      | —      | —      | 23.00                   | 12.70 ~ 30.00 | 1,800           | 560 ~ 2,590   | 8.0               | 2.5 ~ 11.5    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 7.00   | —      | —      | 21.00                   | 9.10 ~ 27.60  | 1,680           | 310 ~ 2,510   | 7.5               | 1.4 ~ 11.1    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 9.00   | —      | —      | 23.00                   | 9.20 ~ 30.00  | 1,910           | 320 ~ 2,780   | 8.5               | 1.4 ~ 12.3    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.19                         | 6.19   | 10.62  | —      | —      | 23.00                   | 11.40 ~ 30.00 | 1,910           | 550 ~ 2,780   | 8.5               | 2.4 ~ 12.3    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.55                         | 5.55   | 11.90  | —      | —      | 23.00                   | 12.40 ~ 30.00 | 1,780           | 540 ~ 2,570   | 7.9               | 2.4 ~ 11.4    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.03                         | 5.03   | 12.94  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,780           | 540 ~ 2,570   | 7.9               | 2.4 ~ 11.4    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 6.44                         | 8.28   | 8.28   | —      | —      | 23.00                   | 9.30 ~ 30.00  | 1,910           | 330 ~ 2,780   | 8.5               | 1.5 ~ 12.3    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 5.75                         | 7.39   | 9.86   | —      | —      | 23.00                   | 11.40 ~ 30.00 | 1,920           | 550 ~ 2,780   | 8.5               | 2.4 ~ 12.3    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.19                         | 6.68   | 11.13  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,780           | 540 ~ 2,570   | 7.9               | 2.4 ~ 11.4    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.74                         | 6.09   | 12.18  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,780           | 540 ~ 2,570   | 7.9               | 2.4 ~ 11.4    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 5.19                         | 8.90   | 8.90   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,780   | 8.5               | 2.5 ~ 12.3    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.74                         | 8.12   | 10.15  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,780           | 540 ~ 2,570   | 7.9               | 2.4 ~ 11.4    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.35                         | 7.46   | 11.19  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,780           | 550 ~ 2,570   | 7.9               | 2.4 ~ 11.4    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.35                         | 9.32   | 9.32   | —      | —      | 23.00                   | 13.50 ~ 30.00 | 1,710           | 530 ~ 2,430   | 7.6               | 2.4 ~ 10.8    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.67                         | 7.67   | 7.67   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,790   | 8.5               | 2.5 ~ 12.4    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.90                         | 6.90   | 9.20   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,790   | 8.5               | 2.5 ~ 12.4    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.27                         | 6.27   | 10.45  | —      | —      | 23.00                   | 12.50 ~ 30.00 | 1,790           | 550 ~ 2,580   | 7.9               | 2.4 ~ 11.4    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.75                         | 5.75   | 11.50  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 7.9               | 2.4 ~ 11.4    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.27                         | 8.36   | 8.36   | —      | —      | 23.00                   | 11.50 ~ 30.00 | 1,920           | 560 ~ 2,790   | 8.5               | 2.5 ~ 12.4    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.75                         | 7.67   | 9.58   | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 7.9               | 2.4 ~ 11.4    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.31                         | 7.08   | 10.62  | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 7.9               | 2.4 ~ 11.4    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.31                         | 8.85   | 8.85   | —      | —      | 23.00                   | 13.60 ~ 30.00 | 1,660           | 540 ~ 2,440   | 7.4               | 2.4 ~ 10.8    | 98               |
| 12 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.67                         | 7.67   | 7.67   | —      | —      | 23.00                   | 11.60 ~ 30.00 | 1,920           | 560 ~ 2,790   | 8.5               | 2.5 ~ 12.4    | 98               |
| 12 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.08                         | 7.08   | 8.85   | —      | —      | 23.00                   | 12.60 ~ 30.00 | 1,790           | 550 ~ 2,580   | 7.9               | 2.4 ~ 11.4    | 98               |

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  - The total capacity of connected indoor units is up to 39.0 kBtu/h.
  - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  - The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series

3D152702

3D152703

## Heating [60 Hz, 230 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 8.30                         | —      | —      | —      | —      | 8.30                    | 4.70 ~ 14.00  | 710             | 380 ~ 1,220   | 3.1               | 1.7 ~ 5.4     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 10.30                        | —      | —      | —      | —      | 10.30                   | 4.70 ~ 18.00  | 880             | 390 ~ 1,630   | 3.9               | 1.7 ~ 7.2     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 13.30                        | —      | —      | —      | —      | 13.30                   | 4.80 ~ 24.00  | 1,130           | 390 ~ 2,240   | 5.0               | 1.7 ~ 9.9     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 16.30                        | —      | —      | —      | —      | 16.30                   | 5.10 ~ 30.00  | 1,260           | 370 ~ 2,690   | 5.6               | 1.6 ~ 11.9    | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 19.30                        | —      | —      | —      | —      | 19.30                   | 5.20 ~ 36.00  | 1,510           | 370 ~ 3,400   | 6.7               | 1.6 ~ 15.1    | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.65                         | 7.65   | —      | —      | —      | 15.30                   | 5.20 ~ 28.00  | 1,140           | 330 ~ 2,400   | 5.1               | 1.5 ~ 10.6    | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.57                         | 9.73   | —      | —      | —      | 17.30                   | 5.20 ~ 32.00  | 1,300           | 340 ~ 2,840   | 5.8               | 1.5 ~ 12.6    | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.44                         | 12.76  | —      | —      | —      | 20.20                   | 5.20 ~ 36.00  | 1,550           | 340 ~ 3,350   | 6.9               | 1.5 ~ 14.9    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.35                         | 15.75  | —      | —      | —      | 23.10                   | 5.60 ~ 36.00  | 1,610           | 320 ~ 3,060   | 7.1               | 1.4 ~ 13.6    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 6.72                         | 17.28  | —      | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,680           | 520 ~ 3,040   | 7.5               | 2.3 ~ 13.5    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.65                         | 9.65   | —      | —      | —      | 19.30                   | 5.30 ~ 36.00  | 1,470           | 340 ~ 3,350   | 6.5               | 1.5 ~ 14.9    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.47                         | 12.63  | —      | —      | —      | 22.10                   | 5.30 ~ 36.00  | 1,720           | 340 ~ 3,330   | 7.6               | 1.5 ~ 14.8    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 15.00  | —      | —      | —      | 24.00                   | 8.90 ~ 36.00  | 1,680           | 510 ~ 3,040   | 7.5               | 2.3 ~ 13.5    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 8.00                         | 16.00  | —      | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,630           | 520 ~ 3,020   | 7.2               | 2.3 ~ 13.4    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 5.30 ~ 36.00  | 1,890           | 350 ~ 3,330   | 8.4               | 1.6 ~ 14.8    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 10.67                        | 13.33  | —      | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,680           | 510 ~ 3,030   | 7.5               | 2.3 ~ 13.4    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 9.60                         | 14.40  | —      | —      | —      | 24.00                   | 9.10 ~ 36.00  | 1,630           | 520 ~ 2,960   | 7.2               | 2.3 ~ 13.1    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 9.50 ~ 36.00  | 1,430           | 470 ~ 2,750   | 6.3               | 2.1 ~ 12.2    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 10.91                        | 13.09  | —      | —      | —      | 24.00                   | 9.60 ~ 36.00  | 1,420           | 480 ~ 2,680   | 6.3               | 2.1 ~ 11.9    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,420           | 480 ~ 2,660   | 6.3               | 2.1 ~ 11.8    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.37                         | 7.37   | 7.37   | —      | —      | 22.10                   | 5.60 ~ 36.00  | 1,480           | 290 ~ 3,010   | 6.6               | 1.3 ~ 13.4    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.30                         | 7.30   | 9.39   | —      | —      | 24.00                   | 5.70 ~ 36.00  | 1,650           | 290 ~ 3,000   | 7.3               | 1.3 ~ 13.3    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.46                         | 6.46   | 11.08  | —      | —      | 24.00                   | 9.00 ~ 36.00  | 1,600           | 480 ~ 2,930   | 7.1               | 2.1 ~ 13.0    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.79                         | 5.79   | 12.41  | —      | —      | 24.00                   | 9.60 ~ 36.00  | 1,390           | 440 ~ 2,650   | 6.2               | 2.0 ~ 11.8    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.25                         | 5.25   | 13.50  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,390           | 440 ~ 2,640   | 6.2               | 2.0 ~ 11.7    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 6.72                         | 8.64   | 8.64   | —      | —      | 24.00                   | 5.70 ~ 36.00  | 1,590           | 290 ~ 2,930   | 7.1               | 1.3 ~ 13.0    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.00                         | 7.71   | 10.29  | —      | —      | 24.00                   | 9.10 ~ 36.00  | 1,590           | 480 ~ 2,920   | 7.1               | 2.1 ~ 13.0    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.42                         | 6.97   | 11.61  | —      | —      | 24.00                   | 9.60 ~ 36.00  | 1,380           | 440 ~ 2,640   | 6.1               | 2.0 ~ 11.7    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.94                         | 6.35   | 12.71  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,380           | 440 ~ 2,620   | 6.1               | 2.0 ~ 11.6    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 5.42                         | 9.29   | 9.29   | —      | —      | 24.00                   | 9.20 ~ 36.00  | 1,580           | 480 ~ 2,910   | 7.0               | 2.1 ~ 12.9    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.94                         | 8.47   | 10.59  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,380           | 440 ~ 2,630   | 6.1               | 2.0 ~ 11.7    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 4.54                         | 7.78   | 11.68  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 450 ~ 2,610   | 5.9               | 2.0 ~ 11.6    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 4.54                         | 9.73   | 9.73   | —      | —      | 24.00                   | 10.20 ~ 36.00 | 1,190           | 400 ~ 2,360   | 5.3               | 1.8 ~ 10.5    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 8.00                         | 8.00   | 8.00   | —      | —      | 24.00                   | 9.10 ~ 36.00  | 1,590           | 480 ~ 2,920   | 7.1               | 2.1 ~ 13.0    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.20                         | 7.20   | 9.60   | —      | —      | 24.00                   | 9.20 ~ 36.00  | 1,580           | 480 ~ 2,910   | 7.0               | 2.1 ~ 12.9    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 6.55   | 10.91  | —      | —      | 24.00                   | 9.70 ~ 36.00  | 1,380           | 440 ~ 2,620   | 6.1               | 2.0 ~ 11.6    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.00                         | 6.00   | 12.00  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 440 ~ 2,610   | 5.9               | 2.0 ~ 11.6    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 8.73   | 8.73   | —      | —      | 24.00                   | 9.20 ~ 36.00  | 1,570           | 490 ~ 2,890   | 7.0               | 2.2 ~ 12.8    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.00                         | 8.00   | 10.00  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 440 ~ 2,610   | 5.9               | 2.0 ~ 11.6    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.54                         | 7.38   | 11.08  | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 450 ~ 2,550   | 5.9               | 2.0 ~ 11.3    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 5.54                         | 9.23   | 9.23   | —      | —      | 24.00                   | 10.30 ~ 36.00 | 1,150           | 400 ~ 2,300   | 5.1               | 1.8 ~ 10.2    | 98               |
| 12 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.00                         | 8.00   | 8.00   | —      | —      | 24.00                   | 9.30 ~ 36.00  | 1,530           | 490 ~ 2,880   | 6.8               | 2.2 ~ 12.8    | 98               |
| 12 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.38                         | 7.38   | 9.23   | —      | —      | 24.00                   | 9.80 ~ 36.00  | 1,330           | 440 ~ 2,550   | 5.9               | 2.0 ~ 11.3    | 98               |

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  - The total capacity of connected indoor units is up to 39.0 kBtu/h.
  - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  - The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series

3D152711

3D152712

## 2.4 Combination Capacity: 4MXM36AVJU9

### Cooling [60 Hz, 208 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |        | Power factor (%) |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|--------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               |        |                  |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating |                  |
| 07                         | Wall                | —      | —      | —      | —      | 7.00                         | —      | —      | —      | —      | 7.00                    | 6.60 ~ 9.30   | 440             | 400 ~ 670     | 2.2               | 2.0 ~ 3.3     | 98     |                  |
| 09                         | Wall                | —      | —      | —      | —      | 9.00                         | —      | —      | —      | —      | 9.00                    | 6.60 ~ 12.00  | 670             | 400 ~ 970     | 3.3               | 2.0 ~ 4.8     | 98     |                  |
| 12                         | Wall                | —      | —      | —      | —      | 12.00                        | —      | —      | —      | —      | 12.00                   | 6.70 ~ 16.00  | 970             | 410 ~ 1,440   | 4.8               | 2.0 ~ 7.1     | 98     |                  |
| 15                         | Wall                | —      | —      | —      | —      | 15.00                        | —      | —      | —      | —      | 15.00                   | 8.00 ~ 20.00  | 1,200           | 400 ~ 1,890   | 5.9               | 2.0 ~ 9.3     | 98     |                  |
| 18                         | Wall                | —      | —      | —      | —      | 18.00                        | —      | —      | —      | —      | 18.00                   | 8.10 ~ 24.00  | 1,590           | 400 ~ 2,460   | 7.8               | 2.0 ~ 12.1    | 98     |                  |
| 24                         | Wall                | —      | —      | —      | —      | 24.00                        | —      | —      | —      | —      | 24.00                   | 8.40 ~ 30.50  | 2,410           | 420 ~ 3,400   | 11.8              | 2.1 ~ 16.7    | 98     |                  |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 7.00   | —      | —      | —      | 14.00                   | 7.80 ~ 18.70  | 1,080           | 380 ~ 1,690   | 5.3               | 1.9 ~ 8.3     | 98     |                  |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 9.00   | —      | —      | —      | 16.00                   | 7.90 ~ 21.30  | 1,350           | 380 ~ 2,060   | 6.6               | 1.9 ~ 10.1    | 98     |                  |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 12.00  | —      | —      | —      | 19.00                   | 8.00 ~ 25.20  | 1,750           | 380 ~ 2,650   | 8.6               | 1.9 ~ 13.0    | 98     |                  |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 15.00  | —      | —      | —      | 22.00                   | 9.30 ~ 28.80  | 2,030           | 380 ~ 2,990   | 10.0              | 1.9 ~ 14.7    | 98     |                  |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 6.97                         | 17.93  | —      | —      | —      | 24.90                   | 11.50 ~ 31.10 | 2,430           | 640 ~ 3,290   | 11.9              | 3.1 ~ 16.1    | 98     |                  |
| 07 + 24                    | Wall                | Wall   | —      | —      | —      | 6.77                         | 23.23  | —      | —      | —      | 30.00                   | 11.70 ~ 34.30 | 3,080           | 650 ~ 3,700   | 15.1              | 3.2 ~ 18.2    | 98     |                  |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 9.00   | —      | —      | —      | 18.00                   | 8.00 ~ 24.00  | 1,580           | 390 ~ 2,450   | 7.8               | 1.9 ~ 12.0    | 98     |                  |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 12.00  | —      | —      | —      | 21.00                   | 8.00 ~ 27.60  | 2,000           | 390 ~ 3,010   | 9.8               | 1.9 ~ 14.8    | 98     |                  |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 15.00  | —      | —      | —      | 24.00                   | 11.50 ~ 30.50 | 2,300           | 640 ~ 3,220   | 11.3              | 3.1 ~ 15.8    | 98     |                  |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 8.87                         | 17.73  | —      | —      | —      | 26.60                   | 11.50 ~ 32.20 | 2,640           | 640 ~ 3,450   | 13.0              | 3.1 ~ 16.9    | 98     |                  |
| 09 + 24                    | Wall                | Wall   | —      | —      | —      | 8.65                         | 23.05  | —      | —      | —      | 31.70                   | 11.80 ~ 35.40 | 3,310           | 660 ~ 3,860   | 16.2              | 3.2 ~ 18.9    | 98     |                  |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 8.10 ~ 30.50  | 2,450           | 390 ~ 3,460   | 12.0              | 1.9 ~ 17.0    | 98     |                  |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 11.82                        | 14.78  | —      | —      | —      | 26.60                   | 11.50 ~ 32.20 | 2,640           | 640 ~ 3,450   | 13.0              | 3.1 ~ 16.9    | 98     |                  |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 11.64                        | 17.46  | —      | —      | —      | 29.10                   | 11.60 ~ 33.80 | 3,000           | 640 ~ 3,690   | 14.7              | 3.1 ~ 18.1    | 98     |                  |
| 12 + 24                    | Wall                | Wall   | —      | —      | —      | 11.40                        | 22.80  | —      | —      | —      | 34.20                   | 11.80 ~ 37.00 | 3,620           | 660 ~ 4,030   | 17.8              | 3.2 ~ 19.8    | 98     |                  |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 14.55                        | 14.55  | —      | —      | —      | 29.10                   | 12.50 ~ 33.80 | 2,840           | 630 ~ 3,440   | 13.9              | 3.1 ~ 16.9    | 98     |                  |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 14.41                        | 17.29  | —      | —      | —      | 31.70                   | 12.60 ~ 35.40 | 3,140           | 630 ~ 3,610   | 15.4              | 3.1 ~ 17.7    | 98     |                  |
| 15 + 24                    | Wall                | Wall   | —      | —      | —      | 13.15                        | 21.05  | —      | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,380           | 640 ~ 3,780   | 16.6              | 3.1 ~ 18.5    | 98     |                  |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 17.10                        | 17.10  | —      | —      | —      | 34.20                   | 12.70 ~ 37.00 | 3,450           | 630 ~ 3,770   | 16.9              | 3.1 ~ 18.5    | 98     |                  |
| 18 + 24                    | Wall                | Wall   | —      | —      | —      | 14.66                        | 19.54  | —      | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,380           | 650 ~ 3,770   | 16.6              | 3.2 ~ 18.5    | 98     |                  |
| 24 + 24                    | Wall                | Wall   | —      | —      | —      | 17.10                        | 17.10  | —      | —      | —      | 34.20                   | 13.20 ~ 37.00 | 3,400           | 660 ~ 3,720   | 16.7              | 3.2 ~ 18.2    | 98     |                  |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 7.00   | —      | —      | 21.00                   | 9.10 ~ 27.60  | 1,890           | 350 ~ 2,820   | 9.3               | 1.7 ~ 13.8    | 98     |                  |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 9.00   | —      | —      | 23.00                   | 9.20 ~ 30.00  | 2,150           | 360 ~ 3,120   | 10.5              | 1.8 ~ 15.3    | 98     |                  |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.92                         | 6.92   | 11.86  | —      | —      | 25.70                   | 11.40 ~ 31.60 | 2,550           | 620 ~ 3,350   | 12.5              | 3.0 ~ 16.4    | 98     |                  |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.83                         | 6.83   | 14.64  | —      | —      | 28.30                   | 12.40 ~ 33.20 | 2,670           | 600 ~ 3,340   | 13.1              | 2.9 ~ 16.4    | 98     |                  |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.74                         | 6.74   | 17.33  | —      | —      | 30.80                   | 12.50 ~ 34.80 | 3,040           | 610 ~ 3,500   | 14.9              | 3.0 ~ 17.2    | 98     |                  |
| 07 + 07 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.30                         | 6.30   | 21.60  | —      | —      | 34.20                   | 12.80 ~ 37.00 | 3,440           | 620 ~ 3,760   | 16.9              | 3.0 ~ 18.4    | 98     |                  |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 6.97                         | 8.96   | 8.96   | —      | —      | 24.90                   | 9.30 ~ 31.10  | 2,420           | 370 ~ 3,280   | 11.9              | 1.8 ~ 16.1    | 98     |                  |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.85                         | 8.81   | 11.74  | —      | —      | 27.40                   | 11.40 ~ 32.70 | 2,770           | 620 ~ 3,510   | 13.6              | 3.0 ~ 17.2    | 98     |                  |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.77                         | 8.71   | 14.52  | —      | —      | 30.00                   | 12.50 ~ 34.30 | 2,890           | 610 ~ 3,510   | 14.2              | 3.0 ~ 17.2    | 98     |                  |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.69                         | 8.60   | 17.21  | —      | —      | 32.50                   | 12.60 ~ 35.90 | 3,200           | 610 ~ 3,670   | 15.7              | 3.0 ~ 18.0    | 98     |                  |
| 07 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.99                         | 7.70   | 20.52  | —      | —      | 34.20                   | 12.80 ~ 37.00 | 3,450           | 630 ~ 3,770   | 16.9              | 3.1 ~ 18.5    | 98     |                  |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.77                         | 11.61  | 11.61  | —      | —      | 30.00                   | 11.50 ~ 34.30 | 3,130           | 630 ~ 3,750   | 15.4              | 3.1 ~ 18.4    | 98     |                  |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.69                         | 11.47  | 14.34  | —      | —      | 32.50                   | 12.50 ~ 35.90 | 3,270           | 610 ~ 3,670   | 16.0              | 3.0 ~ 18.0    | 98     |                  |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.47                         | 11.09  | 16.64  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,840   | 16.8              | 3.0 ~ 18.8    | 98     |                  |
| 07 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.57                         | 9.54   | 19.09  | —      | —      | 34.20                   | 12.80 ~ 37.00 | 3,370           | 630 ~ 3,770   | 16.5              | 3.1 ~ 18.5    | 98     |                  |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.47                         | 13.86  | 13.86  | —      | —      | 34.20                   | 13.50 ~ 37.00 | 3,260           | 600 ~ 3,590   | 16.0              | 2.9 ~ 17.6    | 98     |                  |
| 07 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.99                         | 12.83  | 15.39  | —      | —      | 34.20                   | 13.60 ~ 37.00 | 3,270           | 600 ~ 3,590   | 16.0              | 2.9 ~ 17.6    | 98     |                  |
| 07 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.20                         | 11.15  | 17.84  | —      | —      | 34.20                   | 13.90 ~ 37.00 | 3,200           | 610 ~ 3,520   | 15.7              | 3.0 ~ 17.3    | 98     |                  |
| 07 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.57                         | 14.32  | 14.32  | —      | —      | 34.20                   | 13.70 ~ 37.00 | 3,190           | 600 ~ 3,590   | 15.6              | 2.9 ~ 17.6    | 98     |                  |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 8.87                         | 8.87   | 8.87   | —      | —      | 26.60                   | 11.50 ~ 32.20 | 2,630           | 630 ~ 3,440   | 12.9              | 3.1 ~ 16.9    | 98     |                  |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.73                         | 8.73   | 11.64  | —      | —      | 29.10                   | 11.50 ~ 33.80 | 2,990           | 630 ~ 3,680   | 14.7              | 3.1 ~ 18.1    | 98     |                  |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 8.65   | 14.41  | —      | —      | 31.70                   | 12.50 ~ 35.40 | 3,120           | 620 ~ 3,590   | 15.3              | 3.0 ~ 17.6    | 98     |                  |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 8.55                         | 8.55   | 17.10  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,440           | 620 ~ 3,840   | 16.9              | 3.0 ~ 18.8    | 98     |                  |
| 09 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 7.33                         | 7.33   | 19.54  | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,370           | 630 ~ 3,780   | 16.5              | 3.1 ~ 18.5    | 98     |                  |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 11.53  | 11.53  | —      | —      | 31.70                   | 11.50 ~ 35.40 | 3,370           | 630 ~ 3,920   | 16.5              | 3.1 ~ 19.2    | 98     |                  |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.55                         | 11.40  | 14.25  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,440           | 620 ~ 3,840   | 16.9              | 3.0 ~ 18.8    | 98     |                  |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.89                         | 10.52  | 15.78  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,440           | 620 ~ 3,760   | 16.9              | 3.0 ~ 18.4    | 98     |                  |
| 09 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.84                         | 9.12   | 18.24  | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,370           | 640 ~ 3,780   | 16.5              | 3.1 ~ 18.5    | 98     |                  |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.89                         | 13.15  | 13.15  | —      | —      | 34.20                   | 13.60 ~ 37.00 | 3,270           | 600 ~ 3,590   | 16.0              | 2.9 ~ 17.6    | 98     |                  |
| 09 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.33                         | 12.21  | 14.66  | —      | —      | 34.20                   | 13.70 ~ 37.00 | 3,270           | 610 ~ 3,590   | 16.0              | 3.0 ~ 17.6    | 98     |                  |
| 09 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.41                         | 10.69  | 17.10  | —      | —      | 34.20                   | 13.90 ~ 37.00 | 3,210           | 620 ~ 3,530   | 15.7              | 3.0 ~ 17.3    | 98     |                  |
| 09 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.84                         | 13.68  | 13.68  | —      | —      | 34.20                   |               |                 |               |                   |               |        |                  |

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|--|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |  |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |  |
| 07 + 07 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.44                         | 5.44   | 11.66  | 11.66  | —      | 34.20                   | 14.60 ~ 37.00 | 3,080           | 570 ~ 3,350   | 15.1              | 2.8 ~ 16.4    | 98               |  |
| 07 + 07 + 15 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.09                         | 5.09   | 10.91  | 13.10  | —      | 34.20                   | 14.60 ~ 37.00 | 3,010           | 570 ~ 3,330   | 14.8              | 2.8 ~ 16.3    | 98               |  |
| 07 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 6.69                         | 8.60   | 8.60   | 8.60   | —      | 32.50                   | 12.50 ~ 35.90 | 3,260           | 600 ~ 3,660   | 16.0              | 2.9 ~ 18.0    | 98               |  |
| 07 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.47                         | 8.32   | 8.32   | 11.09  | —      | 34.20                   | 12.50 ~ 37.00 | 3,420           | 600 ~ 3,830   | 16.8              | 2.9 ~ 18.8    | 98               |  |
| 07 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.99                         | 7.70   | 7.70   | 12.83  | —      | 34.20                   | 13.50 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 07 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.57                         | 7.16   | 7.16   | 14.32  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 07 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 5.99                         | 7.70   | 10.26  | 10.26  | —      | 34.20                   | 12.50 ~ 37.00 | 3,420           | 600 ~ 3,830   | 16.8              | 2.9 ~ 18.8    | 98               |  |
| 07 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.57                         | 7.16   | 9.54   | 11.93  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 07 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.20                         | 6.69   | 8.92   | 13.38  | —      | 34.20                   | 13.70 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 07 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.20                         | 6.69   | 11.15  | 11.15  | —      | 34.20                   | 14.60 ~ 37.00 | 3,090           | 570 ~ 3,350   | 15.2              | 2.8 ~ 16.4    | 98               |  |
| 07 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 5.57                         | 9.54   | 9.54   | 9.54   | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 600 ~ 3,830   | 16.8              | 2.9 ~ 18.8    | 98               |  |
| 07 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.20                         | 8.92   | 8.92   | 11.15  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 09 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 8.55                         | 8.55   | 8.55   | 8.55   | —      | 34.20                   | 12.50 ~ 37.00 | 3,420           | 600 ~ 3,830   | 16.8              | 2.9 ~ 18.8    | 98               |  |
| 09 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.89                         | 7.89   | 7.89   | 10.52  | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,830   | 16.8              | 3.0 ~ 18.8    | 98               |  |
| 09 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 7.33                         | 7.33   | 7.33   | 12.21  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 09 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.84                         | 6.84   | 6.84   | 13.68  | —      | 34.20                   | 13.70 ~ 37.00 | 3,260           | 600 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 09 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.33                         | 7.33   | 9.77   | 9.77   | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,830   | 16.8              | 3.0 ~ 18.8    | 98               |  |
| 09 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.84                         | 6.84   | 9.12   | 11.40  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 09 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.41                         | 6.41   | 8.55   | 12.83  | —      | 34.20                   | 13.70 ~ 37.00 | 3,190           | 600 ~ 3,510   | 15.6              | 2.9 ~ 17.2    | 98               |  |
| 09 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.41                         | 6.41   | 10.69  | 10.69  | —      | 34.20                   | 14.60 ~ 37.00 | 3,020           | 580 ~ 3,330   | 14.8              | 2.8 ~ 16.3    | 98               |  |
| 09 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.84                         | 9.12   | 9.12   | 9.12   | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,750   | 16.8              | 3.0 ~ 18.4    | 98               |  |
| 09 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.41                         | 8.55   | 8.55   | 10.69  | —      | 34.20                   | 13.70 ~ 37.00 | 3,260           | 600 ~ 3,590   | 16.0              | 2.9 ~ 17.6    | 98               |  |
| 12 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 8.55                         | 8.55   | 8.55   | 8.55   | —      | 34.20                   | 12.70 ~ 37.00 | 3,430           | 610 ~ 3,760   | 16.8              | 3.0 ~ 18.4    | 98               |  |

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  2. The total capacity of connected indoor units is up to 48.0 kBtu/h.
  3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  4. The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series  
24.0 kBtu/h class; wall mount type A series

3D152672

3D152673

3D152674



## Heating [60 Hz, 208 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) |                  |
| 07                         | Wall                | —      | —      | —      | —      | 8.30                         | —      | —      | —      | —      | 8.30                    | 4.70 ~ 14.00  | 790             | 430 ~ 1,370   | 3.9               | 2.1 ~ 6.7     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 10.30                        | —      | —      | —      | —      | 10.30                   | 4.70 ~ 18.00  | 980             | 430 ~ 1,820   | 4.8               | 2.1 ~ 8.9     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 13.30                        | —      | —      | —      | —      | 13.30                   | 4.80 ~ 24.00  | 1,260           | 440 ~ 2,510   | 6.2               | 2.2 ~ 12.3    | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 16.30                        | —      | —      | —      | —      | 16.30                   | 5.10 ~ 30.00  | 1,410           | 410 ~ 3,000   | 6.9               | 2.0 ~ 14.7    | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 19.30                        | —      | —      | —      | —      | 19.30                   | 5.20 ~ 36.00  | 1,680           | 420 ~ 3,800   | 8.2               | 2.1 ~ 18.6    | 98               |
| 24                         | Wall                | —      | —      | —      | —      | 25.30                        | —      | —      | —      | —      | 25.30                   | 5.20 ~ 38.30  | 2,340           | 420 ~ 4,170   | 11.5              | 2.1 ~ 20.5    | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.65                         | 7.65   | —      | —      | —      | 15.30                   | 5.20 ~ 28.00  | 1,270           | 370 ~ 2,680   | 6.2               | 1.8 ~ 13.1    | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.57                         | 9.73   | —      | —      | —      | 17.30                   | 5.20 ~ 32.00  | 1,450           | 380 ~ 3,170   | 7.1               | 1.9 ~ 15.6    | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.48                         | 12.82  | —      | —      | —      | 20.30                   | 5.20 ~ 36.40  | 1,740           | 380 ~ 3,800   | 8.5               | 1.9 ~ 18.6    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.41                         | 15.89  | —      | —      | —      | 23.30                   | 5.60 ~ 37.60  | 1,790           | 350 ~ 3,650   | 8.8               | 1.7 ~ 17.9    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 7.31                         | 18.79  | —      | —      | —      | 26.10                   | 9.00 ~ 38.70  | 2,070           | 580 ~ 3,800   | 10.2              | 2.8 ~ 18.6    | 98               |
| 07 + 24                    | Wall                | Wall   | —      | —      | —      | 6.93                         | 23.77  | —      | —      | —      | 30.70                   | 9.00 ~ 41.10  | 2,630           | 580 ~ 4,230   | 12.9              | 2.8 ~ 20.8    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.65                         | 9.65   | —      | —      | —      | 19.30                   | 5.30 ~ 36.00  | 1,640           | 380 ~ 3,740   | 8.0               | 1.9 ~ 18.3    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.56                         | 12.74  | —      | —      | —      | 22.30                   | 5.30 ~ 37.20  | 1,920           | 380 ~ 3,900   | 9.4               | 1.9 ~ 19.1    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 9.49                         | 15.81  | —      | —      | —      | 25.30                   | 8.90 ~ 38.30  | 2,020           | 570 ~ 3,750   | 9.9               | 2.8 ~ 18.4    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 9.20                         | 18.40  | —      | —      | —      | 27.60                   | 9.00 ~ 39.50  | 2,260           | 580 ~ 3,900   | 11.1              | 2.8 ~ 19.1    | 98               |
| 09 + 24                    | Wall                | Wall   | —      | —      | —      | 8.81                         | 23.49  | —      | —      | —      | 32.30                   | 9.00 ~ 41.80  | 2,820           | 580 ~ 4,210   | 13.8              | 2.8 ~ 20.7    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 12.65                        | 12.65  | —      | —      | —      | 25.30                   | 5.30 ~ 38.30  | 2,270           | 390 ~ 4,070   | 11.1              | 1.9 ~ 20.0    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 12.27                        | 15.33  | —      | —      | —      | 27.60                   | 9.00 ~ 39.50  | 2,260           | 570 ~ 3,910   | 11.1              | 2.8 ~ 19.2    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 18.00  | —      | —      | —      | 30.00                   | 9.10 ~ 40.70  | 2,500           | 580 ~ 4,130   | 12.3              | 2.8 ~ 20.3    | 98               |
| 12 + 24                    | Wall                | Wall   | —      | —      | —      | 11.53                        | 23.07  | —      | —      | —      | 34.60                   | 9.10 ~ 43.00  | 3,140           | 580 ~ 4,190   | 15.4              | 2.8 ~ 20.6    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 15.00                        | 15.00  | —      | —      | —      | 30.00                   | 9.50 ~ 40.70  | 2,240           | 530 ~ 3,860   | 11.0              | 2.6 ~ 18.9    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 14.68                        | 17.62  | —      | —      | —      | 32.30                   | 9.60 ~ 41.80  | 2,470           | 530 ~ 3,960   | 12.1              | 2.6 ~ 19.4    | 98               |
| 15 + 24                    | Wall                | Wall   | —      | —      | —      | 13.31                        | 21.29  | —      | —      | —      | 34.60                   | 9.60 ~ 43.00  | 2,780           | 530 ~ 3,960   | 13.6              | 2.6 ~ 19.4    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 17.30                        | 17.30  | —      | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,760           | 540 ~ 3,930   | 13.5              | 2.6 ~ 19.3    | 98               |
| 18 + 24                    | Wall                | Wall   | —      | —      | —      | 14.83                        | 19.77  | —      | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,760           | 540 ~ 3,930   | 13.5              | 2.6 ~ 19.3    | 98               |
| 24 + 24                    | Wall                | Wall   | —      | —      | —      | 17.30                        | 17.30  | —      | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,760           | 540 ~ 3,930   | 13.5              | 2.6 ~ 19.3    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.43                         | 7.43   | 7.43   | —      | —      | 22.30                   | 5.60 ~ 37.20  | 1,660           | 320 ~ 3,540   | 8.1               | 1.6 ~ 17.4    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.40                         | 7.40   | 9.51   | —      | —      | 24.30                   | 5.70 ~ 37.90  | 1,840           | 320 ~ 3,640   | 9.0               | 1.6 ~ 17.9    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.24                         | 7.24   | 12.42  | —      | —      | 26.90                   | 9.00 ~ 39.10  | 2,120           | 540 ~ 3,800   | 10.4              | 2.6 ~ 18.6    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.05                         | 7.05   | 15.10  | —      | —      | 29.20                   | 9.60 ~ 40.30  | 2,100           | 490 ~ 3,700   | 10.3              | 2.4 ~ 18.2    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.89                         | 6.89   | 17.72  | —      | —      | 31.50                   | 9.70 ~ 41.40  | 2,330           | 500 ~ 3,910   | 11.4              | 2.5 ~ 19.2    | 98               |
| 07 + 07 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.37                         | 6.37   | 21.85  | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,730           | 500 ~ 3,910   | 13.4              | 2.5 ~ 19.2    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.31                         | 9.40   | 9.40   | —      | —      | 26.10                   | 5.70 ~ 38.70  | 2,020           | 320 ~ 3,740   | 9.9               | 1.6 ~ 18.3    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.10                         | 9.13   | 12.17  | —      | —      | 28.40                   | 9.10 ~ 39.90  | 2,250           | 540 ~ 3,900   | 11.0              | 2.6 ~ 19.1    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.93                         | 8.91   | 14.85  | —      | —      | 30.70                   | 9.60 ~ 41.10  | 2,230           | 490 ~ 3,850   | 10.9              | 2.4 ~ 18.9    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.81                         | 8.76   | 17.52  | —      | —      | 33.10                   | 9.70 ~ 42.20  | 2,510           | 500 ~ 3,890   | 12.3              | 2.5 ~ 19.1    | 98               |
| 07 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.06                         | 7.79   | 20.76  | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,720           | 500 ~ 3,890   | 13.3              | 2.5 ~ 19.1    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.93                         | 11.88  | 11.88  | —      | —      | 30.70                   | 9.20 ~ 41.10  | 2,500           | 540 ~ 4,130   | 12.3              | 2.6 ~ 20.3    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.81                         | 11.68  | 14.60  | —      | —      | 33.10                   | 9.70 ~ 42.20  | 2,520           | 490 ~ 3,900   | 12.4              | 2.4 ~ 19.1    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 11.22  | 16.83  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 13.2              | 2.5 ~ 19.0    | 98               |
| 07 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.63                         | 9.66   | 19.31  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 13.2              | 2.5 ~ 19.0    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 14.03  | 14.03  | —      | —      | 34.60                   | 10.20 ~ 43.00 | 2,430           | 440 ~ 3,660   | 11.9              | 2.2 ~ 18.0    | 98               |
| 07 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.06                         | 12.98  | 15.57  | —      | —      | 34.60                   | 10.30 ~ 43.00 | 2,360           | 450 ~ 3,640   | 11.6              | 2.2 ~ 17.9    | 98               |
| 07 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.27                         | 11.28  | 18.05  | —      | —      | 34.60                   | 10.30 ~ 43.00 | 2,360           | 450 ~ 3,640   | 11.6              | 2.2 ~ 17.9    | 98               |
| 07 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.63                         | 14.48  | 14.48  | —      | —      | 34.60                   | 10.40 ~ 43.00 | 2,340           | 460 ~ 3,620   | 11.5              | 2.3 ~ 17.8    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 9.20                         | 9.20   | 9.20   | —      | —      | 27.60                   | 9.10 ~ 39.50  | 2,150           | 540 ~ 3,840   | 10.5              | 2.6 ~ 18.8    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 9.00                         | 9.00   | 12.00  | —      | —      | 30.00                   | 9.20 ~ 40.70  | 2,440           | 540 ~ 4,060   | 12.0              | 2.6 ~ 19.9    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.81                         | 8.81   | 14.68  | —      | —      | 32.30                   | 9.70 ~ 41.80  | 2,410           | 490 ~ 3,890   | 11.8              | 2.4 ~ 19.1    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 8.65   | 17.30  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 13.2              | 2.5 ~ 19.0    | 98               |
| 09 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 7.41                         | 7.41   | 19.77  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 13.2              | 2.5 ~ 19.0    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.81                         | 11.75  | 11.75  | —      | —      | 32.30                   | 9.20 ~ 41.80  | 2,690           | 540 ~ 4,110   | 13.2              | 2.6 ~ 20.2    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 11.53  | 14.42  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,710           | 490 ~ 3,880   | 13.3              | 2.4 ~ 19.0    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.98                         | 10.65  | 15.97  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,640           | 500 ~ 3,850   | 13.0              | 2.5 ~ 18.9    | 98               |
| 09 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.92                         | 9.23   | 18.45  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,640           | 500 ~ 3,850   | 13.0              | 2.5 ~ 18.9    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.98                         | 13.31  | 13.31  | —      | —      | 34.60                   | 10.30 ~ 43.00 | 2,360           | 440 ~ 3,640   | 11.6              | 2.2 ~ 17.9    | 98               |
| 09 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.41                         | 12.36  | 14.83  | —      | —      | 34.60                   | 10.40 ~ 43.00 | 2,350           | 450 ~ 3,620   | 11.5              | 2.2 ~ 17.8    | 98               |
| 09 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.49                         | 10.81  | 17.30  | —      | —      | 34.60                   | 10.40 ~ 43.00 | 2,350           | 450 ~ 3,620   | 11.5              | 2.2 ~ 17.8    | 98               |
| 09 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.92                         | 13.84  | 13.84  | —      | —      | 34.60                   | 10            |                 |               |                   |               |                  |

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) |                  |
| 07 + 07 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.50                         | 5.50   | 11.80  | 11.80  | —      | 34.60                   | 11.00 ~ 43.00 | 1,980           | 360 ~ 3,350   | 9.7               | 1.8 ~ 16.4    | 98               |
| 07 + 07 + 15 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.15                         | 5.15   | 11.04  | 13.25  | —      | 34.60                   | 11.00 ~ 43.00 | 1,970           | 370 ~ 3,320   | 9.7               | 1.8 ~ 16.3    | 98               |
| 07 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 6.81                         | 8.76   | 8.76   | 8.76   | —      | 33.10                   | 9.80 ~ 42.20  | 2,460           | 450 ~ 3,830   | 12.1              | 2.2 ~ 18.8    | 98               |
| 07 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.55                         | 8.42   | 8.42   | 11.22  | —      | 34.60                   | 9.90 ~ 43.00  | 2,590           | 460 ~ 3,810   | 12.7              | 2.3 ~ 18.7    | 98               |
| 07 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.06                         | 7.79   | 7.79   | 12.98  | —      | 34.60                   | 10.40 ~ 43.00 | 2,300           | 410 ~ 3,580   | 11.3              | 2.0 ~ 17.6    | 98               |
| 07 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.63                         | 7.24   | 7.24   | 14.48  | —      | 34.60                   | 10.50 ~ 43.00 | 2,290           | 410 ~ 3,550   | 11.2              | 2.0 ~ 17.4    | 98               |
| 07 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.06                         | 7.79   | 10.38  | 10.38  | —      | 34.60                   | 9.90 ~ 43.00  | 2,580           | 460 ~ 3,790   | 12.7              | 2.3 ~ 18.6    | 98               |
| 07 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.63                         | 7.24   | 9.66   | 12.07  | —      | 34.60                   | 10.50 ~ 43.00 | 2,290           | 410 ~ 3,560   | 11.2              | 2.0 ~ 17.5    | 98               |
| 07 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.27                         | 6.77   | 9.03   | 13.54  | —      | 34.60                   | 10.60 ~ 43.00 | 2,230           | 420 ~ 3,540   | 10.9              | 2.1 ~ 17.4    | 98               |
| 07 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.27                         | 6.77   | 11.28  | 11.28  | —      | 34.60                   | 11.00 ~ 43.00 | 1,970           | 360 ~ 3,330   | 9.7               | 1.8 ~ 16.3    | 98               |
| 07 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 5.63                         | 9.66   | 9.66   | 9.66   | —      | 34.60                   | 10.00 ~ 43.00 | 2,570           | 460 ~ 3,780   | 12.6              | 2.3 ~ 18.5    | 98               |
| 07 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.27                         | 9.03   | 9.03   | 11.28  | —      | 34.60                   | 10.50 ~ 43.00 | 2,230           | 410 ~ 3,540   | 10.9              | 2.0 ~ 17.4    | 98               |
| 09 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 8.65                         | 8.65   | 8.65   | 8.65   | —      | 34.60                   | 9.90 ~ 43.00  | 2,590           | 450 ~ 3,810   | 12.7              | 2.2 ~ 18.7    | 98               |
| 09 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.98                         | 7.98   | 7.98   | 10.65  | —      | 34.60                   | 9.90 ~ 43.00  | 2,580           | 460 ~ 3,790   | 12.7              | 2.3 ~ 18.6    | 98               |
| 09 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 7.41                         | 7.41   | 7.41   | 12.36  | —      | 34.60                   | 10.50 ~ 43.00 | 2,290           | 410 ~ 3,560   | 11.2              | 2.0 ~ 17.5    | 98               |
| 09 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.92                         | 6.92   | 6.92   | 13.84  | —      | 34.60                   | 10.60 ~ 43.00 | 2,220           | 420 ~ 3,530   | 10.9              | 2.1 ~ 17.3    | 98               |
| 09 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.41                         | 7.41   | 9.89   | 9.89   | —      | 34.60                   | 10.00 ~ 43.00 | 2,570           | 460 ~ 3,770   | 12.6              | 2.3 ~ 18.5    | 98               |
| 09 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.92                         | 6.92   | 9.23   | 11.53  | —      | 34.60                   | 10.50 ~ 43.00 | 2,230           | 410 ~ 3,540   | 10.9              | 2.0 ~ 17.4    | 98               |
| 09 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.49                         | 6.49   | 8.65   | 12.98  | —      | 34.60                   | 10.60 ~ 43.00 | 2,210           | 420 ~ 3,520   | 10.8              | 2.1 ~ 17.3    | 98               |
| 09 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.49                         | 6.49   | 10.81  | 10.81  | —      | 34.60                   | 11.10 ~ 43.00 | 1,950           | 360 ~ 3,310   | 9.6               | 1.8 ~ 16.2    | 98               |
| 09 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.92                         | 9.23   | 9.23   | 9.23   | —      | 34.60                   | 10.00 ~ 43.00 | 2,550           | 460 ~ 3,760   | 12.5              | 2.3 ~ 18.4    | 98               |
| 09 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.49                         | 8.65   | 8.65   | 10.81  | —      | 34.60                   | 10.60 ~ 43.00 | 2,220           | 410 ~ 3,520   | 10.9              | 2.0 ~ 17.3    | 98               |
| 12 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 8.65                         | 8.65   | 8.65   | 8.65   | —      | 34.60                   | 10.10 ~ 43.00 | 2,490           | 470 ~ 3,740   | 12.2              | 2.3 ~ 18.3    | 98               |

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  2. The total capacity of connected indoor units is up to 48.0 kBTU/h.
  3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  4. The above is the value for connecting with the following indoor units.  
7.0 kBTU/h class; wall mount type A series  
9.0 kBTU/h class; wall mount type A series  
12.0 kBTU/h class; wall mount type A series  
15.0 kBTU/h class; wall mount type A series  
18.0 kBTU/h class; wall mount type A series  
24.0 kBTU/h class; wall mount type A series

3D152679

3D152680

3D152681

## Cooling [60 Hz, 230 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 7.00                         | —      | —      | —      | —      | 7.00                    | 6.60 ~ 9.30   | 440             | 400 ~ 670     | 2.0               | 1.8 ~ 3.0     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 9.00                         | —      | —      | —      | —      | 9.00                    | 6.60 ~ 12.00  | 670             | 400 ~ 970     | 3.0               | 1.8 ~ 4.3     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 12.00                        | —      | —      | —      | —      | 12.00                   | 6.70 ~ 16.00  | 970             | 410 ~ 1,440   | 4.3               | 1.8 ~ 6.4     | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 15.00                        | —      | —      | —      | —      | 15.00                   | 8.00 ~ 20.00  | 1,200           | 400 ~ 1,890   | 5.3               | 1.8 ~ 8.4     | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 18.00                        | —      | —      | —      | —      | 18.00                   | 8.10 ~ 24.00  | 1,590           | 400 ~ 2,460   | 7.1               | 1.8 ~ 10.9    | 98               |
| 24                         | Wall                | —      | —      | —      | —      | 24.00                        | —      | —      | —      | —      | 24.00                   | 8.40 ~ 30.50  | 2,410           | 420 ~ 3,400   | 10.7              | 1.9 ~ 15.1    | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 7.00   | —      | —      | —      | 14.00                   | 7.80 ~ 18.70  | 1,080           | 380 ~ 1,690   | 4.8               | 1.7 ~ 7.5     | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 9.00   | —      | —      | —      | 16.00                   | 7.90 ~ 21.30  | 1,350           | 380 ~ 2,060   | 6.0               | 1.7 ~ 9.1     | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 12.00  | —      | —      | —      | 19.00                   | 8.00 ~ 25.20  | 1,750           | 380 ~ 2,650   | 7.8               | 1.7 ~ 11.8    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.00                         | 15.00  | —      | —      | —      | 22.00                   | 9.30 ~ 28.80  | 2,030           | 380 ~ 2,990   | 9.0               | 1.7 ~ 13.3    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 6.97                         | 17.93  | —      | —      | —      | 24.90                   | 11.50 ~ 31.10 | 2,430           | 640 ~ 3,290   | 10.8              | 2.8 ~ 14.6    | 98               |
| 07 + 24                    | Wall                | Wall   | —      | —      | —      | 6.77                         | 23.23  | —      | —      | —      | 30.00                   | 11.70 ~ 34.30 | 3,080           | 650 ~ 3,700   | 13.7              | 2.9 ~ 16.4    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 9.00   | —      | —      | —      | 18.00                   | 8.00 ~ 24.00  | 1,580           | 390 ~ 2,450   | 7.0               | 1.7 ~ 10.9    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 12.00  | —      | —      | —      | 21.00                   | 8.00 ~ 27.60  | 2,000           | 390 ~ 3,010   | 8.9               | 1.7 ~ 13.4    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 9.00                         | 15.00  | —      | —      | —      | 24.00                   | 11.50 ~ 30.50 | 2,300           | 640 ~ 3,220   | 10.2              | 2.8 ~ 14.3    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 8.87                         | 17.73  | —      | —      | —      | 26.60                   | 11.50 ~ 32.20 | 2,640           | 640 ~ 3,450   | 11.7              | 2.8 ~ 15.3    | 98               |
| 09 + 24                    | Wall                | Wall   | —      | —      | —      | 8.65                         | 23.05  | —      | —      | —      | 31.70                   | 11.80 ~ 35.40 | 3,310           | 660 ~ 3,860   | 14.7              | 2.9 ~ 17.1    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 12.00  | —      | —      | —      | 24.00                   | 8.10 ~ 30.50  | 2,450           | 390 ~ 3,460   | 10.9              | 1.7 ~ 15.4    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 11.82                        | 14.78  | —      | —      | —      | 26.60                   | 11.50 ~ 32.20 | 2,640           | 640 ~ 3,450   | 11.7              | 2.8 ~ 15.3    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 11.64                        | 17.46  | —      | —      | —      | 29.10                   | 11.60 ~ 33.80 | 3,000           | 640 ~ 3,690   | 13.3              | 2.8 ~ 16.4    | 98               |
| 12 + 24                    | Wall                | Wall   | —      | —      | —      | 11.40                        | 22.80  | —      | —      | —      | 34.20                   | 11.80 ~ 37.00 | 3,620           | 660 ~ 4,030   | 16.1              | 2.9 ~ 17.9    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 14.55                        | 14.55  | —      | —      | —      | 29.10                   | 12.50 ~ 33.80 | 2,840           | 630 ~ 3,440   | 12.6              | 2.8 ~ 15.3    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 14.41                        | 17.29  | —      | —      | —      | 31.70                   | 12.60 ~ 35.40 | 3,140           | 630 ~ 3,610   | 13.9              | 2.8 ~ 16.0    | 98               |
| 15 + 24                    | Wall                | Wall   | —      | —      | —      | 13.15                        | 21.05  | —      | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,380           | 640 ~ 3,780   | 15.0              | 2.8 ~ 16.8    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 17.10                        | 17.10  | —      | —      | —      | 34.20                   | 12.70 ~ 37.00 | 3,450           | 630 ~ 3,770   | 15.3              | 2.8 ~ 16.7    | 98               |
| 18 + 24                    | Wall                | Wall   | —      | —      | —      | 14.66                        | 19.54  | —      | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,380           | 650 ~ 3,770   | 15.0              | 2.9 ~ 16.7    | 98               |
| 24 + 24                    | Wall                | Wall   | —      | —      | —      | 17.10                        | 17.10  | —      | —      | —      | 34.20                   | 13.20 ~ 37.00 | 3,400           | 660 ~ 3,720   | 15.1              | 2.9 ~ 16.5    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 7.00   | —      | —      | 21.00                   | 9.10 ~ 27.60  | 1,890           | 350 ~ 2,820   | 8.4               | 1.6 ~ 12.5    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.00                         | 7.00   | 9.00   | —      | —      | 23.00                   | 9.20 ~ 30.00  | 2,150           | 360 ~ 3,120   | 9.5               | 1.6 ~ 13.8    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.92                         | 6.92   | 11.86  | —      | —      | 25.70                   | 11.40 ~ 31.60 | 2,550           | 620 ~ 3,350   | 11.3              | 2.8 ~ 14.9    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.83                         | 6.83   | 14.64  | —      | —      | 28.30                   | 12.40 ~ 33.20 | 2,670           | 600 ~ 3,340   | 11.8              | 2.7 ~ 14.8    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.74                         | 6.74   | 17.33  | —      | —      | 30.80                   | 12.50 ~ 34.80 | 3,040           | 610 ~ 3,500   | 13.5              | 2.7 ~ 15.5    | 98               |
| 07 + 07 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.30                         | 6.30   | 21.60  | —      | —      | 34.20                   | 12.80 ~ 37.00 | 3,440           | 620 ~ 3,760   | 15.3              | 2.8 ~ 16.7    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 6.97                         | 8.96   | 8.96   | —      | —      | 24.90                   | 9.30 ~ 31.10  | 2,420           | 370 ~ 3,280   | 10.7              | 1.6 ~ 14.6    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.85                         | 8.81   | 11.74  | —      | —      | 27.40                   | 11.40 ~ 32.70 | 2,770           | 620 ~ 3,510   | 12.3              | 2.8 ~ 15.6    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.77                         | 8.71   | 14.52  | —      | —      | 30.00                   | 12.50 ~ 34.30 | 2,890           | 610 ~ 3,510   | 12.8              | 2.7 ~ 15.6    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.69                         | 8.60   | 17.21  | —      | —      | 32.50                   | 12.60 ~ 35.90 | 3,200           | 610 ~ 3,670   | 14.2              | 2.7 ~ 16.3    | 98               |
| 07 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.99                         | 7.70   | 20.52  | —      | —      | 34.20                   | 12.80 ~ 37.00 | 3,450           | 630 ~ 3,770   | 15.3              | 2.8 ~ 16.7    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.77                         | 11.61  | 11.61  | —      | —      | 30.00                   | 11.50 ~ 34.30 | 3,130           | 630 ~ 3,750   | 13.9              | 2.8 ~ 16.6    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.69                         | 11.47  | 14.34  | —      | —      | 32.50                   | 12.50 ~ 35.90 | 3,270           | 610 ~ 3,670   | 14.5              | 2.7 ~ 16.3    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.47                         | 11.09  | 16.64  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,840   | 15.2              | 2.7 ~ 17.0    | 98               |
| 07 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.57                         | 9.54   | 19.09  | —      | —      | 34.20                   | 12.80 ~ 37.00 | 3,370           | 630 ~ 3,770   | 15.0              | 2.8 ~ 16.7    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.47                         | 13.86  | 13.86  | —      | —      | 34.20                   | 13.50 ~ 37.00 | 3,260           | 600 ~ 3,590   | 14.5              | 2.7 ~ 15.9    | 98               |
| 07 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.99                         | 12.83  | 15.39  | —      | —      | 34.20                   | 13.60 ~ 37.00 | 3,270           | 600 ~ 3,590   | 14.5              | 2.7 ~ 15.9    | 98               |
| 07 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.20                         | 11.15  | 17.84  | —      | —      | 34.20                   | 13.90 ~ 37.00 | 3,200           | 610 ~ 3,520   | 14.2              | 2.7 ~ 15.6    | 98               |
| 07 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.57                         | 14.32  | 14.32  | —      | —      | 34.20                   | 13.70 ~ 37.00 | 3,190           | 600 ~ 3,590   | 14.2              | 2.7 ~ 15.9    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 8.87                         | 8.87   | 8.87   | —      | —      | 26.60                   | 11.50 ~ 32.20 | 2,630           | 630 ~ 3,440   | 11.7              | 2.8 ~ 15.3    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.73                         | 8.73   | 11.64  | —      | —      | 29.10                   | 11.50 ~ 33.80 | 2,990           | 630 ~ 3,680   | 13.3              | 2.8 ~ 16.3    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 8.65   | 14.41  | —      | —      | 31.70                   | 12.50 ~ 35.40 | 3,120           | 620 ~ 3,590   | 13.8              | 2.8 ~ 15.9    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 8.55                         | 8.55   | 17.10  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,440           | 620 ~ 3,840   | 15.3              | 2.8 ~ 17.0    | 98               |
| 09 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 7.33                         | 7.33   | 19.54  | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,370           | 630 ~ 3,780   | 15.0              | 2.8 ~ 16.8    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 11.53  | 11.53  | —      | —      | 31.70                   | 11.50 ~ 35.40 | 3,370           | 630 ~ 3,920   | 15.0              | 2.8 ~ 17.4    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.55                         | 11.40  | 14.25  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,440           | 620 ~ 3,840   | 15.3              | 2.8 ~ 17.0    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.89                         | 10.52  | 15.78  | —      | —      | 34.20                   | 12.60 ~ 37.00 | 3,440           | 620 ~ 3,760   | 15.3              | 2.8 ~ 16.7    | 98               |
| 09 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.84                         | 9.12   | 18.24  | —      | —      | 34.20                   | 12.90 ~ 37.00 | 3,370           | 640 ~ 3,780   | 15.0              | 2.8 ~ 16.8    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.89                         | 13.15  | 13.15  | —      | —      | 34.20                   | 13.60 ~ 37.00 | 3,270           | 600 ~ 3,590   | 14.5              | 2.7 ~ 15.9    | 98               |
| 09 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.33                         | 12.21  | 14.66  | —      | —      | 34.20                   | 13.70 ~ 37.00 | 3,270           | 610 ~ 3,590   | 14.5              | 2.7 ~ 15.9    | 98               |
| 09 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.41                         | 10.69  | 17.10  | —      | —      | 34.20                   | 13.90 ~ 37.00 | 3,210           | 620 ~ 3,530   | 14.2              | 2.8 ~ 15.7    | 98               |
| 09 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.8                          |        |        |        |        |                         |               |                 |               |                   |               |                  |

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) |                  |
| 07 + 07 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.44                         | 5.44   | 11.66  | 11.66  | —      | 34.20                   | 14.60 ~ 37.00 | 3,080           | 570 ~ 3,350   | 13.7              | 2.5 ~ 14.9    | 98               |
| 07 + 07 + 15 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.09                         | 5.09   | 10.91  | 13.10  | —      | 34.20                   | 14.60 ~ 37.00 | 3,010           | 570 ~ 3,330   | 13.4              | 2.5 ~ 14.8    | 98               |
| 07 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 6.69                         | 8.60   | 8.60   | 8.60   | —      | 32.50                   | 12.50 ~ 35.90 | 3,260           | 600 ~ 3,660   | 14.5              | 2.7 ~ 16.2    | 98               |
| 07 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.47                         | 8.32   | 8.32   | 11.09  | —      | 34.20                   | 12.50 ~ 37.00 | 3,420           | 600 ~ 3,830   | 15.2              | 2.7 ~ 17.0    | 98               |
| 07 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.99                         | 7.70   | 7.70   | 12.83  | —      | 34.20                   | 13.50 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 07 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.57                         | 7.16   | 7.16   | 14.32  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 07 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 5.99                         | 7.70   | 10.26  | 10.26  | —      | 34.20                   | 12.50 ~ 37.00 | 3,420           | 600 ~ 3,830   | 15.2              | 2.7 ~ 17.0    | 98               |
| 07 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.57                         | 7.16   | 9.54   | 11.93  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 07 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.20                         | 6.69   | 8.92   | 13.38  | —      | 34.20                   | 13.70 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 07 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.20                         | 6.69   | 11.15  | 11.15  | —      | 34.20                   | 14.60 ~ 37.00 | 3,090           | 570 ~ 3,350   | 13.7              | 2.5 ~ 14.9    | 98               |
| 07 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 5.57                         | 9.54   | 9.54   | 9.54   | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 600 ~ 3,830   | 15.2              | 2.7 ~ 17.0    | 98               |
| 07 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.20                         | 8.92   | 8.92   | 11.15  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 09 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 8.55                         | 8.55   | 8.55   | 8.55   | —      | 34.20                   | 12.50 ~ 37.00 | 3,420           | 600 ~ 3,830   | 15.2              | 2.7 ~ 17.0    | 98               |
| 09 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.89                         | 7.89   | 7.89   | 10.52  | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,830   | 15.2              | 2.7 ~ 17.0    | 98               |
| 09 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 7.33                         | 7.33   | 7.33   | 12.21  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 09 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.84                         | 6.84   | 6.84   | 13.68  | —      | 34.20                   | 13.70 ~ 37.00 | 3,260           | 600 ~ 3,580   | 14.5              | 2.7 ~ 15.9    | 98               |
| 09 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.33                         | 7.33   | 9.77   | 9.77   | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,830   | 15.2              | 2.7 ~ 17.0    | 98               |
| 09 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.84                         | 6.84   | 9.12   | 11.40  | —      | 34.20                   | 13.60 ~ 37.00 | 3,260           | 590 ~ 3,580   | 14.5              | 2.6 ~ 15.9    | 98               |
| 09 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.41                         | 6.41   | 8.55   | 12.83  | —      | 34.20                   | 13.70 ~ 37.00 | 3,190           | 600 ~ 3,510   | 14.2              | 2.7 ~ 15.6    | 98               |
| 09 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.41                         | 6.41   | 10.69  | 10.69  | —      | 34.20                   | 14.60 ~ 37.00 | 3,020           | 580 ~ 3,330   | 13.4              | 2.6 ~ 14.8    | 98               |
| 09 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.84                         | 9.12   | 9.12   | 9.12   | —      | 34.20                   | 12.60 ~ 37.00 | 3,430           | 610 ~ 3,750   | 15.2              | 2.7 ~ 16.6    | 98               |
| 09 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.41                         | 8.55   | 8.55   | 10.69  | —      | 34.20                   | 13.70 ~ 37.00 | 3,260           | 600 ~ 3,590   | 14.5              | 2.7 ~ 15.9    | 98               |
| 12 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 8.55                         | 8.55   | 8.55   | 8.55   | —      | 34.20                   | 12.70 ~ 37.00 | 3,430           | 610 ~ 3,760   | 15.2              | 2.7 ~ 16.7    | 98               |

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
  2. The total capacity of connected indoor units is up to 48.0 kBtu/h.
  3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  4. The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series  
24.0 kBtu/h class; wall mount type A series

3D152704

3D152705

3D152706

## Heating [60 Hz, 230 V]

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBTU/h)       |        |        |        |        | Total capacity (kBTU/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) | Rating           |
| 07                         | Wall                | —      | —      | —      | —      | 8.30                         | —      | —      | —      | —      | 8.30                    | 4.70 ~ 14.00  | 790             | 430 ~ 1,370   | 3.5               | 1.9 ~ 6.1     | 98               |
| 09                         | Wall                | —      | —      | —      | —      | 10.30                        | —      | —      | —      | —      | 10.30                   | 4.70 ~ 18.00  | 980             | 430 ~ 1,820   | 4.3               | 1.9 ~ 8.1     | 98               |
| 12                         | Wall                | —      | —      | —      | —      | 13.30                        | —      | —      | —      | —      | 13.30                   | 4.80 ~ 24.00  | 1,260           | 440 ~ 2,510   | 5.6               | 2.0 ~ 11.1    | 98               |
| 15                         | Wall                | —      | —      | —      | —      | 16.30                        | —      | —      | —      | —      | 16.30                   | 5.10 ~ 30.00  | 1,410           | 410 ~ 3,000   | 6.3               | 1.8 ~ 13.3    | 98               |
| 18                         | Wall                | —      | —      | —      | —      | 19.30                        | —      | —      | —      | —      | 19.30                   | 5.20 ~ 36.00  | 1,680           | 420 ~ 3,800   | 7.5               | 1.9 ~ 16.9    | 98               |
| 24                         | Wall                | —      | —      | —      | —      | 25.30                        | —      | —      | —      | —      | 25.30                   | 5.20 ~ 38.30  | 2,340           | 420 ~ 4,170   | 10.4              | 1.9 ~ 18.5    | 98               |
| 07 + 07                    | Wall                | Wall   | —      | —      | —      | 7.65                         | 7.65   | —      | —      | —      | 15.30                   | 5.20 ~ 28.00  | 1,270           | 370 ~ 2,680   | 5.6               | 1.6 ~ 11.9    | 98               |
| 07 + 09                    | Wall                | Wall   | —      | —      | —      | 7.57                         | 9.73   | —      | —      | —      | 17.30                   | 5.20 ~ 32.00  | 1,450           | 380 ~ 3,170   | 6.4               | 1.7 ~ 14.1    | 98               |
| 07 + 12                    | Wall                | Wall   | —      | —      | —      | 7.48                         | 12.82  | —      | —      | —      | 20.30                   | 5.20 ~ 36.40  | 1,740           | 380 ~ 3,800   | 7.7               | 1.7 ~ 16.9    | 98               |
| 07 + 15                    | Wall                | Wall   | —      | —      | —      | 7.41                         | 15.89  | —      | —      | —      | 23.30                   | 5.60 ~ 37.60  | 1,790           | 350 ~ 3,650   | 7.9               | 1.6 ~ 16.2    | 98               |
| 07 + 18                    | Wall                | Wall   | —      | —      | —      | 7.31                         | 18.79  | —      | —      | —      | 26.10                   | 9.00 ~ 38.70  | 2,070           | 580 ~ 3,800   | 9.2               | 2.6 ~ 16.9    | 98               |
| 07 + 24                    | Wall                | Wall   | —      | —      | —      | 6.93                         | 23.77  | —      | —      | —      | 30.70                   | 9.00 ~ 41.10  | 2,630           | 580 ~ 4,230   | 11.7              | 2.6 ~ 18.8    | 98               |
| 09 + 09                    | Wall                | Wall   | —      | —      | —      | 9.65                         | 9.65   | —      | —      | —      | 19.30                   | 5.30 ~ 36.00  | 1,640           | 380 ~ 3,740   | 7.3               | 1.7 ~ 16.6    | 98               |
| 09 + 12                    | Wall                | Wall   | —      | —      | —      | 9.56                         | 12.74  | —      | —      | —      | 22.30                   | 5.30 ~ 37.20  | 1,920           | 380 ~ 3,900   | 8.5               | 1.7 ~ 17.3    | 98               |
| 09 + 15                    | Wall                | Wall   | —      | —      | —      | 9.49                         | 15.81  | —      | —      | —      | 25.30                   | 8.90 ~ 38.30  | 2,020           | 570 ~ 3,750   | 9.0               | 2.5 ~ 16.6    | 98               |
| 09 + 18                    | Wall                | Wall   | —      | —      | —      | 9.20                         | 18.40  | —      | —      | —      | 27.60                   | 9.00 ~ 39.50  | 2,260           | 580 ~ 3,900   | 10.0              | 2.6 ~ 17.3    | 98               |
| 09 + 24                    | Wall                | Wall   | —      | —      | —      | 8.81                         | 23.49  | —      | —      | —      | 32.30                   | 9.00 ~ 41.80  | 2,820           | 580 ~ 4,210   | 12.5              | 2.6 ~ 18.7    | 98               |
| 12 + 12                    | Wall                | Wall   | —      | —      | —      | 12.65                        | 12.65  | —      | —      | —      | 25.30                   | 5.30 ~ 38.30  | 2,270           | 390 ~ 4,070   | 10.1              | 1.7 ~ 18.1    | 98               |
| 12 + 15                    | Wall                | Wall   | —      | —      | —      | 12.27                        | 15.33  | —      | —      | —      | 27.60                   | 9.00 ~ 39.50  | 2,260           | 570 ~ 3,910   | 10.0              | 2.5 ~ 17.3    | 98               |
| 12 + 18                    | Wall                | Wall   | —      | —      | —      | 12.00                        | 18.00  | —      | —      | —      | 30.00                   | 9.10 ~ 40.70  | 2,500           | 580 ~ 4,130   | 11.1              | 2.6 ~ 18.3    | 98               |
| 12 + 24                    | Wall                | Wall   | —      | —      | —      | 11.53                        | 23.07  | —      | —      | —      | 34.60                   | 9.10 ~ 43.00  | 3,140           | 580 ~ 4,190   | 13.9              | 2.6 ~ 18.6    | 98               |
| 15 + 15                    | Wall                | Wall   | —      | —      | —      | 15.00                        | 15.00  | —      | —      | —      | 30.00                   | 9.50 ~ 40.70  | 2,240           | 530 ~ 3,860   | 9.9               | 2.4 ~ 17.1    | 98               |
| 15 + 18                    | Wall                | Wall   | —      | —      | —      | 14.68                        | 17.62  | —      | —      | —      | 32.30                   | 9.60 ~ 41.80  | 2,470           | 530 ~ 3,960   | 11.0              | 2.4 ~ 17.6    | 98               |
| 15 + 24                    | Wall                | Wall   | —      | —      | —      | 13.31                        | 21.29  | —      | —      | —      | 34.60                   | 9.60 ~ 43.00  | 2,780           | 530 ~ 3,960   | 12.3              | 2.4 ~ 17.6    | 98               |
| 18 + 18                    | Wall                | Wall   | —      | —      | —      | 17.30                        | 17.30  | —      | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,760           | 540 ~ 3,930   | 12.2              | 2.4 ~ 17.4    | 98               |
| 18 + 24                    | Wall                | Wall   | —      | —      | —      | 14.83                        | 19.77  | —      | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,760           | 540 ~ 3,930   | 12.2              | 2.4 ~ 17.4    | 98               |
| 24 + 24                    | Wall                | Wall   | —      | —      | —      | 17.30                        | 17.30  | —      | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,760           | 540 ~ 3,930   | 12.2              | 2.4 ~ 17.4    | 98               |
| 07 + 07 + 07               | Wall                | Wall   | Wall   | —      | —      | 7.43                         | 7.43   | 7.43   | —      | —      | 22.30                   | 5.60 ~ 37.20  | 1,660           | 320 ~ 3,540   | 7.4               | 1.4 ~ 15.7    | 98               |
| 07 + 07 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.40                         | 7.40   | 9.51   | —      | —      | 24.30                   | 5.70 ~ 37.90  | 1,840           | 320 ~ 3,640   | 8.2               | 1.4 ~ 16.1    | 98               |
| 07 + 07 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.24                         | 7.24   | 12.42  | —      | —      | 26.90                   | 9.00 ~ 39.10  | 2,120           | 540 ~ 3,800   | 9.4               | 2.4 ~ 16.9    | 98               |
| 07 + 07 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.05                         | 7.05   | 15.10  | —      | —      | 29.20                   | 9.60 ~ 40.30  | 2,100           | 490 ~ 3,700   | 9.3               | 2.2 ~ 16.4    | 98               |
| 07 + 07 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.89                         | 6.89   | 17.72  | —      | —      | 31.50                   | 9.70 ~ 41.40  | 2,330           | 500 ~ 3,910   | 10.3              | 2.2 ~ 17.3    | 98               |
| 07 + 07 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.37                         | 6.37   | 21.85  | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,730           | 500 ~ 3,910   | 12.1              | 2.2 ~ 17.3    | 98               |
| 07 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 7.31                         | 9.40   | 9.40   | —      | —      | 26.10                   | 5.70 ~ 38.70  | 2,020           | 320 ~ 3,740   | 9.0               | 1.4 ~ 16.6    | 98               |
| 07 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 7.10                         | 9.13   | 12.17  | —      | —      | 28.40                   | 9.10 ~ 39.90  | 2,250           | 540 ~ 3,900   | 10.0              | 2.4 ~ 17.3    | 98               |
| 07 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.93                         | 8.91   | 14.85  | —      | —      | 30.70                   | 9.60 ~ 41.10  | 2,230           | 490 ~ 3,850   | 9.9               | 2.2 ~ 17.1    | 98               |
| 07 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.81                         | 8.76   | 17.52  | —      | —      | 33.10                   | 9.70 ~ 42.20  | 2,510           | 500 ~ 3,890   | 11.1              | 2.2 ~ 17.3    | 98               |
| 07 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.06                         | 7.79   | 20.76  | —      | —      | 34.60                   | 9.70 ~ 43.00  | 2,720           | 500 ~ 3,890   | 12.1              | 2.2 ~ 17.3    | 98               |
| 07 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 6.93                         | 11.88  | 11.88  | —      | —      | 30.70                   | 9.20 ~ 41.10  | 2,500           | 540 ~ 4,130   | 11.1              | 2.4 ~ 18.3    | 98               |
| 07 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.81                         | 11.68  | 14.60  | —      | —      | 33.10                   | 9.70 ~ 42.20  | 2,520           | 490 ~ 3,900   | 11.2              | 2.2 ~ 17.3    | 98               |
| 07 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 11.22  | 16.83  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 12.0              | 2.2 ~ 17.2    | 98               |
| 07 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.63                         | 9.66   | 19.31  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 12.0              | 2.2 ~ 17.2    | 98               |
| 07 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 6.55                         | 14.03  | 14.03  | —      | —      | 34.60                   | 10.20 ~ 43.00 | 2,430           | 440 ~ 3,660   | 10.8              | 2.0 ~ 16.2    | 98               |
| 07 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.06                         | 12.98  | 15.57  | —      | —      | 34.60                   | 10.30 ~ 43.00 | 2,360           | 450 ~ 3,640   | 10.5              | 2.0 ~ 16.1    | 98               |
| 07 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 5.27                         | 11.28  | 18.05  | —      | —      | 34.60                   | 10.30 ~ 43.00 | 2,360           | 450 ~ 3,640   | 10.5              | 2.0 ~ 16.1    | 98               |
| 07 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 5.63                         | 14.48  | 14.48  | —      | —      | 34.60                   | 10.40 ~ 43.00 | 2,340           | 460 ~ 3,620   | 10.4              | 2.0 ~ 16.1    | 98               |
| 09 + 09 + 09               | Wall                | Wall   | Wall   | —      | —      | 9.20                         | 9.20   | 9.20   | —      | —      | 27.60                   | 9.10 ~ 39.50  | 2,150           | 540 ~ 3,840   | 9.5               | 2.4 ~ 17.0    | 98               |
| 09 + 09 + 12               | Wall                | Wall   | Wall   | —      | —      | 9.00                         | 9.00   | 12.00  | —      | —      | 30.00                   | 9.20 ~ 40.70  | 2,440           | 540 ~ 4,060   | 10.8              | 2.4 ~ 18.0    | 98               |
| 09 + 09 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.81                         | 8.81   | 14.68  | —      | —      | 32.30                   | 9.70 ~ 41.80  | 2,410           | 490 ~ 3,890   | 10.7              | 2.2 ~ 17.3    | 98               |
| 09 + 09 + 18               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 8.65   | 17.30  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 12.0              | 2.2 ~ 17.2    | 98               |
| 09 + 09 + 24               | Wall                | Wall   | Wall   | —      | —      | 7.41                         | 7.41   | 19.77  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,700           | 500 ~ 3,870   | 12.0              | 2.2 ~ 17.2    | 98               |
| 09 + 12 + 12               | Wall                | Wall   | Wall   | —      | —      | 8.81                         | 11.75  | 11.75  | —      | —      | 32.30                   | 9.20 ~ 41.80  | 2,690           | 540 ~ 4,110   | 11.9              | 2.4 ~ 18.2    | 98               |
| 09 + 12 + 15               | Wall                | Wall   | Wall   | —      | —      | 8.65                         | 11.53  | 14.42  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,710           | 490 ~ 3,880   | 12.0              | 2.2 ~ 17.2    | 98               |
| 09 + 12 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.98                         | 10.65  | 15.97  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,640           | 500 ~ 3,850   | 11.7              | 2.2 ~ 17.1    | 98               |
| 09 + 12 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.92                         | 9.23   | 18.45  | —      | —      | 34.60                   | 9.80 ~ 43.00  | 2,640           | 500 ~ 3,850   | 11.7              | 2.2 ~ 17.1    | 98               |
| 09 + 15 + 15               | Wall                | Wall   | Wall   | —      | —      | 7.98                         | 13.31  | 13.31  | —      | —      | 34.60                   | 10.30 ~ 43.00 | 2,360           | 440 ~ 3,640   | 10.5              | 2.0 ~ 16.1    | 98               |
| 09 + 15 + 18               | Wall                | Wall   | Wall   | —      | —      | 7.41                         | 12.36  | 14.83  | —      | —      | 34.60                   | 10.40 ~ 43.00 | 2,350           | 450 ~ 3,620   | 10.4              | 2.0 ~ 16.1    | 98               |
| 09 + 15 + 24               | Wall                | Wall   | Wall   | —      | —      | 6.49                         | 10.81  | 17.30  | —      | —      | 34.60                   | 10.40 ~ 43.00 | 2,350           | 450 ~ 3,620   | 10.4              | 2.0 ~ 16.1    | 98               |
| 09 + 18 + 18               | Wall                | Wall   | Wall   | —      | —      | 6.92                         | 13.84  | 13.84  | —      |        |                         |               |                 |               |                   |               |                  |

| Combination of indoor unit | Type of indoor unit |        |        |        |        | Capacity of each indoor unit |        |        |        |        |                         |               |                 |               |                   |               |                  |
|----------------------------|---------------------|--------|--------|--------|--------|------------------------------|--------|--------|--------|--------|-------------------------|---------------|-----------------|---------------|-------------------|---------------|------------------|
|                            |                     |        |        |        |        | Each capacity (kBtu/h)       |        |        |        |        | Total capacity (kBtu/h) |               | Total input (W) |               | Total current (A) |               | Power factor (%) |
|                            | A room              | B room | C room | D room | E room | A room                       | B room | C room | D room | E room | Rating                  | (min. ~ max.) | Rating          | (min. ~ max.) | Rating            | (min. ~ max.) |                  |
| 07 + 07 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.50                         | 5.50   | 11.80  | 11.80  | —      | 34.60                   | 11.00 ~ 43.00 | 1,980           | 360 ~ 3,350   | 8.8               | 1.6 ~ 14.9    | 98               |
| 07 + 07 + 15 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.15                         | 5.15   | 11.04  | 13.25  | —      | 34.60                   | 11.00 ~ 43.00 | 1,970           | 370 ~ 3,320   | 8.7               | 1.6 ~ 14.7    | 98               |
| 07 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 6.81                         | 8.76   | 8.76   | 8.76   | —      | 33.10                   | 9.80 ~ 42.20  | 2,460           | 450 ~ 3,830   | 10.9              | 2.0 ~ 17.0    | 98               |
| 07 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.55                         | 8.42   | 8.42   | 11.22  | —      | 34.60                   | 9.90 ~ 43.00  | 2,590           | 460 ~ 3,810   | 11.5              | 2.0 ~ 16.9    | 98               |
| 07 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.06                         | 7.79   | 7.79   | 12.98  | —      | 34.60                   | 10.40 ~ 43.00 | 2,300           | 410 ~ 3,580   | 10.2              | 1.8 ~ 15.9    | 98               |
| 07 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.63                         | 7.24   | 7.24   | 14.48  | —      | 34.60                   | 10.50 ~ 43.00 | 2,290           | 410 ~ 3,550   | 10.2              | 1.8 ~ 15.7    | 98               |
| 07 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.06                         | 7.79   | 10.38  | 10.38  | —      | 34.60                   | 9.90 ~ 43.00  | 2,580           | 460 ~ 3,790   | 11.4              | 2.0 ~ 16.8    | 98               |
| 07 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.63                         | 7.24   | 9.66   | 12.07  | —      | 34.60                   | 10.50 ~ 43.00 | 2,290           | 410 ~ 3,560   | 10.2              | 1.8 ~ 15.8    | 98               |
| 07 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 5.27                         | 6.77   | 9.03   | 13.54  | —      | 34.60                   | 10.60 ~ 43.00 | 2,230           | 420 ~ 3,540   | 9.9               | 1.9 ~ 15.7    | 98               |
| 07 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.27                         | 6.77   | 11.28  | 11.28  | —      | 34.60                   | 11.00 ~ 43.00 | 1,970           | 360 ~ 3,330   | 8.7               | 1.6 ~ 14.8    | 98               |
| 07 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 5.63                         | 9.66   | 9.66   | 9.66   | —      | 34.60                   | 10.00 ~ 43.00 | 2,570           | 460 ~ 3,780   | 11.4              | 2.0 ~ 16.8    | 98               |
| 07 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 5.27                         | 9.03   | 9.03   | 11.28  | —      | 34.60                   | 10.50 ~ 43.00 | 2,230           | 410 ~ 3,540   | 9.9               | 1.8 ~ 15.7    | 98               |
| 09 + 09 + 09 + 09          | Wall                | Wall   | Wall   | Wall   | —      | 8.65                         | 8.65   | 8.65   | 8.65   | —      | 34.60                   | 9.90 ~ 43.00  | 2,590           | 450 ~ 3,810   | 11.5              | 2.0 ~ 16.9    | 98               |
| 09 + 09 + 09 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.98                         | 7.98   | 7.98   | 10.65  | —      | 34.60                   | 9.90 ~ 43.00  | 2,580           | 460 ~ 3,790   | 11.4              | 2.0 ~ 16.8    | 98               |
| 09 + 09 + 09 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 7.41                         | 7.41   | 7.41   | 12.36  | —      | 34.60                   | 10.50 ~ 43.00 | 2,290           | 410 ~ 3,560   | 10.2              | 1.8 ~ 15.8    | 98               |
| 09 + 09 + 09 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.92                         | 6.92   | 6.92   | 13.84  | —      | 34.60                   | 10.60 ~ 43.00 | 2,220           | 420 ~ 3,530   | 9.8               | 1.9 ~ 15.7    | 98               |
| 09 + 09 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 7.41                         | 7.41   | 9.89   | 9.89   | —      | 34.60                   | 10.00 ~ 43.00 | 2,570           | 460 ~ 3,770   | 11.4              | 2.0 ~ 16.7    | 98               |
| 09 + 09 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.92                         | 6.92   | 9.23   | 11.53  | —      | 34.60                   | 10.50 ~ 43.00 | 2,230           | 410 ~ 3,540   | 9.9               | 1.8 ~ 15.7    | 98               |
| 09 + 09 + 12 + 18          | Wall                | Wall   | Wall   | Wall   | —      | 6.49                         | 6.49   | 8.65   | 12.98  | —      | 34.60                   | 10.60 ~ 43.00 | 2,210           | 420 ~ 3,520   | 9.8               | 1.9 ~ 15.6    | 98               |
| 09 + 09 + 15 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.49                         | 6.49   | 10.81  | 10.81  | —      | 34.60                   | 11.10 ~ 43.00 | 1,950           | 360 ~ 3,310   | 8.7               | 1.6 ~ 14.7    | 98               |
| 09 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 6.92                         | 9.23   | 9.23   | 9.23   | —      | 34.60                   | 10.00 ~ 43.00 | 2,550           | 460 ~ 3,760   | 11.3              | 2.0 ~ 16.7    | 98               |
| 09 + 12 + 12 + 15          | Wall                | Wall   | Wall   | Wall   | —      | 6.49                         | 8.65   | 8.65   | 10.81  | —      | 34.60                   | 10.60 ~ 43.00 | 2,220           | 410 ~ 3,520   | 9.8               | 1.8 ~ 15.6    | 98               |
| 12 + 12 + 12 + 12          | Wall                | Wall   | Wall   | Wall   | —      | 8.65                         | 8.65   | 8.65   | 8.65   | —      | 34.60                   | 10.10 ~ 43.00 | 2,490           | 470 ~ 3,740   | 11.0              | 2.1 ~ 16.6    | 98               |

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°F WB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°F WB (24°CWB) (Outdoor temperature).  
Heating capacity is based on 70°FDB (21°CDB) / 60°F WB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°F WB (6°CWB) (Outdoor temperature).
  2. The total capacity of connected indoor units is up to 48.0 kBtu/h.
  3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
  4. The above is the value for connecting with the following indoor units.  
7.0 kBtu/h class; wall mount type A series  
9.0 kBtu/h class; wall mount type A series  
12.0 kBtu/h class; wall mount type A series  
15.0 kBtu/h class; wall mount type A series  
18.0 kBtu/h class; wall mount type A series  
24.0 kBtu/h class; wall mount type A series

3D152713

3D152714

3D152715

### 3. Capacity Tables

#### 3.1 2MXM18AVJU9 Cooling

Cooling [60 Hz, 208 - 230 V]

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                           |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A                   | 68.0                        | 8.40                  | 6.76   | 0.59 | 8.78   | 6.65   | 0.61 | 9.16   | 7.05   | 0.62 | 9.35   | 7.51   | 0.62 | 9.91   | 7.27   | 0.64 | 10.10  | 7.73   | 0.65 |
|                           | 77.0                        | 8.02                  | 6.58   | 0.63 | 8.40   | 6.48   | 0.64 | 8.77   | 6.89   | 0.65 | 8.96   | 7.36   | 0.66 | 9.53   | 7.14   | 0.68 | 9.72   | 7.60   | 0.68 |
|                           | 86.0                        | 7.64                  | 6.40   | 0.67 | 8.02   | 6.31   | 0.68 | 8.39   | 6.74   | 0.69 | 8.58   | 7.21   | 0.70 | 9.15   | 7.01   | 0.72 | 9.34   | 7.47   | 0.72 |
|                           | 89.6                        | 7.48                  | 6.33   | 0.69 | 7.86   | 6.25   | 0.70 | 8.24   | 6.67   | 0.71 | 8.43   | 7.15   | 0.72 | 9.00   | 6.95   | 0.73 | 9.18   | 7.42   | 0.74 |
|                           | 95.0                        | 7.26                  | 6.23   | 0.71 | 7.63   | 6.15   | 0.72 | 8.01   | 6.58   | 0.73 | 8.20   | 7.06   | 0.74 | 8.77   | 6.88   | 0.76 | 8.96   | 7.35   | 0.76 |
|                           | 104.0                       | 6.87                  | 6.05   | 0.76 | 7.25   | 5.98   | 0.77 | 7.63   | 6.43   | 0.78 | 7.82   | 6.92   | 0.79 | 8.38   | 6.75   | 0.80 | 8.57   | 7.22   | 0.81 |
|                           | 109.4                       | 6.64                  | 5.95   | 0.79 | 7.02   | 5.89   | 0.80 | 7.40   | 6.34   | 0.81 | 7.59   | 6.83   | 0.82 | 8.16   | 6.67   | 0.83 | 8.34   | 7.15   | 0.84 |
|                           | 114.8                       | 6.42                  | 5.84   | 0.82 | 6.79   | 5.79   | 0.83 | 7.17   | 6.25   | 0.84 | 7.36   | 6.74   | 0.85 | 7.93   | 6.59   | 0.86 | 8.12   | 7.08   | 0.87 |
| FTXV09A                   | 68.0                        | 10.76                 | 8.24   | 0.75 | 11.24  | 8.10   | 0.77 | 11.72  | 8.53   | 0.78 | 11.97  | 9.04   | 0.79 | 12.69  | 8.73   | 0.82 | 12.93  | 9.23   | 0.82 |
|                           | 77.0                        | 10.27                 | 8.00   | 0.80 | 10.75  | 7.87   | 0.82 | 11.24  | 8.32   | 0.83 | 11.48  | 8.84   | 0.84 | 12.20  | 8.55   | 0.86 | 12.45  | 9.06   | 0.87 |
|                           | 86.0                        | 9.78                  | 7.77   | 0.85 | 10.26  | 7.65   | 0.86 | 10.75  | 8.12   | 0.88 | 10.99  | 8.64   | 0.89 | 11.71  | 8.38   | 0.91 | 11.96  | 8.89   | 0.92 |
|                           | 89.6                        | 9.58                  | 7.67   | 0.87 | 10.07  | 7.57   | 0.89 | 10.55  | 8.03   | 0.90 | 10.79  | 8.56   | 0.91 | 11.52  | 8.31   | 0.93 | 11.76  | 8.82   | 0.94 |
|                           | 95.0                        | 9.29                  | 7.53   | 0.90 | 9.77   | 7.43   | 0.92 | 10.26  | 7.91   | 0.93 | 10.50  | 8.45   | 0.94 | 11.23  | 8.21   | 0.96 | 11.47  | 8.73   | 0.97 |
|                           | 104.0                       | 8.80                  | 7.30   | 0.96 | 9.29   | 7.22   | 0.98 | 9.77   | 7.71   | 0.99 | 10.01  | 8.25   | 1.00 | 10.74  | 8.04   | 1.02 | 10.98  | 8.56   | 1.03 |
|                           | 109.4                       | 8.51                  | 7.16   | 1.00 | 8.99   | 7.09   | 1.01 | 9.48   | 7.59   | 1.03 | 9.72   | 8.14   | 1.04 | 10.44  | 7.93   | 1.06 | 10.69  | 8.47   | 1.07 |
|                           | 114.8                       | 8.22                  | 7.03   | 1.04 | 8.70   | 6.96   | 1.05 | 9.18   | 7.47   | 1.07 | 9.42   | 8.02   | 1.07 | 10.15  | 7.83   | 1.10 | 10.39  | 8.37   | 1.10 |
| FTXV12A                   | 68.0                        | 14.34                 | 10.20  | 0.98 | 14.99  | 10.02  | 1.00 | 15.63  | 10.43  | 1.02 | 15.96  | 10.94  | 1.03 | 16.92  | 10.53  | 1.06 | 17.25  | 11.01  | 1.07 |
|                           | 77.0                        | 13.69                 | 9.86   | 1.04 | 14.34  | 9.70   | 1.06 | 14.98  | 10.13  | 1.08 | 15.30  | 10.65  | 1.09 | 16.27  | 10.27  | 1.12 | 16.59  | 10.77  | 1.13 |
|                           | 86.0                        | 13.04                 | 9.52   | 1.10 | 13.68  | 9.38   | 1.12 | 14.33  | 9.84   | 1.14 | 14.65  | 10.37  | 1.15 | 15.62  | 10.02  | 1.18 | 15.94  | 10.53  | 1.19 |
|                           | 89.6                        | 12.78                 | 9.39   | 1.13 | 13.42  | 9.26   | 1.15 | 14.07  | 9.72   | 1.17 | 14.39  | 10.26  | 1.18 | 15.36  | 9.92   | 1.21 | 15.68  | 10.43  | 1.22 |
|                           | 95.0                        | 12.39                 | 9.19   | 1.17 | 13.03  | 9.07   | 1.19 | 13.68  | 9.55   | 1.21 | 14.00  | 10.09  | 1.22 | 14.97  | 9.77   | 1.25 | 15.29  | 10.29  | 1.26 |
|                           | 104.0                       | 11.74                 | 8.87   | 1.25 | 12.38  | 8.77   | 1.27 | 13.03  | 9.26   | 1.29 | 13.35  | 9.82   | 1.30 | 14.32  | 9.53   | 1.33 | 14.64  | 10.06  | 1.34 |
|                           | 109.4                       | 11.34                 | 8.68   | 1.29 | 11.99  | 8.59   | 1.31 | 12.63  | 9.09   | 1.33 | 12.96  | 9.65   | 1.34 | 13.92  | 9.38   | 1.37 | 14.25  | 9.92   | 1.38 |
|                           | 114.8                       | 10.95                 | 8.48   | 1.34 | 11.60  | 8.41   | 1.36 | 12.24  | 8.93   | 1.38 | 12.57  | 9.49   | 1.39 | 13.53  | 9.24   | 1.42 | 13.86  | 9.78   | 1.43 |
| FTXV15A                   | 68.0                        | 17.93                 | 12.79  | 1.19 | 18.74  | 12.57  | 1.21 | 19.54  | 13.09  | 1.24 | 19.94  | 13.74  | 1.25 | 21.15  | 13.22  | 1.28 | 21.56  | 13.84  | 1.30 |
|                           | 77.0                        | 17.11                 | 12.37  | 1.26 | 17.92  | 12.17  | 1.28 | 18.73  | 12.72  | 1.31 | 19.13  | 13.38  | 1.32 | 20.34  | 12.90  | 1.35 | 20.74  | 13.54  | 1.37 |
|                           | 86.0                        | 16.30                 | 11.95  | 1.34 | 17.11  | 11.78  | 1.36 | 17.91  | 12.35  | 1.39 | 18.31  | 13.03  | 1.40 | 19.52  | 12.59  | 1.43 | 19.93  | 13.24  | 1.44 |
|                           | 89.6                        | 15.97                 | 11.79  | 1.37 | 16.78  | 11.62  | 1.39 | 17.59  | 12.21  | 1.42 | 17.99  | 12.89  | 1.43 | 19.20  | 12.47  | 1.47 | 19.60  | 13.12  | 1.48 |
|                           | 95.0                        | 15.48                 | 11.54  | 1.42 | 16.29  | 11.39  | 1.45 | 17.10  | 11.99  | 1.47 | 17.50  | 12.68  | 1.48 | 18.71  | 12.28  | 1.52 | 19.11  | 12.94  | 1.53 |
|                           | 104.0                       | 14.67                 | 11.14  | 1.51 | 15.48  | 11.01  | 1.54 | 16.28  | 11.64  | 1.56 | 16.69  | 12.34  | 1.57 | 17.89  | 11.98  | 1.61 | 18.30  | 12.65  | 1.62 |
|                           | 109.4                       | 14.18                 | 10.90  | 1.57 | 14.99  | 10.78  | 1.59 | 15.79  | 11.43  | 1.62 | 16.20  | 12.14  | 1.63 | 17.41  | 11.80  | 1.67 | 17.81  | 12.48  | 1.68 |
|                           | 114.8                       | 13.69                 | 10.66  | 1.63 | 14.50  | 10.56  | 1.65 | 15.30  | 11.22  | 1.68 | 15.71  | 11.93  | 1.69 | 16.92  | 11.62  | 1.73 | 17.32  | 12.31  | 1.74 |
| CTXV07A +<br>CTXV07A      | 68.0                        | 16.70                 | 13.48  | 1.07 | 17.45  | 13.25  | 1.09 | 18.20  | 14.05  | 1.11 | 18.58  | 14.98  | 1.12 | 19.70  | 14.50  | 1.15 | 20.08  | 15.41  | 1.16 |
|                           | 77.0                        | 15.94                 | 13.12  | 1.13 | 16.69  | 12.91  | 1.15 | 17.44  | 13.74  | 1.17 | 17.82  | 14.68  | 1.19 | 18.94  | 14.24  | 1.22 | 19.32  | 15.16  | 1.23 |
|                           | 86.0                        | 15.18                 | 12.76  | 1.20 | 15.93  | 12.58  | 1.22 | 16.68  | 13.43  | 1.24 | 17.06  | 14.38  | 1.26 | 18.19  | 13.98  | 1.29 | 18.56  | 14.91  | 1.30 |
|                           | 89.6                        | 14.88                 | 12.62  | 1.23 | 15.63  | 12.45  | 1.25 | 16.38  | 13.31  | 1.27 | 16.76  | 14.26  | 1.29 | 17.88  | 13.87  | 1.32 | 18.26  | 14.81  | 1.33 |
|                           | 95.0                        | 14.42                 | 12.41  | 1.28 | 15.17  | 12.25  | 1.30 | 15.92  | 13.13  | 1.32 | 16.30  | 14.09  | 1.33 | 17.43  | 13.72  | 1.36 | 17.80  | 14.66  | 1.37 |
|                           | 104.0                       | 13.66                 | 12.06  | 1.36 | 14.41  | 11.93  | 1.38 | 15.17  | 12.82  | 1.40 | 15.54  | 13.80  | 1.41 | 16.67  | 13.46  | 1.44 | 17.04  | 14.41  | 1.46 |
|                           | 109.4                       | 13.21                 | 11.86  | 1.41 | 13.96  | 11.73  | 1.43 | 14.71  | 12.64  | 1.45 | 15.09  | 13.62  | 1.46 | 16.21  | 13.31  | 1.50 | 16.59  | 14.27  | 1.51 |
|                           | 114.8                       | 12.75                 | 11.65  | 1.47 | 13.50  | 11.54  | 1.49 | 14.25  | 12.46  | 1.51 | 14.63  | 13.45  | 1.52 | 15.76  | 13.15  | 1.55 | 16.13  | 14.12  | 1.56 |
| CTXV07A +<br>FTXV09A      | 68.0                        | 19.16                 | 15.00  | 1.30 | 20.02  | 14.74  | 1.33 | 20.88  | 15.57  | 1.35 | 21.31  | 16.55  | 1.37 | 22.60  | 16.00  | 1.40 | 23.04  | 16.95  | 1.42 |
|                           | 77.0                        | 18.29                 | 14.58  | 1.38 | 19.15  | 14.35  | 1.41 | 20.01  | 15.21  | 1.43 | 20.44  | 16.19  | 1.44 | 21.73  | 15.69  | 1.48 | 22.16  | 16.65  | 1.50 |
|                           | 86.0                        | 17.42                 | 14.17  | 1.46 | 18.28  | 13.96  | 1.49 | 19.14  | 14.85  | 1.52 | 19.57  | 15.85  | 1.53 | 20.86  | 15.38  | 1.57 | 21.29  | 16.36  | 1.58 |
|                           | 89.6                        | 17.07                 | 14.00  | 1.50 | 17.93  | 13.81  | 1.53 | 18.79  | 14.71  | 1.55 | 19.22  | 15.71  | 1.57 | 20.51  | 15.26  | 1.60 | 20.95  | 16.24  | 1.62 |
|                           | 95.0                        | 16.55                 | 13.76  | 1.56 | 17.41  | 13.58  | 1.58 | 18.27  | 14.49  | 1.61 | 18.70  | 15.50  | 1.62 | 19.99  | 15.08  | 1.66 | 20.42  | 16.07  | 1.67 |
|                           | 104.0                       | 15.68                 | 13.35  | 1.66 | 16.54  | 13.20  | 1.68 | 17.40  | 14.14  | 1.71 | 17.83  | 15.16  | 1.72 | 19.12  | 14.78  | 1.76 | 19.55  | 15.78  | 1.77 |
|                           | 109.4                       | 15.15                 | 13.11  | 1.72 | 16.01  | 12.97  | 1.75 | 16.88  | 13.93  | 1.77 | 17.31  | 14.96  | 1.78 | 18.60  | 14.60  | 1.82 | 19.03  | 15.61  | 1.84 |
|                           | 114.8                       | 14.63                 | 12.87  | 1.79 | 15.49  | 12.75  | 1.81 | 16.35  | 13.72  | 1.84 | 16.78  | 14.76  | 1.85 | 18.08  | 14.42  | 1.89 | 18.51  | 15.44  | 1.90 |
| CTXV07A +<br>FTXV12A      | 68.0                        | 21.51                 | 16.30  | 1.57 | 22.48  | 16.02  | 1.60 | 23.45  | 16.84  | 1.63 | 23.93  | 17.83  | 1.64 | 25.38  | 17.21  | 1.69 | 25.87  | 18.16  | 1.71 |
|                           | 77.0                        | 20.54                 | 15.82  | 1.66 | 21.50  | 15.57  | 1.69 | 22.47  | 16.43  | 1.72 | 22.96  | 17.42  | 1.74 | 24.41  | 16.85  | 1.78 | 24.89  | 17.82  | 1.80 |
|                           | 86.0                        | 19.56                 | 15.34  | 1.76 | 20.53  | 15.12  | 1.79 | 21.49  | 16.01  | 1.83 | 21.98  | 17.02  | 1.84 | 23.43  | 16.50  | 1.89 | 23.91  | 17.49  | 1.90 |
|                           | 89.6                        | 19.17                 | 15.16  | 1.81 | 20.14  | 14.94  | 1.84 | 21.10  | 15.85  | 1.87 | 21.59  | 16.87  | 1.88 | 23.04  | 16.36  | 1.93 | 23.52  | 17.35  | 1.95 |
|                           | 95.0                        | 18.58                 | 14.87  | 1.87 | 19.55  | 14.68  | 1.91 | 20.52  | 15.60  | 1.94 | 21.00  | 16.63  | 1.95 | 22.45  | 16.15  | 2.00 | 22.94  | 17.15  | 2.01 |
|                           | 104.0                       | 17.60                 | 14.41  | 1.99 | 18.57  | 14.25  | 2.03 | 19.54  | 15.20  | 2.06 | 20.02  | 16.24  | 2.07 | 21.47  | 15.81  | 2.12 | 21.96  | 16.83  | 2.13 |
|                           | 109.4                       | 17.02                 | 14.13  | 2.07 | 17.98  | 13.99  | 2.10 | 18.95  | 14.96  | 2.13 | 19.44  | 16.01  | 2.15 | 20.89  | 15.60  | 2.19 | 21.37  | 16.63  | 2.21 |
|                           | 114.8                       | 16.43                 |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                           |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV09A +<br>FTXV12A      | 68.0                        | 21.51                 | 16.63  | 1.57 | 22.48  | 16.34  | 1.60 | 23.45  | 17.23  | 1.63 | 23.93  | 18.28  | 1.64 | 25.38  | 17.67  | 1.69 | 25.87  | 18.69  | 1.71 |
|                           | 77.0                        | 20.54                 | 16.15  | 1.66 | 21.50  | 15.90  | 1.69 | 22.47  | 16.82  | 1.72 | 22.96  | 17.89  | 1.74 | 24.41  | 17.32  | 1.78 | 24.89  | 18.36  | 1.80 |
|                           | 86.0                        | 19.56                 | 15.69  | 1.76 | 20.53  | 15.46  | 1.79 | 21.49  | 16.41  | 1.83 | 21.98  | 17.49  | 1.84 | 23.43  | 16.97  | 1.89 | 23.91  | 18.02  | 1.90 |
|                           | 89.6                        | 19.17                 | 15.50  | 1.81 | 20.14  | 15.28  | 1.84 | 21.10  | 16.25  | 1.87 | 21.59  | 17.34  | 1.88 | 23.04  | 16.83  | 1.93 | 23.52  | 17.89  | 1.95 |
|                           | 95.0                        | 18.58                 | 15.22  | 1.87 | 19.55  | 15.02  | 1.91 | 20.52  | 16.01  | 1.94 | 21.00  | 17.10  | 1.95 | 22.45  | 16.63  | 2.00 | 22.94  | 17.70  | 2.01 |
|                           | 104.0                       | 17.60                 | 14.76  | 1.99 | 18.57  | 14.60  | 2.03 | 19.54  | 15.61  | 2.06 | 20.02  | 16.72  | 2.07 | 21.47  | 16.29  | 2.12 | 21.96  | 17.37  | 2.13 |
|                           | 109.4                       | 17.02                 | 14.49  | 2.07 | 17.98  | 14.34  | 2.10 | 18.95  | 15.37  | 2.13 | 19.44  | 16.49  | 2.15 | 20.89  | 16.09  | 2.19 | 21.37  | 17.18  | 2.21 |
| FTXV09A +<br>FTXV15A      | 114.8                       | 16.43                 | 14.22  | 2.15 | 17.40  | 14.09  | 2.18 | 18.37  | 15.14  | 2.21 | 18.85  | 16.26  | 2.23 | 20.30  | 15.89  | 2.27 | 20.78  | 16.99  | 2.29 |
|                           | 68.0                        | 21.51                 | 17.49  | 1.45 | 22.48  | 17.19  | 1.48 | 23.45  | 18.25  | 1.51 | 23.93  | 19.46  | 1.53 | 25.38  | 18.85  | 1.57 | 25.87  | 20.05  | 1.58 |
|                           | 77.0                        | 20.54                 | 17.03  | 1.54 | 21.50  | 16.76  | 1.57 | 22.47  | 17.85  | 1.60 | 22.96  | 19.08  | 1.61 | 24.41  | 18.51  | 1.66 | 24.89  | 19.72  | 1.67 |
|                           | 86.0                        | 19.56                 | 16.57  | 1.64 | 20.53  | 16.34  | 1.67 | 21.49  | 17.45  | 1.69 | 21.98  | 18.70  | 1.71 | 23.43  | 18.18  | 1.75 | 23.91  | 19.40  | 1.77 |
|                           | 89.6                        | 19.17                 | 16.39  | 1.68 | 20.14  | 16.17  | 1.71 | 21.10  | 17.30  | 1.73 | 21.59  | 18.55  | 1.75 | 23.04  | 18.04  | 1.79 | 23.52  | 19.27  | 1.81 |
|                           | 95.0                        | 18.58                 | 16.12  | 1.74 | 19.55  | 15.91  | 1.77 | 20.52  | 17.06  | 1.80 | 21.00  | 18.32  | 1.81 | 22.45  | 17.84  | 1.86 | 22.94  | 19.08  | 1.87 |
|                           | 104.0                       | 17.60                 | 15.67  | 1.85 | 18.57  | 15.50  | 1.88 | 19.54  | 16.67  | 1.91 | 20.02  | 17.95  | 1.92 | 21.47  | 17.51  | 1.97 | 21.96  | 18.77  | 1.98 |
| FTXV12A +<br>FTXV12A      | 109.4                       | 17.02                 | 15.40  | 1.92 | 17.98  | 15.25  | 1.95 | 18.95  | 16.44  | 1.98 | 19.44  | 17.72  | 1.99 | 20.89  | 17.32  | 2.04 | 21.37  | 18.58  | 2.05 |
|                           | 114.8                       | 16.43                 | 15.14  | 1.99 | 17.40  | 15.00  | 2.02 | 18.37  | 16.21  | 2.05 | 18.85  | 17.50  | 2.07 | 20.30  | 17.12  | 2.11 | 20.78  | 18.39  | 2.12 |
|                           | 68.0                        | 21.51                 | 16.78  | 1.56 | 22.48  | 16.49  | 1.59 | 23.45  | 17.41  | 1.62 | 23.93  | 18.49  | 1.64 | 25.38  | 17.88  | 1.68 | 25.87  | 18.93  | 1.70 |
|                           | 77.0                        | 20.54                 | 16.31  | 1.65 | 21.50  | 16.05  | 1.68 | 22.47  | 17.00  | 1.71 | 22.96  | 18.10  | 1.73 | 24.41  | 17.53  | 1.78 | 24.89  | 18.60  | 1.79 |
|                           | 86.0                        | 19.56                 | 15.84  | 1.75 | 20.53  | 15.61  | 1.78 | 21.49  | 16.60  | 1.82 | 21.98  | 17.71  | 1.83 | 23.43  | 17.18  | 1.88 | 23.91  | 18.27  | 1.89 |
|                           | 89.6                        | 19.17                 | 15.66  | 1.80 | 20.14  | 15.44  | 1.83 | 21.10  | 16.43  | 1.86 | 21.59  | 17.55  | 1.87 | 23.04  | 17.05  | 1.92 | 23.52  | 18.14  | 1.94 |
|                           | 95.0                        | 18.58                 | 15.38  | 1.86 | 19.55  | 15.18  | 1.90 | 20.52  | 16.19  | 1.93 | 21.00  | 17.32  | 1.94 | 22.45  | 16.84  | 1.99 | 22.94  | 17.94  | 2.00 |
|                           | 104.0                       | 17.60                 | 14.92  | 1.98 | 18.57  | 14.75  | 2.01 | 19.54  | 15.80  | 2.05 | 20.02  | 16.94  | 2.06 | 21.47  | 16.50  | 2.11 | 21.96  | 17.62  | 2.12 |
|                           | 109.4                       | 17.02                 | 14.65  | 2.06 | 17.98  | 14.50  | 2.09 | 18.95  | 15.56  | 2.12 | 19.44  | 16.71  | 2.14 | 20.89  | 16.30  | 2.18 | 21.37  | 17.43  | 2.20 |
|                           | 114.8                       | 16.43                 | 14.38  | 2.14 | 17.40  | 14.25  | 2.17 | 18.37  | 15.33  | 2.20 | 18.85  | 16.48  | 2.22 | 20.30  | 16.10  | 2.26 | 20.78  | 17.24  | 2.28 |

**Symbols:**

EDB : Entering dry bulb temp. (°F)  
 EWB : Entering wet bulb temp. (°F)  
 TC : Total capacity (kBtu/h)  
 SHC : Sensible heat capacity (kBtu/h)  
 PI : Power input (kW)

**Notes:**

1. Ratings shown are net capacities which include a deduction for indoor fan motor heat.
2. ■ shows max capacities and power input.
3. TC, SHC and PI must be calculated by interpolation using the figures in the above tables.  
(Figures out of the tables should not be used for calculation.)
4. Capacities are based on the following conditions.
5. Corresponding refrigerant piping length : 25 ft

3D153101



### 3.2 2MXM18AVJU9 Heating

#### Heating [60 Hz, 208 - 230 V]

| Combination<br>(Capacity) | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|---------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                           |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                           |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                           |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| CTXV07A                   | 60.8                       | 5.44                   | 0.72 | 6.54   | 0.76 | 7.63   | 0.80 | 8.73   | 0.83 | 10.04  | 0.88 | 10.92  | 0.91 | 12.01  | 0.95 |
|                           | 64.4                       | 5.31                   | 0.73 | 6.40   | 0.77 | 7.50   | 0.81 | 8.59   | 0.84 | 9.91   | 0.89 | 10.78  | 0.92 | 11.88  | 0.95 |
|                           | 68.0                       | 5.17                   | 0.74 | 6.27   | 0.78 | 7.36   | 0.81 | 8.46   | 0.85 | 9.77   | 0.90 | 10.65  | 0.93 | 11.75  | 0.96 |
|                           | 70.0                       | 5.10                   | 0.74 | 6.20   | 0.78 | 7.29   | 0.82 | 8.39   | 0.86 | 9.70   | 0.90 | 10.58  | 0.93 | 11.67  | 0.97 |
|                           | 71.6                       | 5.04                   | 0.75 | 6.14   | 0.79 | 7.23   | 0.82 | 8.33   | 0.86 | 9.64   | 0.90 | 10.52  | 0.93 | 11.61  | 0.97 |
|                           | 75.2                       | 4.91                   | 0.76 | 6.00   | 0.79 | 7.10   | 0.83 | 8.19   | 0.87 | 9.51   | 0.91 | 10.38  | 0.94 | 11.48  | 0.98 |
| FTXV09A                   | 60.8                       | 7.01                   | 0.96 | 8.42   | 1.01 | 9.84   | 1.05 | 11.25  | 1.10 | 12.94  | 1.16 | 14.07  | 1.20 | 15.48  | 1.25 |
|                           | 64.4                       | 6.84                   | 0.97 | 8.25   | 1.02 | 9.66   | 1.07 | 11.07  | 1.11 | 12.77  | 1.17 | 13.90  | 1.21 | 15.31  | 1.26 |
|                           | 68.0                       | 6.67                   | 0.98 | 8.08   | 1.03 | 9.49   | 1.08 | 10.90  | 1.13 | 12.60  | 1.18 | 13.73  | 1.22 | 15.14  | 1.27 |
|                           | 70.0                       | 6.57                   | 0.98 | 7.98   | 1.03 | 9.39   | 1.08 | 10.81  | 1.13 | 12.50  | 1.19 | 13.63  | 1.23 | 15.04  | 1.28 |
|                           | 71.6                       | 6.50                   | 0.99 | 7.91   | 1.04 | 9.32   | 1.09 | 10.73  | 1.14 | 12.42  | 1.19 | 13.55  | 1.23 | 14.96  | 1.28 |
|                           | 75.2                       | 6.32                   | 1.00 | 7.73   | 1.05 | 9.15   | 1.10 | 10.56  | 1.15 | 12.25  | 1.21 | 13.38  | 1.24 | 14.79  | 1.29 |
| FTXV12A                   | 60.8                       | 9.37                   | 1.36 | 11.25  | 1.43 | 13.14  | 1.50 | 15.03  | 1.57 | 17.29  | 1.65 | 18.80  | 1.71 | 20.68  | 1.78 |
|                           | 64.4                       | 9.14                   | 1.37 | 11.02  | 1.44 | 12.91  | 1.51 | 14.80  | 1.58 | 17.06  | 1.67 | 18.57  | 1.72 | 20.45  | 1.79 |
|                           | 68.0                       | 8.91                   | 1.39 | 10.79  | 1.46 | 12.68  | 1.53 | 14.57  | 1.60 | 16.83  | 1.68 | 18.34  | 1.74 | 20.22  | 1.81 |
|                           | 70.0                       | 8.78                   | 1.40 | 10.67  | 1.47 | 12.55  | 1.54 | 14.44  | 1.61 | 16.70  | 1.69 | 18.21  | 1.75 | 20.09  | 1.82 |
|                           | 71.6                       | 8.68                   | 1.40 | 10.56  | 1.47 | 12.45  | 1.54 | 14.33  | 1.61 | 16.60  | 1.70 | 18.11  | 1.75 | 19.99  | 1.82 |
|                           | 75.2                       | 8.45                   | 1.42 | 10.33  | 1.49 | 12.22  | 1.56 | 14.10  | 1.63 | 16.37  | 1.71 | 17.88  | 1.77 | 19.76  | 1.84 |
| FTXV15A                   | 60.8                       | 11.67                  | 1.45 | 14.02  | 1.52 | 16.37  | 1.60 | 18.72  | 1.67 | 21.53  | 1.76 | 23.41  | 1.82 | 25.76  | 1.89 |
|                           | 64.4                       | 11.38                  | 1.46 | 13.73  | 1.54 | 16.08  | 1.61 | 18.43  | 1.69 | 21.25  | 1.77 | 23.13  | 1.83 | 25.47  | 1.91 |
|                           | 68.0                       | 11.10                  | 1.48 | 13.44  | 1.55 | 15.79  | 1.63 | 18.14  | 1.70 | 20.96  | 1.79 | 22.84  | 1.85 | 25.19  | 1.92 |
|                           | 70.0                       | 10.94                  | 1.49 | 13.28  | 1.56 | 15.63  | 1.64 | 17.98  | 1.71 | 20.80  | 1.80 | 22.68  | 1.86 | 25.03  | 1.93 |
|                           | 71.6                       | 10.81                  | 1.50 | 13.16  | 1.57 | 15.51  | 1.64 | 17.85  | 1.72 | 20.67  | 1.81 | 22.55  | 1.87 | 24.90  | 1.94 |
|                           | 75.2                       | 10.52                  | 1.51 | 12.87  | 1.59 | 15.22  | 1.66 | 17.57  | 1.73 | 20.39  | 1.82 | 22.26  | 1.88 | 24.61  | 1.96 |
| CTXV07A +<br>CTXV07A      | 60.8                       | 10.88                  | 1.28 | 13.07  | 1.34 | 15.27  | 1.41 | 17.46  | 1.47 | 20.08  | 1.55 | 21.84  | 1.61 | 24.03  | 1.67 |
|                           | 64.4                       | 10.62                  | 1.29 | 12.81  | 1.36 | 15.00  | 1.42 | 17.19  | 1.49 | 19.82  | 1.57 | 21.57  | 1.62 | 23.76  | 1.69 |
|                           | 68.0                       | 10.35                  | 1.31 | 12.54  | 1.37 | 14.73  | 1.44 | 16.92  | 1.50 | 19.55  | 1.58 | 21.30  | 1.63 | 23.49  | 1.70 |
|                           | 70.0                       | 10.20                  | 1.32 | 12.39  | 1.38 | 14.58  | 1.45 | 16.77  | 1.51 | 19.40  | 1.59 | 21.15  | 1.64 | 23.34  | 1.71 |
|                           | 71.6                       | 10.08                  | 1.32 | 12.27  | 1.39 | 14.46  | 1.45 | 16.65  | 1.52 | 19.28  | 1.60 | 21.03  | 1.65 | 23.22  | 1.71 |
|                           | 75.2                       | 9.81                   | 1.34 | 12.00  | 1.40 | 14.19  | 1.47 | 16.38  | 1.53 | 19.01  | 1.61 | 20.77  | 1.66 | 22.96  | 1.73 |
| CTXV07A +<br>FTXV09A      | 60.8                       | 12.45                  | 1.54 | 14.96  | 1.61 | 17.47  | 1.69 | 19.98  | 1.77 | 22.98  | 1.87 | 24.99  | 1.93 | 27.50  | 2.01 |
|                           | 64.4                       | 12.15                  | 1.55 | 14.66  | 1.63 | 17.16  | 1.71 | 19.67  | 1.79 | 22.68  | 1.88 | 24.68  | 1.95 | 27.19  | 2.02 |
|                           | 68.0                       | 11.84                  | 1.57 | 14.35  | 1.65 | 16.86  | 1.73 | 19.36  | 1.81 | 22.37  | 1.90 | 24.38  | 1.96 | 26.88  | 2.04 |
|                           | 70.0                       | 11.67                  | 1.58 | 14.18  | 1.66 | 16.69  | 1.74 | 19.19  | 1.82 | 22.20  | 1.91 | 24.21  | 1.97 | 26.71  | 2.05 |
|                           | 71.6                       | 11.54                  | 1.59 | 14.04  | 1.67 | 16.55  | 1.74 | 19.06  | 1.82 | 22.06  | 1.92 | 24.07  | 1.98 | 26.58  | 2.06 |
|                           | 75.2                       | 11.23                  | 1.60 | 13.74  | 1.68 | 16.24  | 1.76 | 18.75  | 1.84 | 21.76  | 1.93 | 23.76  | 2.00 | 26.27  | 2.08 |
| CTXV07A +<br>FTXV12A      | 60.8                       | 14.03                  | 1.86 | 16.85  | 1.95 | 19.67  | 2.05 | 22.49  | 2.14 | 25.88  | 2.26 | 28.14  | 2.33 | 30.96  | 2.43 |
|                           | 64.4                       | 13.68                  | 1.88 | 16.50  | 1.97 | 19.33  | 2.07 | 22.15  | 2.16 | 25.54  | 2.28 | 27.80  | 2.35 | 30.62  | 2.45 |
|                           | 68.0                       | 13.34                  | 1.90 | 16.16  | 1.99 | 18.98  | 2.09 | 21.80  | 2.18 | 25.19  | 2.30 | 27.45  | 2.37 | 30.27  | 2.47 |
|                           | 70.0                       | 13.14                  | 1.91 | 15.97  | 2.01 | 18.79  | 2.10 | 21.61  | 2.20 | 25.00  | 2.31 | 27.26  | 2.39 | 30.08  | 2.48 |
|                           | 71.6                       | 12.99                  | 1.92 | 15.81  | 2.01 | 18.64  | 2.11 | 21.46  | 2.21 | 24.85  | 2.32 | 27.10  | 2.40 | 29.93  | 2.49 |
|                           | 75.2                       | 12.65                  | 1.94 | 15.47  | 2.04 | 18.29  | 2.13 | 21.11  | 2.23 | 24.50  | 2.34 | 26.76  | 2.42 | 29.58  | 2.51 |
| CTXV07A +<br>FTXV15A      | 60.8                       | 14.03                  | 1.53 | 16.85  | 1.61 | 19.67  | 1.68 | 22.49  | 1.76 | 25.88  | 1.86 | 28.14  | 1.92 | 30.96  | 2.00 |
|                           | 64.4                       | 13.68                  | 1.54 | 16.50  | 1.62 | 19.33  | 1.70 | 22.15  | 1.78 | 25.54  | 1.87 | 27.80  | 1.94 | 30.62  | 2.01 |
|                           | 68.0                       | 13.34                  | 1.56 | 16.16  | 1.64 | 18.98  | 1.72 | 21.80  | 1.80 | 25.19  | 1.89 | 27.45  | 1.95 | 30.27  | 2.03 |
|                           | 70.0                       | 13.14                  | 1.57 | 15.97  | 1.65 | 18.79  | 1.73 | 21.61  | 1.81 | 25.00  | 1.90 | 27.26  | 1.96 | 30.08  | 2.04 |
|                           | 71.6                       | 12.99                  | 1.58 | 15.81  | 1.66 | 18.64  | 1.74 | 21.46  | 1.81 | 24.85  | 1.91 | 27.10  | 1.97 | 29.93  | 2.05 |
|                           | 75.2                       | 12.65                  | 1.60 | 15.47  | 1.67 | 18.29  | 1.75 | 21.11  | 1.83 | 24.50  | 1.92 | 26.76  | 1.99 | 29.58  | 2.07 |
| FTXV09A +<br>FTXV09A      | 60.8                       | 14.03                  | 1.86 | 16.85  | 1.95 | 19.67  | 2.05 | 22.49  | 2.14 | 25.88  | 2.26 | 28.14  | 2.33 | 30.96  | 2.43 |
|                           | 64.4                       | 13.68                  | 1.88 | 16.50  | 1.97 | 19.33  | 2.07 | 22.15  | 2.16 | 25.54  | 2.28 | 27.80  | 2.35 | 30.62  | 2.45 |
|                           | 68.0                       | 13.34                  | 1.90 | 16.16  | 1.99 | 18.98  | 2.09 | 21.80  | 2.18 | 25.19  | 2.30 | 27.45  | 2.37 | 30.27  | 2.47 |
|                           | 70.0                       | 13.14                  | 1.91 | 15.97  | 2.01 | 18.79  | 2.10 | 21.61  | 2.20 | 25.00  | 2.31 | 27.26  | 2.39 | 30.08  | 2.48 |
|                           | 71.6                       | 12.99                  | 1.92 | 15.81  | 2.01 | 18.64  | 2.11 | 21.46  | 2.21 | 24.85  | 2.32 | 27.10  | 2.40 | 29.93  | 2.49 |
|                           | 75.2                       | 12.65                  | 1.94 | 15.47  | 2.04 | 18.29  | 2.13 | 21.11  | 2.23 | 24.50  | 2.34 | 26.76  | 2.42 | 29.58  | 2.51 |
| FTXV09A +<br>FTXV12A      | 60.8                       | 14.03                  | 1.83 | 16.85  | 1.93 | 19.67  | 2.02 | 22.49  | 2.11 | 25.88  | 2.23 | 28.14  | 2.30 | 30.96  | 2.40 |
|                           | 64.4                       | 13.68                  | 1.85 | 16.50  | 1.95 | 19.33  | 2.04 | 22.15  | 2.14 | 25.54  | 2.25 | 27.80  | 2.32 | 30.62  | 2.42 |
|                           | 68.0                       | 13.34                  | 1.87 | 16.16  | 1.97 | 18.98  | 2.06 | 21.80  | 2.16 | 25.19  | 2.27 | 27.45  | 2.34 | 30.27  | 2.44 |
|                           | 70.0                       | 13.14                  | 1.89 | 15.97  | 1.98 | 18.79  | 2.07 | 21.61  | 2.17 | 25.00  | 2.28 | 27.26  | 2.36 | 30.08  | 2.45 |
|                           | 71.6                       | 12.99                  | 1.89 | 15.81  | 1.99 | 18.64  | 2.08 | 21.46  | 2.18 | 24.85  | 2.29 | 27.10  | 2.36 | 29.93  | 2.46 |
|                           | 75.2                       | 12.65                  | 1.92 | 15.47  | 2.01 | 18.29  | 2.10 | 21.11  | 2.20 | 24.50  | 2.31 | 26.76  | 2.38 | 29.58  | 2.48 |
| FTXV09A +<br>FTXV15A      | 60.8                       | 14.03                  | 1.48 | 16.85  | 1.56 | 19.67  | 1.63 | 22.49  | 1.71 | 25.88  | 1.80 | 28.14  | 1.86 | 30.96  | 1.93 |
|                           | 64.4                       | 13.68                  | 1.50 | 16.50  | 1.57 | 19.33  | 1.65 | 22.15  | 1.72 | 25.54  | 1.81 | 27.80  | 1.87 | 30.62  | 1.95 |
|                           | 68.0                       | 13.34                  | 1.51 | 16.16  | 1.59 | 18.98  | 1.66 | 21.80  | 1.74 | 25.19  | 1.83 | 27.45  | 1.89 | 30.27  | 1.97 |
|                           | 70.0                       | 13.14                  | 1.52 | 15.97  | 1.60 | 18.79  | 1.67 | 21.61  | 1.75 | 25.00  | 1.84 | 27.26  | 1.90 | 30.08  | 1.98 |
|                           | 71.6                       | 12.99                  | 1.53 | 15.81  | 1.60 | 18.64  | 1.68 | 21.46  | 1.76 | 24.85  | 1.85 | 27.10  | 1.91 | 29.93  | 1.98 |
|                           | 75.2                       | 12.65                  | 1.55 | 15.47  | 1.62 | 18.29  | 1.70 | 21.11  | 1.77 | 24.50  | 1.86 | 26.76  | 1.92 | 29.58  | 2.00 |
| FTXV12A +<br>FTXV12A      | 60.8                       | 14.03                  | 1.81 | 16.85  | 1.90 | 19.67  | 1.99 | 22.49  | 2.09 | 25.88  | 2.20 | 28.14  | 2.27 | 30.96  | 2.36 |
|                           | 64.4                       | 13.68                  | 1.83 | 16.50  | 1.92 | 19.33  | 2.01 | 22.15  | 2.11 | 25.54  | 2.22 | 27.80  | 2.29 | 30.62  | 2.39 |
|                           | 68.0                       | 13.34                  | 1.85 | 16.16  | 1.94 | 18.98  | 2.03 | 21.80  | 2.13 | 25.19  | 2.24 | 27.45  | 2.31 | 30.27  | 2.41 |
|                           | 70.0                       | 13.14                  | 1.86 | 15.97  | 1.95 | 18.79  | 2.05 | 21.61  | 2.14 | 25.00  | 2.25 | 27.26  | 2.32 | 30.08  | 2.42 |
|                           | 71.6                       | 12.99                  | 1.87 | 15.81  | 1.96 | 18.64  | 2.06 | 21.46  | 2.15 | 24.85  | 2.26 | 27.10  | 2.33 | 29.93  | 2.43 |
|                           | 75.2                       | 12.65                  | 1.89 | 15.47  | 1.98 | 18.29  | 2.08 | 21.11  | 2.17 | 24.50  | 2.28 | 26.76  | 2.35 | 29.58  | 2.45 |

**Symbols:**

EDB : Entering dry bulb temp. (°F)  
EWB : Entering wet bulb temp. (°F)  
TC : Total capacity (kBtu/h)  
PI : Power input (kW)

**Notes:**

1. Ratings shown are net capacities which include a deduction for indoor fan motor heat.
2.  shows max capacities and power input.
3. TC and PI must be calculated by interpolation using the figures in the above tables. (Figures out of the tables should not be used for calculation.)
4. Capacities are based on the following conditions.
5. Corresponding refrigerant piping length : 25 ft

3D153100

### 3.3 3MXM24AVJU9 Cooling

#### Cooling [60 Hz, 208 - 230 V]

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |       |      |        |       |      |        |       |      |        |       |      |        |       |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|-------|------|--------|-------|------|--------|-------|------|--------|-------|------|--------|-------|------|
|                           |                             | 57.2                  |        |      | 60.8   |       |      | 64.4   |       |      | 67.0   |       |      | 71.6   |       |      | 73.4   |       |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC   | PI   | TC     | SHC   | PI   | TC     | SHC   | PI   | TC     | SHC   | PI   | TC     | SHC   | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | SHC   | PI   | kBtu/h | SHC   | PI   | kBtu/h | SHC   | PI   | kBtu/h | SHC   | PI   | kBtu/h | SHC   | PI   |
| CTXV07A                   | 68.0                        | 9.53                  | 7.31   | 0.47 | 9.96   | 7.18  | 0.48 | 10.38  | 7.57  | 0.49 | 10.60  | 8.02  | 0.50 | 11.24  | 7.75  | 0.51 | 11.46  | 8.19  | 0.52 |
|                           | 77.0                        | 9.09                  | 7.10   | 0.50 | 9.52   | 6.98  | 0.51 | 9.95   | 7.38  | 0.52 | 10.17  | 7.84  | 0.53 | 10.81  | 7.59  | 0.54 | 11.02  | 8.04  | 0.54 |
|                           | 86.0                        | 8.66                  | 6.89   | 0.53 | 9.09   | 6.79  | 0.54 | 9.52   | 7.20  | 0.55 | 9.73   | 7.67  | 0.56 | 10.38  | 7.44  | 0.57 | 10.59  | 7.89  | 0.58 |
|                           | 89.6                        | 8.49                  | 6.80   | 0.55 | 8.92   | 6.71  | 0.56 | 9.35   | 7.13  | 0.57 | 9.56   | 7.60  | 0.57 | 10.20  | 7.37  | 0.58 | 10.42  | 7.83  | 0.59 |
|                           | 95.0                        | 8.23                  | 6.68   | 0.57 | 8.66   | 6.59  | 0.58 | 9.09   | 7.02  | 0.59 | 9.30   | 7.49  | 0.59 | 9.94   | 7.28  | 0.60 | 10.16  | 7.74  | 0.61 |
|                           | 104.0                       | 7.80                  | 6.48   | 0.60 | 8.22   | 6.40  | 0.61 | 8.65   | 6.84  | 0.62 | 8.87   | 7.32  | 0.63 | 9.51   | 7.13  | 0.64 | 9.72   | 7.60  | 0.65 |
|                           | 109.4                       | 7.54                  | 6.36   | 0.63 | 7.96   | 6.29  | 0.64 | 8.39   | 6.74  | 0.65 | 8.61   | 7.22  | 0.65 | 9.25   | 7.04  | 0.66 | 9.46   | 7.51  | 0.67 |
|                           | 114.8                       | 7.28                  | 6.24   | 0.65 | 7.70   | 6.18  | 0.66 | 8.13   | 6.63  | 0.67 | 8.35   | 7.12  | 0.67 | 8.99   | 6.95  | 0.69 | 9.20   | 7.43  | 0.69 |
| FTXV09A                   | 68.0                        | 12.29                 | 9.01   | 0.69 | 12.85  | 8.85  | 0.70 | 13.40  | 9.26  | 0.72 | 13.68  | 9.76  | 0.72 | 14.51  | 9.40  | 0.75 | 14.78  | 9.88  | 0.75 |
|                           | 77.0                        | 11.74                 | 8.73   | 0.73 | 12.29  | 8.58  | 0.75 | 12.84  | 9.01  | 0.76 | 13.12  | 9.52  | 0.77 | 13.95  | 9.19  | 0.79 | 14.22  | 9.68  | 0.79 |
|                           | 86.0                        | 11.18                 | 8.45   | 0.78 | 11.73  | 8.32  | 0.79 | 12.28  | 8.77  | 0.80 | 12.56  | 9.28  | 0.81 | 13.39  | 8.99  | 0.83 | 13.66  | 9.48  | 0.84 |
|                           | 89.6                        | 10.95                 | 8.34   | 0.80 | 11.51  | 8.22  | 0.81 | 12.06  | 8.67  | 0.82 | 12.34  | 9.19  | 0.83 | 13.16  | 8.90  | 0.85 | 13.44  | 9.40  | 0.86 |
|                           | 95.0                        | 10.62                 | 8.17   | 0.83 | 11.17  | 8.06  | 0.84 | 11.72  | 8.53  | 0.85 | 12.00  | 9.05  | 0.86 | 12.83  | 8.78  | 0.88 | 13.11  | 9.29  | 0.89 |
|                           | 104.0                       | 10.06                 | 7.90   | 0.88 | 10.61  | 7.81  | 0.89 | 11.16  | 8.29  | 0.91 | 11.44  | 8.82  | 0.91 | 12.27  | 8.58  | 0.93 | 12.55  | 9.09  | 0.94 |
|                           | 109.4                       | 9.72                  | 7.74   | 0.91 | 10.28  | 7.66  | 0.93 | 10.83  | 8.15  | 0.94 | 11.11  | 8.69  | 0.95 | 11.94  | 8.46  | 0.97 | 12.21  | 8.98  | 0.97 |
|                           | 114.8                       | 9.39                  | 7.58   | 0.95 | 9.94   | 7.51  | 0.96 | 10.49  | 8.01  | 0.98 | 10.77  | 8.55  | 0.98 | 11.60  | 8.34  | 1.00 | 11.88  | 8.86  | 1.01 |
| FTXV12A                   | 68.0                        | 15.16                 | 10.63  | 0.92 | 17.13  | 11.10 | 1.05 | 17.87  | 11.48 | 1.07 | 18.24  | 11.98 | 1.08 | 19.34  | 11.50 | 1.11 | 19.71  | 11.96 | 1.12 |
|                           | 77.0                        | 15.16                 | 10.63  | 1.04 | 16.38  | 10.72 | 1.11 | 17.12  | 11.13 | 1.13 | 17.49  | 11.63 | 1.14 | 18.60  | 11.19 | 1.17 | 18.96  | 11.67 | 1.18 |
|                           | 86.0                        | 14.90                 | 10.49  | 1.16 | 15.64  | 10.34 | 1.18 | 16.38  | 10.77 | 1.20 | 16.75  | 11.29 | 1.21 | 17.85  | 10.89 | 1.24 | 18.22  | 11.38 | 1.25 |
|                           | 89.6                        | 14.60                 | 10.34  | 1.19 | 15.34  | 10.19 | 1.21 | 16.08  | 10.64 | 1.23 | 16.45  | 11.16 | 1.24 | 17.55  | 10.77 | 1.27 | 17.92  | 11.27 | 1.28 |
|                           | 95.0                        | 14.16                 | 10.10  | 1.23 | 14.89  | 9.97  | 1.25 | 15.63  | 10.43 | 1.27 | 16.00  | 10.96 | 1.28 | 17.11  | 10.60 | 1.31 | 17.47  | 11.10 | 1.32 |
|                           | 104.0                       | 13.41                 | 9.72   | 1.31 | 14.15  | 9.61  | 1.33 | 14.89  | 10.09 | 1.35 | 15.25  | 10.63 | 1.36 | 16.36  | 10.31 | 1.39 | 16.73  | 10.82 | 1.40 |
|                           | 109.4                       | 12.97                 | 9.49   | 1.36 | 13.70  | 9.39  | 1.38 | 14.44  | 9.89  | 1.40 | 14.81  | 10.44 | 1.41 | 15.91  | 10.13 | 1.44 | 16.28  | 10.65 | 1.45 |
|                           | 114.8                       | 12.52                 | 9.26   | 1.41 | 13.26  | 9.18  | 1.43 | 13.99  | 9.69  | 1.45 | 14.36  | 10.24 | 1.46 | 15.47  | 9.96  | 1.49 | 15.84  | 10.49 | 1.50 |
| FTXV15A                   | 68.0                        | 19.20                 | 13.46  | 1.22 | 21.41  | 13.91 | 1.38 | 22.33  | 14.40 | 1.40 | 22.79  | 15.03 | 1.42 | 24.18  | 14.43 | 1.46 | 24.64  | 15.02 | 1.47 |
|                           | 77.0                        | 19.20                 | 13.46  | 1.39 | 20.48  | 13.44 | 1.46 | 21.40  | 13.96 | 1.48 | 21.86  | 14.60 | 1.50 | 23.24  | 14.05 | 1.54 | 23.71  | 14.66 | 1.55 |
|                           | 86.0                        | 18.63                 | 13.16  | 1.52 | 19.55  | 12.97 | 1.55 | 20.47  | 13.52 | 1.57 | 20.93  | 14.18 | 1.59 | 22.31  | 13.68 | 1.63 | 22.77  | 14.30 | 1.64 |
|                           | 89.6                        | 18.26                 | 12.96  | 1.56 | 19.18  | 12.78 | 1.58 | 20.10  | 13.35 | 1.61 | 20.56  | 14.01 | 1.62 | 21.94  | 13.53 | 1.66 | 22.40  | 14.16 | 1.68 |
|                           | 95.0                        | 17.70                 | 12.67  | 1.61 | 18.62  | 12.51 | 1.64 | 19.54  | 13.09 | 1.67 | 20.00  | 13.76 | 1.68 | 21.38  | 13.31 | 1.72 | 21.84  | 13.95 | 1.74 |
|                           | 104.0                       | 16.77                 | 12.19  | 1.72 | 17.69  | 12.06 | 1.74 | 18.61  | 12.67 | 1.77 | 19.07  | 13.35 | 1.78 | 20.45  | 12.95 | 1.83 | 20.91  | 13.60 | 1.84 |
|                           | 109.4                       | 16.21                 | 11.91  | 1.78 | 17.13  | 11.79 | 1.81 | 18.05  | 12.42 | 1.84 | 18.51  | 13.11 | 1.85 | 19.89  | 12.73 | 1.89 | 20.35  | 13.39 | 1.90 |
|                           | 114.8                       | 15.65                 | 11.62  | 1.85 | 16.57  | 11.52 | 1.88 | 17.49  | 12.17 | 1.90 | 17.95  | 12.87 | 1.92 | 19.33  | 12.52 | 1.96 | 19.79  | 13.19 | 1.97 |
| FTXV18A                   | 68.0                        | 19.86                 | 13.93  | 1.24 | 24.40  | 15.57 | 1.64 | 26.80  | 16.74 | 1.83 | 27.35  | 17.36 | 1.85 | 29.01  | 16.64 | 1.90 | 29.56  | 17.21 | 1.92 |
|                           | 77.0                        | 19.86                 | 13.93  | 1.40 | 24.40  | 15.57 | 1.87 | 25.68  | 16.17 | 1.93 | 26.24  | 16.81 | 1.95 | 27.89  | 16.15 | 2.00 | 28.45  | 16.74 | 2.02 |
|                           | 86.0                        | 19.86                 | 13.93  | 1.61 | 23.46  | 15.07 | 2.01 | 24.56  | 15.61 | 2.05 | 25.12  | 16.27 | 2.07 | 26.78  | 15.67 | 2.12 | 27.33  | 16.28 | 2.14 |
|                           | 89.6                        | 19.86                 | 13.93  | 1.70 | 23.01  | 14.84 | 2.06 | 24.12  | 15.39 | 2.10 | 24.67  | 16.06 | 2.12 | 26.33  | 15.48 | 2.17 | 26.88  | 16.10 | 2.19 |
|                           | 95.0                        | 19.86                 | 13.93  | 1.86 | 22.34  | 14.49 | 2.14 | 23.45  | 15.07 | 2.17 | 24.00  | 15.74 | 2.19 | 25.66  | 15.20 | 2.24 | 26.21  | 15.83 | 2.26 |
|                           | 104.0                       | 19.86                 | 13.93  | 2.18 | 21.22  | 13.92 | 2.27 | 22.33  | 14.53 | 2.31 | 22.88  | 15.23 | 2.33 | 24.54  | 14.74 | 2.38 | 25.09  | 15.39 | 2.40 |
|                           | 109.4                       | 19.45                 | 13.71  | 2.32 | 20.55  | 13.58 | 2.36 | 21.66  | 14.21 | 2.39 | 22.21  | 14.92 | 2.41 | 23.87  | 14.47 | 2.46 | 24.42  | 15.13 | 2.48 |
|                           | 114.8                       | 18.78                 | 13.36  | 2.41 | 19.88  | 13.25 | 2.45 | 20.99  | 13.90 | 2.48 | 21.54  | 14.62 | 2.50 | 23.10  | 14.16 | 2.53 | 23.57  | 14.80 | 2.53 |
| CTXV07A +<br>CTXV07A      | 68.0                        | 19.16                 | 14.67  | 1.20 | 20.02  | 14.41 | 1.23 | 20.88  | 15.18 | 1.25 | 21.31  | 16.08 | 1.26 | 22.60  | 15.54 | 1.30 | 23.04  | 16.42 | 1.31 |
|                           | 77.0                        | 18.29                 | 14.24  | 1.28 | 19.15  | 14.01 | 1.30 | 20.01  | 14.81 | 1.33 | 20.44  | 15.73 | 1.34 | 21.73  | 15.22 | 1.37 | 22.16  | 16.12 | 1.39 |
|                           | 86.0                        | 17.42                 | 13.82  | 1.36 | 18.28  | 13.62 | 1.38 | 19.14  | 14.44 | 1.40 | 19.57  | 15.38 | 1.42 | 20.86  | 14.91 | 1.45 | 21.29  | 15.82 | 1.46 |
|                           | 89.6                        | 17.07                 | 13.65  | 1.39 | 17.93  | 13.46 | 1.41 | 18.79  | 14.30 | 1.44 | 19.22  | 15.24 | 1.45 | 20.51  | 14.79 | 1.49 | 20.95  | 15.70 | 1.50 |
|                           | 95.0                        | 16.55                 | 13.40  | 1.44 | 17.41  | 13.23 | 1.47 | 18.27  | 14.08 | 1.49 | 18.70  | 15.03 | 1.50 | 19.99  | 14.60 | 1.54 | 20.42  | 15.53 | 1.55 |
|                           | 104.0                       | 15.68                 | 12.99  | 1.53 | 16.54  | 12.85 | 1.56 | 17.40  | 13.72 | 1.58 | 17.83  | 14.68 | 1.59 | 19.12  | 14.30 | 1.63 | 19.55  | 15.23 | 1.64 |
|                           | 109.4                       | 15.15                 | 12.75  | 1.59 | 16.01  | 12.62 | 1.62 | 16.88  | 13.51 | 1.64 | 17.31  | 14.48 | 1.65 | 18.60  | 14.12 | 1.69 | 19.03  | 15.06 | 1.70 |
|                           | 114.8                       | 14.63                 | 12.51  | 1.65 | 15.49  | 12.39 | 1.68 | 16.35  | 13.30 | 1.70 | 16.78  | 14.27 | 1.71 | 18.08  | 13.94 | 1.75 | 18.51  | 14.89 | 1.76 |
| CTXV07A +<br>FTXV09A      | 68.0                        | 21.82                 | 16.31  | 1.47 | 22.80  | 16.02 | 1.50 | 23.78  | 16.82 | 1.53 | 24.28  | 17.77 | 1.54 | 25.75  | 17.14 | 1.59 | 26.24  | 18.06 | 1.60 |
|                           | 77.0                        | 20.83                 | 15.82  | 1.56 | 21.81  | 15.56 | 1.59 | 22.79  | 16.39 | 1.62 | 23.28  | 17.35 | 1.63 | 24.76  | 16.78 | 1.68 | 25.25  | 17.71 | 1.69 |
|                           | 86.0                        | 19.84                 | 15.33  | 1.65 | 20.82  | 15.10 | 1.68 | 21.80  | 15.96 | 1.71 | 22.29  | 16.94 | 1.73 | 23.76  | 16.41 | 1.77 | 24.25  | 17.37 | 1.79 |
|                           | 89.6                        | 19.44                 | 15.14  | 1.70 | 20.42  | 14.92 | 1.72 | 21.40  | 15.79 | 1.75 | 21.90  | 16.78 | 1.77 | 23.37  | 16.27 | 1.81 | 23.86  | 17.23 | 1.83 |
|                           | 95.0                        | 18.85                 | 14.85  | 1.76 | 19.83  | 14.65 | 1.79 | 20.81  | 15.54 | 1.82 | 21.30  | 16.54 | 1.83 | 22.77  | 16.06 | 1.88 | 23.26  | 17.03 | 1.89 |
|                           | 104.0                       | 17.85                 | 14.37  | 1.87 | 18.84  | 14.21 | 1.90 | 19.82  | 15.13 | 1.93 | 20.31  | 16.14 | 1.94 | 21.78  | 15.70 | 1.99 | 22.27  | 16.69 | 2.00 |
|                           | 109.4                       | 17.26                 | 14.09  | 1.94 | 18.24  | 13.95 | 1.97 | 19.22  | 14.88 | 2.00 | 19.71  |       |      |        |       |      |        |       |      |

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                           |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>FTXV18A      | 68.0                        | 30.74                 | 21.89  | 2.24 | 32.12  | 21.50  | 2.29 | 33.50  | 22.40  | 2.33 | 34.19  | 23.50  | 2.35 | 36.26  | 22.61  | 2.42 | 36.95  | 23.66  | 2.44 |
|                           | 77.0                        | 29.34                 | 21.17  | 2.38 | 30.72  | 20.82  | 2.42 | 32.10  | 21.76  | 2.46 | 32.79  | 22.88  | 2.49 | 34.87  | 22.07  | 2.55 | 35.56  | 23.14  | 2.58 |
|                           | 86.0                        | 27.94                 | 20.45  | 2.52 | 29.32  | 20.15  | 2.57 | 30.71  | 21.13  | 2.61 | 31.40  | 22.28  | 2.63 | 33.47  | 21.53  | 2.70 | 34.16  | 22.63  | 2.72 |
|                           | 89.6                        | 27.38                 | 20.17  | 2.58 | 28.76  | 19.88  | 2.63 | 30.15  | 20.88  | 2.67 | 30.84  | 22.04  | 2.70 | 32.91  | 21.32  | 2.76 | 33.60  | 22.43  | 2.79 |
|                           | 95.0                        | 26.54                 | 19.74  | 2.68 | 27.93  | 19.49  | 2.73 | 29.31  | 20.51  | 2.77 | 30.00  | 21.68  | 2.79 | 32.07  | 21.00  | 2.86 | 32.76  | 22.12  | 2.88 |
|                           | 104.0                       | 25.15                 | 19.05  | 2.85 | 26.53  | 18.83  | 2.90 | 27.91  | 19.90  | 2.94 | 28.60  | 21.09  | 2.96 | 30.68  | 20.48  | 3.03 | 31.37  | 21.62  | 3.05 |
|                           | 109.4                       | 23.32                 | 18.15  | 2.61 | 24.44  | 17.87  | 2.61 | 25.53  | 18.88  | 2.61 | 26.07  | 20.05  | 2.61 | 27.65  | 19.38  | 2.61 | 28.17  | 20.51  | 2.61 |
|                           | 114.8                       | 22.12                 | 17.57  | 2.53 | 23.19  | 17.31  | 2.53 | 24.24  | 18.34  | 2.53 | 24.76  | 19.52  | 2.53 | 26.28  | 18.89  | 2.53 | 26.77  | 20.03  | 2.53 |
| FTXV09A +<br>FTXV09A      | 68.0                        | 24.59                 | 18.02  | 1.75 | 25.69  | 17.70  | 1.79 | 26.80  | 18.52  | 1.82 | 27.35  | 19.51  | 1.84 | 29.01  | 18.81  | 1.89 | 29.56  | 19.76  | 1.91 |
|                           | 77.0                        | 23.47                 | 17.45  | 1.86 | 24.58  | 17.17  | 1.89 | 25.68  | 18.03  | 1.93 | 26.24  | 19.04  | 1.94 | 27.89  | 18.39  | 2.00 | 28.45  | 19.36  | 2.01 |
|                           | 86.0                        | 22.35                 | 16.89  | 1.97 | 23.46  | 16.65  | 2.01 | 24.56  | 17.54  | 2.04 | 25.12  | 18.57  | 2.06 | 26.78  | 17.97  | 2.11 | 27.33  | 18.96  | 2.13 |
|                           | 89.6                        | 21.91                 | 16.67  | 2.02 | 23.01  | 16.44  | 2.05 | 24.12  | 17.35  | 2.09 | 24.67  | 18.38  | 2.11 | 26.33  | 17.81  | 2.16 | 26.88  | 18.81  | 2.18 |
|                           | 95.0                        | 21.24                 | 16.34  | 2.10 | 22.34  | 16.13  | 2.13 | 23.45  | 17.06  | 2.16 | 24.00  | 18.10  | 2.18 | 25.66  | 17.56  | 2.23 | 26.21  | 18.57  | 2.25 |
|                           | 104.0                       | 20.12                 | 15.80  | 2.23 | 21.22  | 15.62  | 2.26 | 22.33  | 16.58  | 2.30 | 22.88  | 17.65  | 2.32 | 24.54  | 17.16  | 2.37 | 25.09  | 18.19  | 2.39 |
|                           | 109.4                       | 19.45                 | 15.48  | 2.31 | 20.55  | 15.32  | 2.35 | 21.66  | 16.30  | 2.38 | 22.21  | 17.38  | 2.40 | 23.87  | 16.92  | 2.45 | 24.42  | 17.96  | 2.47 |
|                           | 114.8                       | 18.78                 | 15.16  | 2.40 | 19.88  | 15.02  | 2.44 | 20.99  | 16.02  | 2.47 | 21.54  | 17.11  | 2.49 | 23.14  | 16.66  | 2.53 | 23.62  | 17.68  | 2.53 |
| FTXV09A +<br>FTXV12A      | 68.0                        | 28.28                 | 20.06  | 2.15 | 29.55  | 19.70  | 2.19 | 30.82  | 20.50  | 2.24 | 31.46  | 21.49  | 2.26 | 33.36  | 20.68  | 2.32 | 34.00  | 21.62  | 2.35 |
|                           | 77.0                        | 26.99                 | 19.38  | 2.28 | 28.26  | 19.07  | 2.32 | 29.53  | 19.91  | 2.37 | 30.17  | 20.93  | 2.39 | 32.08  | 20.17  | 2.45 | 32.71  | 21.14  | 2.47 |
|                           | 86.0                        | 25.71                 | 18.72  | 2.42 | 26.98  | 18.45  | 2.47 | 28.25  | 19.33  | 2.51 | 28.89  | 20.37  | 2.53 | 30.79  | 19.68  | 2.59 | 31.43  | 20.67  | 2.62 |
|                           | 89.6                        | 25.19                 | 18.46  | 2.48 | 26.46  | 18.20  | 2.53 | 27.74  | 19.10  | 2.57 | 28.37  | 20.14  | 2.59 | 30.28  | 19.48  | 2.65 | 30.91  | 20.48  | 2.68 |
|                           | 95.0                        | 24.42                 | 18.07  | 2.58 | 25.69  | 17.83  | 2.62 | 26.96  | 18.76  | 2.66 | 27.60  | 19.81  | 2.68 | 29.51  | 19.19  | 2.75 | 30.14  | 20.20  | 2.77 |
|                           | 104.0                       | 23.14                 | 17.43  | 2.74 | 24.41  | 17.23  | 2.78 | 25.68  | 18.19  | 2.83 | 26.31  | 19.27  | 2.85 | 28.22  | 18.71  | 2.91 | 28.86  | 19.74  | 2.93 |
|                           | 109.4                       | 21.79                 | 16.76  | 2.61 | 22.86  | 16.51  | 2.61 | 23.91  | 17.43  | 2.61 | 24.43  | 18.49  | 2.61 | 25.94  | 17.87  | 2.61 | 26.44  | 18.89  | 2.61 |
|                           | 114.8                       | 20.68                 | 16.22  | 2.53 | 21.71  | 15.99  | 2.53 | 22.71  | 16.92  | 2.53 | 23.21  | 17.99  | 2.53 | 24.66  | 17.41  | 2.53 | 25.14  | 18.44  | 2.53 |
| FTXV09A +<br>FTXV15A      | 68.0                        | 30.74                 | 22.06  | 2.25 | 32.12  | 21.67  | 2.29 | 33.50  | 22.60  | 2.34 | 34.19  | 23.74  | 2.36 | 36.26  | 22.85  | 2.43 | 36.95  | 23.95  | 2.45 |
|                           | 77.0                        | 29.34                 | 21.34  | 2.38 | 30.72  | 20.99  | 2.43 | 32.10  | 21.97  | 2.47 | 32.79  | 23.13  | 2.50 | 34.87  | 22.31  | 2.56 | 35.56  | 23.43  | 2.59 |
|                           | 86.0                        | 27.94                 | 20.63  | 2.53 | 29.32  | 20.33  | 2.58 | 30.71  | 21.34  | 2.62 | 31.40  | 22.53  | 2.64 | 33.47  | 21.78  | 2.71 | 34.16  | 22.92  | 2.73 |
|                           | 89.6                        | 27.38                 | 20.35  | 2.59 | 28.76  | 20.06  | 2.64 | 30.15  | 21.10  | 2.68 | 30.84  | 22.29  | 2.71 | 32.91  | 21.57  | 2.77 | 33.60  | 22.72  | 2.80 |
|                           | 95.0                        | 26.54                 | 19.93  | 2.69 | 27.93  | 19.67  | 2.74 | 29.31  | 20.73  | 2.78 | 30.00  | 21.94  | 2.80 | 32.07  | 21.26  | 2.87 | 32.76  | 22.42  | 2.89 |
|                           | 104.0                       | 25.15                 | 19.24  | 2.86 | 26.53  | 19.02  | 2.91 | 27.91  | 20.13  | 2.95 | 28.60  | 21.36  | 2.97 | 30.68  | 20.74  | 3.04 | 31.37  | 21.93  | 3.06 |
|                           | 109.4                       | 23.30                 | 18.34  | 2.61 | 24.42  | 18.06  | 2.61 | 25.51  | 19.11  | 2.61 | 26.05  | 20.31  | 2.61 | 27.63  | 19.64  | 2.61 | 28.14  | 20.81  | 2.61 |
|                           | 114.8                       | 22.11                 | 17.77  | 2.53 | 23.18  | 17.50  | 2.53 | 24.23  | 18.57  | 2.53 | 24.74  | 19.79  | 2.53 | 26.26  | 19.16  | 2.53 | 26.75  | 20.34  | 2.53 |
| FTXV09A +<br>FTXV18A      | 68.0                        | 30.74                 | 22.18  | 2.25 | 32.12  | 21.79  | 2.29 | 33.50  | 22.74  | 2.34 | 34.19  | 23.91  | 2.36 | 36.26  | 23.03  | 2.43 | 36.95  | 24.15  | 2.45 |
|                           | 77.0                        | 29.34                 | 21.47  | 2.38 | 30.72  | 21.12  | 2.43 | 32.10  | 22.12  | 2.47 | 32.79  | 23.31  | 2.50 | 34.87  | 22.49  | 2.56 | 35.56  | 23.64  | 2.59 |
|                           | 86.0                        | 27.94                 | 20.76  | 2.53 | 29.32  | 20.45  | 2.58 | 30.71  | 21.50  | 2.62 | 31.40  | 22.71  | 2.64 | 33.47  | 21.97  | 2.71 | 34.16  | 23.13  | 2.73 |
|                           | 89.6                        | 27.38                 | 20.48  | 2.59 | 28.76  | 20.19  | 2.64 | 30.15  | 21.25  | 2.68 | 30.84  | 22.48  | 2.71 | 32.91  | 21.76  | 2.77 | 33.60  | 22.93  | 2.80 |
|                           | 95.0                        | 26.54                 | 20.06  | 2.69 | 27.93  | 19.80  | 2.74 | 29.31  | 20.89  | 2.78 | 30.00  | 22.12  | 2.80 | 32.07  | 21.44  | 2.87 | 32.76  | 22.63  | 2.89 |
|                           | 104.0                       | 25.15                 | 19.38  | 2.86 | 26.53  | 19.16  | 2.91 | 27.91  | 20.29  | 2.95 | 28.60  | 21.54  | 2.97 | 30.68  | 20.93  | 3.04 | 31.37  | 22.14  | 3.06 |
|                           | 109.4                       | 23.30                 | 18.48  | 2.61 | 24.42  | 18.20  | 2.61 | 25.51  | 19.27  | 2.61 | 26.05  | 20.50  | 2.61 | 27.63  | 19.83  | 2.61 | 28.14  | 21.03  | 2.61 |
|                           | 114.8                       | 22.11                 | 17.91  | 2.53 | 23.18  | 17.64  | 2.53 | 24.23  | 18.74  | 2.53 | 24.74  | 19.98  | 2.53 | 26.26  | 19.35  | 2.53 | 26.75  | 20.57  | 2.53 |
| FTXV12A +<br>FTXV12A      | 68.0                        | 30.32                 | 21.26  | 2.35 | 32.12  | 21.10  | 2.47 | 33.50  | 21.90  | 2.51 | 34.19  | 22.90  | 2.54 | 36.26  | 22.01  | 2.61 | 36.95  | 22.96  | 2.63 |
|                           | 77.0                        | 29.34                 | 20.74  | 2.56 | 30.72  | 20.40  | 2.61 | 32.10  | 21.25  | 2.66 | 32.79  | 22.27  | 2.68 | 34.87  | 21.45  | 2.76 | 35.56  | 22.43  | 2.78 |
|                           | 86.0                        | 27.94                 | 20.01  | 2.72 | 29.32  | 19.72  | 2.77 | 30.71  | 20.60  | 2.82 | 31.40  | 21.65  | 2.84 | 33.47  | 20.90  | 2.91 | 34.16  | 21.90  | 2.94 |
|                           | 89.6                        | 27.38                 | 19.72  | 2.79 | 28.76  | 19.44  | 2.84 | 30.15  | 20.35  | 2.88 | 30.84  | 21.41  | 2.91 | 32.91  | 20.68  | 2.98 | 33.60  | 21.69  | 3.00 |
|                           | 95.0                        | 26.54                 | 19.29  | 2.89 | 27.93  | 19.04  | 2.94 | 29.31  | 19.97  | 2.99 | 30.00  | 21.04  | 3.01 | 32.07  | 20.36  | 3.09 | 32.76  | 21.38  | 3.11 |
|                           | 104.0                       | 25.15                 | 18.58  | 3.08 | 26.53  | 18.37  | 3.13 | 27.91  | 19.34  | 3.17 | 28.60  | 20.44  | 3.20 | 30.68  | 19.83  | 3.27 | 31.36  | 20.87  | 3.29 |
|                           | 109.4                       | 23.00                 | 17.50  | 2.61 | 24.07  | 17.22  | 2.61 | 25.12  | 18.13  | 2.61 | 25.64  | 19.19  | 2.61 | 27.16  | 18.52  | 2.61 | 27.66  | 19.55  | 2.61 |
|                           | 114.8                       | 21.96                 | 16.99  | 2.53 | 22.99  | 16.72  | 2.53 | 24.00  | 17.65  | 2.53 | 24.50  | 18.72  | 2.53 | 25.95  | 18.08  | 2.53 | 26.43  | 19.12  | 2.53 |
| FTXV12A +<br>FTXV15A      | 68.0                        | 30.74                 | 22.19  | 2.25 | 32.12  | 21.80  | 2.29 | 33.50  | 22.76  | 2.34 | 34.19  | 23.93  | 2.36 | 36.26  | 23.04  | 2.43 | 36.95  | 24.17  | 2.45 |
|                           | 77.0                        | 29.34                 | 21.48  | 2.38 | 30.72  | 21.13  | 2.43 | 32.10  | 22.13  | 2.47 | 32.79  | 23.32  | 2.50 | 34.87  | 22.51  | 2.56 | 35.56  | 23.65  | 2.59 |
|                           | 86.0                        | 27.94                 | 20.77  | 2.53 | 29.32  | 20.47  | 2.58 | 30.71  | 21.51  | 2.62 | 31.40  | 22.73  | 2.64 | 33.47  | 21.98  | 2.71 | 34.16  | 23.15  | 2.73 |
|                           | 89.6                        | 27.38                 | 20.49  | 2.59 | 28.76  | 20.20  | 2.64 | 30.15  | 21.27  | 2.68 | 30.84  | 22.49  | 2.71 | 32.9   |        |      |        |        |      |

| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV18A +<br>FTXV18A              | 68.0                        | 30.74                 | 23.23  | 2.08 | 32.12  | 22.83  | 2.12 | 33.50  | 24.00  | 2.16 | 34.19  | 25.39  | 2.18 | 36.26  | 24.51  | 2.25 | 36.95  | 25.87  | 2.27 |
|                                   | 77.0                        | 29.34                 | 22.54  | 2.20 | 30.72  | 22.18  | 2.25 | 32.10  | 23.40  | 2.29 | 32.79  | 24.82  | 2.31 | 34.87  | 24.00  | 2.37 | 35.56  | 25.38  | 2.39 |
|                                   | 86.0                        | 27.94                 | 21.86  | 2.34 | 29.32  | 21.55  | 2.38 | 30.71  | 22.81  | 2.42 | 31.40  | 24.24  | 2.45 | 33.47  | 23.50  | 2.51 | 34.16  | 24.90  | 2.53 |
|                                   | 89.6                        | 27.38                 | 21.60  | 2.40 | 28.76  | 21.29  | 2.44 | 30.15  | 22.57  | 2.48 | 30.84  | 24.02  | 2.50 | 32.91  | 23.30  | 2.56 | 33.60  | 24.70  | 2.59 |
|                                   | 95.0                        | 26.54                 | 21.19  | 2.49 | 27.93  | 20.92  | 2.53 | 29.31  | 22.22  | 2.57 | 30.00  | 23.68  | 2.59 | 32.07  | 23.00  | 2.65 | 32.76  | 24.42  | 2.68 |
|                                   | 104.0                       | 25.15                 | 20.53  | 2.65 | 26.53  | 20.30  | 2.69 | 27.91  | 21.64  | 2.73 | 28.60  | 23.12  | 2.75 | 30.68  | 22.51  | 2.81 | 31.37  | 23.95  | 2.83 |
|                                   | 109.4                       | 23.84                 | 19.91  | 2.61 | 25.01  | 19.63  | 2.61 | 26.16  | 20.93  | 2.61 | 26.72  | 22.38  | 2.61 | 28.37  | 21.71  | 2.61 | 28.91  | 23.13  | 2.61 |
|                                   | 114.8                       | 22.47                 | 19.28  | 2.53 | 23.59  | 19.01  | 2.53 | 24.69  | 20.33  | 2.53 | 25.23  | 21.80  | 2.53 | 26.81  | 21.17  | 2.53 | 27.33  | 22.62  | 2.53 |
| CTXV07A +<br>CTXV07A +<br>CTXV07A | 68.0                        | 28.28                 | 21.77  | 2.02 | 29.55  | 21.40  | 2.06 | 30.82  | 22.55  | 2.10 | 31.46  | 23.92  | 2.12 | 33.36  | 23.11  | 2.18 | 34.00  | 24.43  | 2.20 |
|                                   | 77.0                        | 26.99                 | 21.15  | 2.14 | 28.26  | 20.81  | 2.18 | 29.53  | 22.01  | 2.22 | 30.17  | 23.39  | 2.24 | 32.08  | 22.64  | 2.30 | 32.71  | 23.99  | 2.32 |
|                                   | 86.0                        | 25.71                 | 20.53  | 2.27 | 26.98  | 20.23  | 2.31 | 28.25  | 21.47  | 2.35 | 28.89  | 22.87  | 2.37 | 30.79  | 22.19  | 2.43 | 31.43  | 23.56  | 2.45 |
|                                   | 89.6                        | 25.19                 | 20.28  | 2.33 | 26.46  | 20.00  | 2.37 | 27.74  | 21.26  | 2.41 | 28.37  | 22.67  | 2.43 | 30.28  | 22.01  | 2.49 | 30.91  | 23.38  | 2.51 |
|                                   | 95.0                        | 24.42                 | 19.92  | 2.41 | 25.69  | 19.66  | 2.45 | 26.96  | 20.94  | 2.49 | 27.60  | 22.36  | 2.51 | 29.51  | 21.73  | 2.57 | 30.14  | 23.12  | 2.59 |
|                                   | 104.0                       | 23.14                 | 19.32  | 2.57 | 24.41  | 19.10  | 2.61 | 25.68  | 20.41  | 2.65 | 26.31  | 21.85  | 2.67 | 28.22  | 21.29  | 2.73 | 28.86  | 22.70  | 2.75 |
|                                   | 109.4                       | 22.21                 | 18.89  | 2.61 | 23.33  | 18.63  | 2.61 | 24.42  | 19.90  | 2.61 | 24.96  | 21.33  | 2.61 | 26.53  | 20.71  | 2.61 | 27.04  | 22.10  | 2.61 |
|                                   | 114.8                       | 20.96                 | 18.31  | 2.53 | 22.03  | 18.07  | 2.53 | 23.08  | 19.37  | 2.53 | 23.59  | 20.80  | 2.53 | 25.10  | 20.22  | 2.53 | 25.59  | 21.63  | 2.53 |
| CTXV07A +<br>CTXV07A +<br>FTXV09A | 68.0                        | 30.74                 | 23.31  | 2.23 | 32.12  | 22.90  | 2.28 | 33.50  | 24.09  | 2.32 | 34.19  | 25.50  | 2.34 | 36.26  | 24.62  | 2.41 | 36.95  | 25.99  | 2.43 |
|                                   | 77.0                        | 29.34                 | 22.62  | 2.37 | 30.72  | 22.26  | 2.41 | 32.10  | 23.49  | 2.46 | 32.79  | 24.92  | 2.48 | 34.87  | 24.11  | 2.54 | 35.56  | 25.50  | 2.57 |
|                                   | 86.0                        | 27.94                 | 21.94  | 2.51 | 29.32  | 21.63  | 2.56 | 30.71  | 22.90  | 2.60 | 31.40  | 24.35  | 2.62 | 33.47  | 23.61  | 2.69 | 34.16  | 25.02  | 2.71 |
|                                   | 89.6                        | 27.38                 | 21.68  | 2.58 | 28.76  | 21.37  | 2.62 | 30.15  | 22.67  | 2.66 | 30.84  | 24.13  | 2.69 | 32.91  | 23.41  | 2.75 | 33.60  | 24.83  | 2.78 |
|                                   | 95.0                        | 26.54                 | 21.27  | 2.67 | 27.93  | 21.00  | 2.72 | 29.31  | 22.32  | 2.76 | 30.00  | 23.79  | 2.78 | 32.07  | 23.11  | 2.85 | 32.76  | 24.55  | 2.87 |
|                                   | 104.0                       | 25.15                 | 20.61  | 2.84 | 26.53  | 20.38  | 2.89 | 27.91  | 21.74  | 2.93 | 28.60  | 23.23  | 2.95 | 30.68  | 22.62  | 3.02 | 31.37  | 24.08  | 3.04 |
|                                   | 109.4                       | 23.34                 | 19.76  | 2.61 | 24.46  | 19.47  | 2.61 | 25.56  | 20.78  | 2.61 | 26.10  | 22.25  | 2.61 | 27.68  | 21.59  | 2.61 | 28.20  | 23.03  | 2.61 |
|                                   | 114.8                       | 22.13                 | 19.21  | 2.53 | 23.21  | 18.93  | 2.53 | 24.26  | 20.26  | 2.53 | 24.78  | 21.74  | 2.53 | 26.30  | 21.12  | 2.53 | 26.79  | 22.57  | 2.53 |
| CTXV07A +<br>CTXV07A +<br>FTXV12A | 68.0                        | 30.74                 | 23.46  | 2.23 | 32.12  | 23.05  | 2.28 | 33.50  | 24.27  | 2.32 | 34.19  | 25.70  | 2.34 | 36.26  | 24.82  | 2.41 | 36.95  | 26.22  | 2.43 |
|                                   | 77.0                        | 29.34                 | 22.77  | 2.37 | 30.72  | 22.41  | 2.41 | 32.10  | 23.67  | 2.46 | 32.79  | 25.13  | 2.48 | 34.87  | 24.32  | 2.54 | 35.56  | 25.74  | 2.57 |
|                                   | 86.0                        | 27.94                 | 22.10  | 2.51 | 29.32  | 21.78  | 2.56 | 30.71  | 23.08  | 2.60 | 31.40  | 24.56  | 2.62 | 33.47  | 23.82  | 2.69 | 34.16  | 25.26  | 2.71 |
|                                   | 89.6                        | 27.38                 | 21.83  | 2.58 | 28.76  | 21.53  | 2.62 | 30.15  | 22.85  | 2.66 | 30.84  | 24.34  | 2.69 | 32.91  | 23.62  | 2.75 | 33.60  | 25.07  | 2.78 |
|                                   | 95.0                        | 26.54                 | 21.43  | 2.67 | 27.93  | 21.15  | 2.72 | 29.31  | 22.50  | 2.76 | 30.00  | 24.00  | 2.78 | 32.07  | 23.32  | 2.85 | 32.76  | 24.79  | 2.87 |
|                                   | 104.0                       | 25.15                 | 20.77  | 2.84 | 26.53  | 20.53  | 2.89 | 27.91  | 21.92  | 2.93 | 28.60  | 23.45  | 2.95 | 30.68  | 22.83  | 3.02 | 31.37  | 24.32  | 3.04 |
|                                   | 109.4                       | 23.34                 | 19.93  | 2.61 | 24.46  | 19.63  | 2.61 | 25.56  | 20.97  | 2.61 | 26.10  | 22.47  | 2.61 | 27.68  | 21.80  | 2.61 | 28.20  | 23.28  | 2.61 |
|                                   | 114.8                       | 22.13                 | 19.37  | 2.53 | 23.21  | 19.09  | 2.53 | 24.26  | 20.45  | 2.53 | 24.78  | 21.96  | 2.53 | 26.30  | 21.34  | 2.53 | 26.79  | 22.82  | 2.53 |
| CTXV07A +<br>CTXV07A +<br>FTXV15A | 68.0                        | 30.74                 | 24.30  | 2.06 | 32.12  | 23.88  | 2.10 | 33.50  | 25.26  | 2.15 | 34.19  | 26.87  | 2.17 | 36.26  | 25.99  | 2.23 | 36.95  | 27.56  | 2.25 |
|                                   | 77.0                        | 29.34                 | 23.63  | 2.19 | 30.72  | 23.26  | 2.23 | 32.10  | 24.68  | 2.27 | 32.79  | 26.31  | 2.29 | 34.87  | 25.50  | 2.35 | 35.56  | 27.09  | 2.37 |
|                                   | 86.0                        | 27.94                 | 22.97  | 2.32 | 29.32  | 22.64  | 2.36 | 30.71  | 24.11  | 2.41 | 31.40  | 25.76  | 2.43 | 33.47  | 25.01  | 2.49 | 34.16  | 26.62  | 2.51 |
|                                   | 89.6                        | 27.38                 | 22.71  | 2.38 | 28.76  | 22.39  | 2.42 | 30.15  | 23.88  | 2.46 | 30.84  | 25.54  | 2.48 | 32.91  | 24.82  | 2.55 | 33.60  | 26.44  | 2.57 |
|                                   | 95.0                        | 26.54                 | 22.31  | 2.47 | 27.93  | 22.03  | 2.51 | 29.31  | 23.54  | 2.55 | 30.00  | 25.21  | 2.57 | 32.07  | 24.53  | 2.63 | 32.76  | 26.16  | 2.65 |
|                                   | 104.0                       | 25.15                 | 21.67  | 2.63 | 26.53  | 21.42  | 2.67 | 27.91  | 22.97  | 2.71 | 28.60  | 24.67  | 2.73 | 30.68  | 24.05  | 2.79 | 31.37  | 25.70  | 2.81 |
|                                   | 109.4                       | 23.91                 | 21.10  | 2.61 | 25.08  | 20.80  | 2.61 | 26.24  | 22.31  | 2.61 | 26.80  | 23.97  | 2.61 | 28.46  | 23.30  | 2.61 | 29.00  | 24.94  | 2.61 |
|                                   | 114.8                       | 22.52                 | 20.47  | 2.53 | 23.65  | 20.19  | 2.53 | 24.75  | 21.72  | 2.53 | 25.29  | 23.40  | 2.53 | 26.88  | 22.77  | 2.53 | 27.40  | 24.43  | 2.53 |
| CTXV07A +<br>CTXV07A +<br>FTXV18A | 68.0                        | 30.74                 | 24.44  | 2.06 | 32.12  | 24.02  | 2.10 | 33.50  | 25.43  | 2.15 | 34.19  | 27.06  | 2.17 | 36.26  | 26.18  | 2.23 | 36.95  | 27.78  | 2.25 |
|                                   | 77.0                        | 29.34                 | 23.77  | 2.19 | 30.72  | 23.40  | 2.23 | 32.10  | 24.85  | 2.27 | 32.79  | 26.51  | 2.29 | 34.87  | 25.69  | 2.35 | 35.56  | 27.32  | 2.37 |
|                                   | 86.0                        | 27.94                 | 23.11  | 2.32 | 29.32  | 22.78  | 2.36 | 30.71  | 24.28  | 2.41 | 31.40  | 25.95  | 2.43 | 33.47  | 25.21  | 2.49 | 34.16  | 26.85  | 2.51 |
|                                   | 89.6                        | 27.38                 | 22.85  | 2.38 | 28.76  | 22.54  | 2.42 | 30.15  | 24.05  | 2.46 | 30.84  | 25.74  | 2.48 | 32.91  | 25.01  | 2.55 | 33.60  | 26.67  | 2.57 |
|                                   | 95.0                        | 26.54                 | 22.46  | 2.47 | 27.93  | 22.17  | 2.51 | 29.31  | 23.71  | 2.55 | 30.00  | 25.41  | 2.57 | 32.07  | 24.73  | 2.63 | 32.76  | 26.39  | 2.65 |
|                                   | 104.0                       | 25.15                 | 21.82  | 2.63 | 26.53  | 21.57  | 2.67 | 27.91  | 23.15  | 2.71 | 28.60  | 24.87  | 2.73 | 30.68  | 24.25  | 2.79 | 31.37  | 25.93  | 2.81 |
|                                   | 109.4                       | 23.91                 | 21.25  | 2.61 | 25.08  | 20.95  | 2.61 | 26.24  | 22.48  | 2.61 | 26.80  | 24.18  | 2.61 | 28.46  | 23.50  | 2.61 | 29.00  | 25.17  | 2.61 |
|                                   | 114.8                       | 22.52                 | 20.62  | 2.53 | 23.65  | 20.34  | 2.53 | 24.75  | 21.90  | 2.53 | 25.29  | 23.61  | 2.53 | 26.88  | 22.98  | 2.53 | 27.40  | 24.66  | 2.53 |
| CTXV07A +<br>FTXV09A +<br>FTXV09A | 68.0                        | 30.74                 | 23.64  | 2.23 | 32.12  | 23.23  | 2.28 | 33.50  | 24.48  | 2.32 | 34.19  | 25.96  | 2.34 | 36.26  | 25.08  | 2.41 | 36.95  | 26.51  | 2.43 |
|                                   | 77.0                        | 29.34                 | 22.96  | 2.37 | 30.72  | 22.59  | 2.41 | 32.10  | 23.89  | 2.46 | 32.79  | 25.39  | 2.48 | 34.87  | 24.57  | 2.54 | 35.56  | 26.03  | 2.57 |
|                                   | 86.0                        | 27.94                 | 22.29  | 2.51 | 29.32  | 21.96  | 2.56 | 30.71  | 23.30  | 2.60 | 31.40  | 24.82  | 2.62 | 33.47  | 24.08  | 2.69 | 34.16  | 25.56  | 2.71 |
|                                   | 89.6                        | 27.38                 | 22.02  | 2.58 | 28.76  | 21.71  | 2.62 | 30.15  | 23.    |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>FTXV12A +<br>FTXV12A | 68.0                        | 30.74                 | 23.94  | 2.23 | 32.12  | 23.52  | 2.28 | 33.50  | 24.84  | 2.32 | 34.19  | 26.37  | 2.34 | 36.26  | 25.49  | 2.41 | 36.95  | 26.99  | 2.43 |
|                                   | 77.0                        | 29.34                 | 23.26  | 2.37 | 30.72  | 22.89  | 2.41 | 32.10  | 24.25  | 2.46 | 32.79  | 25.80  | 2.48 | 34.87  | 24.99  | 2.54 | 35.56  | 26.51  | 2.57 |
|                                   | 86.0                        | 27.94                 | 22.59  | 2.51 | 29.32  | 22.27  | 2.56 | 30.71  | 23.67  | 2.60 | 31.40  | 25.25  | 2.62 | 33.47  | 24.50  | 2.69 | 34.16  | 26.04  | 2.71 |
|                                   | 89.6                        | 27.38                 | 22.33  | 2.58 | 28.76  | 22.02  | 2.62 | 30.15  | 23.44  | 2.66 | 30.84  | 25.02  | 2.69 | 32.91  | 24.30  | 2.75 | 33.60  | 25.85  | 2.78 |
|                                   | 95.0                        | 26.54                 | 21.94  | 2.67 | 27.93  | 21.65  | 2.72 | 29.31  | 23.09  | 2.76 | 30.00  | 24.69  | 2.78 | 32.07  | 24.01  | 2.85 | 32.76  | 25.58  | 2.87 |
|                                   | 104.0                       | 25.15                 | 21.28  | 2.84 | 26.53  | 21.04  | 2.89 | 27.91  | 22.53  | 2.93 | 28.60  | 24.15  | 2.95 | 30.68  | 23.53  | 3.02 | 31.37  | 25.11  | 3.04 |
|                                   | 109.4                       | 23.34                 | 20.45  | 2.61 | 24.46  | 20.15  | 2.61 | 25.56  | 21.58  | 2.61 | 26.10  | 23.18  | 2.61 | 27.68  | 22.51  | 2.61 | 28.20  | 24.09  | 2.61 |
|                                   | 114.8                       | 22.13                 | 19.90  | 2.53 | 23.21  | 19.62  | 2.53 | 24.26  | 21.07  | 2.53 | 24.78  | 22.68  | 2.53 | 26.30  | 22.05  | 2.53 | 26.79  | 23.64  | 2.53 |
| CTXV07A +<br>FTXV12A +<br>FTXV15A | 68.0                        | 30.74                 | 24.79  | 2.06 | 32.12  | 24.38  | 2.10 | 33.50  | 25.85  | 2.15 | 34.19  | 27.55  | 2.17 | 36.26  | 26.67  | 2.23 | 36.95  | 28.34  | 2.25 |
|                                   | 77.0                        | 29.34                 | 24.13  | 2.19 | 30.72  | 23.76  | 2.23 | 32.10  | 25.28  | 2.27 | 32.79  | 27.00  | 2.29 | 34.87  | 26.19  | 2.35 | 35.56  | 27.88  | 2.37 |
|                                   | 86.0                        | 27.94                 | 23.48  | 2.32 | 29.32  | 23.15  | 2.36 | 30.71  | 24.71  | 2.41 | 31.40  | 26.45  | 2.43 | 33.47  | 25.71  | 2.49 | 34.16  | 27.42  | 2.51 |
|                                   | 89.6                        | 27.38                 | 23.22  | 2.38 | 28.76  | 22.90  | 2.42 | 30.15  | 24.48  | 2.46 | 30.84  | 26.24  | 2.48 | 32.91  | 25.51  | 2.55 | 33.60  | 27.24  | 2.57 |
|                                   | 95.0                        | 26.54                 | 22.83  | 2.47 | 27.93  | 22.54  | 2.51 | 29.31  | 24.15  | 2.55 | 30.00  | 25.91  | 2.57 | 32.07  | 25.23  | 2.63 | 32.76  | 26.96  | 2.65 |
|                                   | 104.0                       | 25.15                 | 22.19  | 2.63 | 26.53  | 21.94  | 2.67 | 27.91  | 23.59  | 2.71 | 28.60  | 25.37  | 2.73 | 30.68  | 24.76  | 2.79 | 31.37  | 26.51  | 2.81 |
|                                   | 109.4                       | 23.91                 | 21.63  | 2.61 | 25.08  | 21.33  | 2.61 | 26.24  | 22.93  | 2.61 | 26.80  | 24.69  | 2.61 | 28.46  | 24.01  | 2.61 | 29.00  | 25.75  | 2.61 |
|                                   | 114.8                       | 22.52                 | 21.00  | 2.53 | 23.65  | 20.72  | 2.53 | 24.75  | 22.35  | 2.53 | 25.29  | 24.12  | 2.53 | 26.88  | 23.49  | 2.53 | 27.40  | 25.25  | 2.53 |
| CTXV07A +<br>FTXV12A +<br>FTXV18A | 68.0                        | 30.74                 | 24.94  | 2.06 | 32.12  | 24.52  | 2.10 | 33.50  | 26.02  | 2.15 | 34.19  | 27.75  | 2.17 | 36.26  | 26.87  | 2.23 | 36.95  | 28.57  | 2.25 |
|                                   | 77.0                        | 29.34                 | 24.28  | 2.19 | 30.72  | 23.90  | 2.23 | 32.10  | 25.45  | 2.27 | 32.79  | 27.20  | 2.29 | 34.87  | 26.39  | 2.35 | 35.56  | 28.11  | 2.37 |
|                                   | 86.0                        | 27.94                 | 23.63  | 2.32 | 29.32  | 23.29  | 2.36 | 30.71  | 24.88  | 2.41 | 31.40  | 26.65  | 2.43 | 33.47  | 25.91  | 2.49 | 34.16  | 27.65  | 2.51 |
|                                   | 89.6                        | 27.38                 | 23.37  | 2.38 | 28.76  | 23.05  | 2.42 | 30.15  | 24.66  | 2.46 | 30.84  | 26.44  | 2.48 | 32.91  | 25.72  | 2.55 | 33.60  | 27.46  | 2.57 |
|                                   | 95.0                        | 26.54                 | 22.98  | 2.47 | 27.93  | 22.69  | 2.51 | 29.31  | 24.32  | 2.55 | 30.00  | 26.11  | 2.57 | 32.07  | 25.43  | 2.63 | 32.76  | 27.19  | 2.65 |
|                                   | 104.0                       | 25.15                 | 22.34  | 2.63 | 26.53  | 22.09  | 2.67 | 27.91  | 23.76  | 2.71 | 28.60  | 25.58  | 2.73 | 30.68  | 24.96  | 2.79 | 31.37  | 26.74  | 2.81 |
|                                   | 109.4                       | 23.91                 | 21.78  | 2.61 | 25.08  | 21.48  | 2.61 | 26.24  | 23.11  | 2.61 | 26.80  | 24.90  | 2.61 | 28.46  | 24.22  | 2.61 | 29.00  | 25.99  | 2.61 |
|                                   | 114.8                       | 22.52                 | 21.16  | 2.53 | 23.65  | 20.88  | 2.53 | 24.75  | 22.53  | 2.53 | 25.29  | 24.33  | 2.53 | 26.88  | 23.70  | 2.53 | 27.40  | 25.48  | 2.53 |
| CTXV07A +<br>FTXV15A +<br>FTXV15A | 68.0                        | 30.74                 | 25.68  | 1.95 | 32.12  | 25.25  | 1.99 | 33.50  | 26.89  | 2.03 | 34.19  | 28.76  | 2.05 | 36.26  | 27.88  | 2.11 | 36.95  | 29.72  | 2.13 |
|                                   | 77.0                        | 29.34                 | 25.03  | 2.07 | 30.72  | 24.65  | 2.11 | 32.10  | 26.33  | 2.15 | 32.79  | 28.22  | 2.17 | 34.87  | 27.40  | 2.22 | 35.56  | 29.27  | 2.24 |
|                                   | 86.0                        | 27.94                 | 24.38  | 2.20 | 29.32  | 24.04  | 2.24 | 30.71  | 25.77  | 2.27 | 31.40  | 27.68  | 2.29 | 33.47  | 26.93  | 2.35 | 34.16  | 28.81  | 2.37 |
|                                   | 89.6                        | 27.38                 | 24.13  | 2.25 | 28.76  | 23.81  | 2.29 | 30.15  | 25.55  | 2.33 | 30.84  | 27.47  | 2.35 | 32.91  | 26.74  | 2.41 | 33.60  | 28.63  | 2.43 |
|                                   | 95.0                        | 26.54                 | 23.75  | 2.34 | 27.93  | 23.45  | 2.37 | 29.31  | 25.21  | 2.41 | 30.00  | 27.15  | 2.43 | 32.07  | 26.46  | 2.49 | 32.76  | 28.37  | 2.51 |
|                                   | 104.0                       | 25.15                 | 23.12  | 2.48 | 26.53  | 22.86  | 2.52 | 27.91  | 24.67  | 2.56 | 28.60  | 26.62  | 2.58 | 30.68  | 26.00  | 2.64 | 31.37  | 27.92  | 2.66 |
|                                   | 109.4                       | 24.31                 | 22.74  | 2.58 | 25.68  | 22.50  | 2.61 | 26.87  | 24.26  | 2.61 | 27.45  | 26.19  | 2.61 | 29.17  | 25.50  | 2.61 | 29.73  | 27.41  | 2.61 |
|                                   | 114.8                       | 22.93                 | 22.12  | 2.53 | 24.10  | 21.84  | 2.53 | 25.24  | 23.63  | 2.53 | 25.80  | 25.57  | 2.53 | 27.45  | 24.94  | 2.53 | 27.98  | 26.86  | 2.53 |
| FTXV09A +<br>FTXV09A +<br>FTXV09A | 68.0                        | 30.74                 | 23.97  | 2.24 | 32.12  | 23.56  | 2.29 | 33.50  | 24.88  | 2.33 | 34.19  | 26.42  | 2.35 | 36.26  | 25.54  | 2.42 | 36.95  | 27.04  | 2.44 |
|                                   | 77.0                        | 29.34                 | 23.30  | 2.38 | 30.72  | 22.93  | 2.42 | 32.10  | 24.29  | 2.46 | 32.79  | 25.85  | 2.49 | 34.87  | 25.04  | 2.55 | 35.56  | 26.57  | 2.58 |
|                                   | 86.0                        | 27.94                 | 22.63  | 2.52 | 29.32  | 22.30  | 2.57 | 30.71  | 23.71  | 2.61 | 31.40  | 25.29  | 2.63 | 33.47  | 24.55  | 2.70 | 34.16  | 26.10  | 2.72 |
|                                   | 89.6                        | 27.38                 | 22.37  | 2.58 | 28.76  | 22.06  | 2.63 | 30.15  | 23.48  | 2.67 | 30.84  | 25.07  | 2.70 | 32.91  | 24.35  | 2.76 | 33.60  | 25.91  | 2.79 |
|                                   | 95.0                        | 26.54                 | 21.97  | 2.68 | 27.93  | 21.69  | 2.73 | 29.31  | 23.14  | 2.77 | 30.00  | 24.74  | 2.79 | 32.07  | 24.06  | 2.86 | 32.76  | 25.63  | 2.88 |
|                                   | 104.0                       | 25.15                 | 21.32  | 2.85 | 26.53  | 21.08  | 2.90 | 27.91  | 22.57  | 2.94 | 28.60  | 24.20  | 2.96 | 30.68  | 23.58  | 3.03 | 31.37  | 25.17  | 3.05 |
|                                   | 109.4                       | 23.32                 | 20.48  | 2.61 | 24.44  | 20.18  | 2.61 | 25.53  | 21.62  | 2.61 | 26.07  | 23.22  | 2.61 | 27.65  | 22.55  | 2.61 | 28.17  | 24.13  | 2.61 |
|                                   | 114.8                       | 22.12                 | 19.93  | 2.53 | 23.19  | 19.65  | 2.53 | 24.24  | 21.11  | 2.53 | 24.76  | 22.72  | 2.53 | 26.28  | 22.09  | 2.53 | 26.77  | 23.69  | 2.53 |
| FTXV09A +<br>FTXV09A +<br>FTXV12A | 68.0                        | 30.74                 | 24.12  | 2.24 | 32.12  | 23.71  | 2.29 | 33.50  | 25.06  | 2.33 | 34.19  | 26.63  | 2.35 | 36.26  | 25.75  | 2.42 | 36.95  | 27.28  | 2.44 |
|                                   | 77.0                        | 29.34                 | 23.45  | 2.38 | 30.72  | 23.08  | 2.42 | 32.10  | 24.47  | 2.46 | 32.79  | 26.06  | 2.49 | 34.87  | 25.25  | 2.55 | 35.56  | 26.81  | 2.58 |
|                                   | 86.0                        | 27.94                 | 22.79  | 2.52 | 29.32  | 22.46  | 2.57 | 30.71  | 23.89  | 2.61 | 31.40  | 25.51  | 2.63 | 33.47  | 24.76  | 2.70 | 34.16  | 26.34  | 2.72 |
|                                   | 89.6                        | 27.38                 | 22.52  | 2.58 | 28.76  | 22.21  | 2.63 | 30.15  | 23.66  | 2.67 | 30.84  | 25.29  | 2.70 | 32.91  | 24.57  | 2.76 | 33.60  | 26.15  | 2.79 |
|                                   | 95.0                        | 26.54                 | 22.13  | 2.68 | 27.93  | 21.85  | 2.73 | 29.31  | 23.32  | 2.77 | 30.00  | 24.96  | 2.79 | 32.07  | 24.28  | 2.86 | 32.76  | 25.88  | 2.88 |
|                                   | 104.0                       | 25.15                 | 21.48  | 2.85 | 26.53  | 21.24  | 2.90 | 27.91  | 22.76  | 2.94 | 28.60  | 24.41  | 2.96 | 30.68  | 23.80  | 3.03 | 31.37  | 25.42  | 3.05 |
|                                   | 109.4                       | 23.32                 | 20.64  | 2.61 | 24.44  | 20.34  | 2.61 | 25.53  | 21.81  | 2.61 | 26.07  | 23.44  | 2.61 | 27.65  | 22.77  | 2.61 | 28.17  | 24.38  | 2.61 |
|                                   | 114.8                       | 22.12                 | 20.10  | 2.53 | 23.19  | 19.81  | 2.53 | 24.24  | 21.30  | 2.53 | 24.76  | 22.95  | 2.53 | 26.28  | 22.32  | 2.53 | 26.77  | 23.94  | 2.53 |
| FTXV09A +<br>FTXV09A +<br>FTXV15A | 68.0                        | 30.74                 | 24.99  | 2.07 | 32.12  | 24.57  | 2.11 | 33.50  | 26.08  | 2.15 | 34.19  | 27.81  | 2.17 | 36.26  | 26.94  | 2.24 | 36.95  | 28.64  | 2.26 |
|                                   | 77.0                        | 29.34                 | 24.33  | 2.20 | 30.72  | 23.95  | 2.24 | 32.10  | 25.50  | 2.28 | 32.79  | 27.26  | 2.30 | 34.87  | 26.45  | 2.36 | 35.56  | 28.18  | 2.38 |
|                                   | 86.0                        | 27.94                 | 23.68  | 2.33 | 29.32  | 23.34  | 2.37 | 30.71  | 24.94  | 2.41 | 31.40  | 26.72  | 2.44 | 33.47  | 25.97  | 2.50 | 34.16  | 27.72  | 2.52 |
|                                   | 89.6                        | 27.38                 | 23.42  | 2.39 | 28.76  | 23.10  | 2.43 |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV09A +<br>FTXV12A +<br>FTXV18A | 68.0                        | 30.74                 | 25.29  | 2.07 | 32.12  | 24.87  | 2.11 | 33.50  | 26.43  | 2.15 | 34.19  | 28.23  | 2.17 | 36.26  | 27.35  | 2.24 | 36.95  | 29.12  | 2.26 |
|                                   | 77.0                        | 29.34                 | 24.63  | 2.20 | 30.72  | 24.25  | 2.24 | 32.10  | 25.86  | 2.28 | 32.79  | 27.68  | 2.30 | 34.87  | 26.87  | 2.36 | 35.56  | 28.66  | 2.38 |
|                                   | 86.0                        | 27.94                 | 23.99  | 2.33 | 29.32  | 23.65  | 2.37 | 30.71  | 25.30  | 2.41 | 31.40  | 27.14  | 2.44 | 33.47  | 26.39  | 2.50 | 34.16  | 28.20  | 2.52 |
|                                   | 89.6                        | 27.38                 | 23.73  | 2.39 | 28.76  | 23.41  | 2.43 | 30.15  | 25.08  | 2.47 | 30.84  | 26.92  | 2.49 | 32.91  | 26.20  | 2.56 | 33.60  | 28.02  | 2.58 |
|                                   | 95.0                        | 26.54                 | 23.34  | 2.48 | 27.93  | 23.05  | 2.52 | 29.31  | 24.74  | 2.56 | 30.00  | 26.60  | 2.58 | 32.07  | 25.92  | 2.64 | 32.76  | 27.75  | 2.67 |
|                                   | 104.0                       | 25.15                 | 22.71  | 2.64 | 26.53  | 22.46  | 2.68 | 27.91  | 24.19  | 2.72 | 28.60  | 26.07  | 2.74 | 30.68  | 25.45  | 2.80 | 31.37  | 27.30  | 2.82 |
|                                   | 109.4                       | 23.87                 | 22.13  | 2.61 | 25.05  | 21.83  | 2.61 | 26.20  | 23.52  | 2.61 | 26.76  | 25.38  | 2.61 | 28.41  | 24.70  | 2.61 | 28.95  | 26.54  | 2.61 |
| FTXV09A +<br>FTXV15A +<br>FTXV15A | 114.8                       | 22.49                 | 21.52  | 2.53 | 23.62  | 21.24  | 2.53 | 24.72  | 22.95  | 2.53 | 25.26  | 24.82  | 2.53 | 26.84  | 24.19  | 2.53 | 27.36  | 26.04  | 2.53 |
|                                   | 68.0                        | 30.74                 | 26.03  | 1.96 | 32.12  | 25.61  | 2.00 | 33.50  | 27.31  | 2.04 | 34.19  | 29.24  | 2.06 | 36.26  | 28.37  | 2.12 | 36.95  | 30.28  | 2.14 |
|                                   | 77.0                        | 29.34                 | 25.39  | 2.08 | 30.72  | 25.00  | 2.12 | 32.10  | 26.75  | 2.16 | 32.79  | 28.70  | 2.17 | 34.87  | 27.89  | 2.23 | 35.56  | 29.82  | 2.25 |
|                                   | 86.0                        | 27.94                 | 24.75  | 2.21 | 29.32  | 24.40  | 2.24 | 30.71  | 26.19  | 2.28 | 31.40  | 28.17  | 2.30 | 33.47  | 27.42  | 2.36 | 34.16  | 29.37  | 2.38 |
|                                   | 89.6                        | 27.38                 | 24.49  | 2.26 | 28.76  | 24.17  | 2.30 | 30.15  | 25.97  | 2.34 | 30.84  | 27.96  | 2.36 | 32.91  | 27.24  | 2.42 | 33.60  | 29.19  | 2.44 |
|                                   | 95.0                        | 26.54                 | 24.11  | 2.34 | 27.93  | 23.81  | 2.38 | 29.31  | 25.64  | 2.42 | 30.00  | 27.64  | 2.44 | 32.07  | 26.96  | 2.50 | 32.76  | 28.93  | 2.52 |
|                                   | 104.0                       | 25.15                 | 23.49  | 2.49 | 26.53  | 23.23  | 2.53 | 27.91  | 25.10  | 2.57 | 28.60  | 27.12  | 2.59 | 30.68  | 26.50  | 2.65 | 31.37  | 28.49  | 2.67 |
| FTXV12A +<br>FTXV12A +<br>FTXV12A | 109.4                       | 24.31                 | 23.11  | 2.59 | 25.63  | 22.85  | 2.61 | 26.82  | 24.67  | 2.61 | 27.40  | 26.67  | 2.61 | 29.11  | 25.98  | 2.61 | 29.67  | 27.96  | 2.61 |
|                                   | 114.8                       | 22.89                 | 22.48  | 2.53 | 24.06  | 22.20  | 2.53 | 25.20  | 24.05  | 2.53 | 25.76  | 25.76  | 2.53 | 27.40  | 25.43  | 2.53 | 27.93  | 27.42  | 2.53 |
|                                   | 68.0                        | 30.74                 | 24.43  | 2.24 | 32.12  | 24.01  | 2.29 | 33.50  | 25.42  | 2.33 | 34.19  | 27.05  | 2.35 | 36.26  | 26.17  | 2.42 | 36.95  | 27.77  | 2.44 |
|                                   | 77.0                        | 29.34                 | 23.76  | 2.38 | 30.72  | 23.39  | 2.42 | 32.10  | 24.84  | 2.46 | 32.79  | 26.49  | 2.49 | 34.87  | 25.68  | 2.55 | 35.56  | 27.30  | 2.58 |
|                                   | 86.0                        | 27.94                 | 23.10  | 2.52 | 29.32  | 22.77  | 2.57 | 30.71  | 24.26  | 2.61 | 31.40  | 25.94  | 2.63 | 33.47  | 25.19  | 2.70 | 34.16  | 26.83  | 2.72 |
|                                   | 89.6                        | 27.38                 | 22.84  | 2.58 | 28.76  | 22.53  | 2.63 | 30.15  | 24.04  | 2.67 | 30.84  | 25.72  | 2.70 | 32.91  | 25.00  | 2.76 | 33.60  | 26.65  | 2.79 |
|                                   | 95.0                        | 26.54                 | 22.45  | 2.68 | 27.93  | 22.16  | 2.73 | 29.31  | 23.70  | 2.77 | 30.00  | 25.39  | 2.79 | 32.07  | 24.71  | 2.86 | 32.76  | 26.37  | 2.88 |
| FTXV12A +<br>FTXV12A +<br>FTXV15A | 104.0                       | 25.15                 | 21.80  | 2.85 | 26.53  | 21.56  | 2.90 | 27.91  | 23.13  | 2.94 | 28.60  | 24.85  | 2.96 | 30.68  | 24.23  | 3.03 | 31.37  | 25.92  | 3.05 |
|                                   | 109.4                       | 23.32                 | 20.97  | 2.61 | 24.44  | 20.67  | 2.61 | 25.53  | 22.19  | 2.61 | 26.07  | 23.89  | 2.61 | 27.65  | 23.22  | 2.61 | 28.17  | 24.89  | 2.61 |
|                                   | 114.8                       | 22.12                 | 20.43  | 2.53 | 23.19  | 20.14  | 2.53 | 24.24  | 21.69  | 2.53 | 24.76  | 23.39  | 2.53 | 26.28  | 22.76  | 2.53 | 26.77  | 24.45  | 2.53 |
|                                   | 68.0                        | 30.74                 | 25.30  | 2.07 | 32.12  | 24.88  | 2.11 | 33.50  | 26.45  | 2.15 | 34.19  | 28.24  | 2.17 | 36.26  | 27.37  | 2.24 | 36.95  | 29.13  | 2.26 |
|                                   | 77.0                        | 29.34                 | 24.65  | 2.20 | 30.72  | 24.27  | 2.24 | 32.10  | 25.88  | 2.28 | 32.79  | 27.70  | 2.30 | 34.87  | 26.89  | 2.36 | 35.56  | 28.68  | 2.38 |
|                                   | 86.0                        | 27.94                 | 24.00  | 2.33 | 29.32  | 23.66  | 2.37 | 30.71  | 25.32  | 2.41 | 31.40  | 27.16  | 2.44 | 33.47  | 26.41  | 2.50 | 34.16  | 28.22  | 2.52 |
|                                   | 89.6                        | 27.38                 | 23.74  | 2.39 | 28.76  | 23.42  | 2.43 | 30.15  | 25.09  | 2.47 | 30.84  | 26.94  | 2.49 | 32.91  | 26.22  | 2.56 | 33.60  | 28.04  | 2.58 |
|                                   | 95.0                        | 26.54                 | 23.36  | 2.48 | 27.93  | 23.06  | 2.52 | 29.31  | 24.76  | 2.56 | 30.00  | 26.62  | 2.58 | 32.07  | 25.94  | 2.64 | 32.76  | 27.77  | 2.67 |
|                                   | 104.0                       | 25.15                 | 22.72  | 2.64 | 26.53  | 22.47  | 2.68 | 27.91  | 24.21  | 2.72 | 28.60  | 26.09  | 2.74 | 30.68  | 25.47  | 2.80 | 31.37  | 27.32  | 2.82 |
|                                   | 109.4                       | 23.87                 | 22.15  | 2.61 | 25.05  | 21.84  | 2.61 | 26.20  | 23.54  | 2.61 | 26.76  | 25.40  | 2.61 | 28.41  | 24.72  | 2.61 | 28.95  | 26.56  | 2.61 |
|                                   | 114.8                       | 22.49                 | 21.53  | 2.53 | 23.62  | 21.25  | 2.53 | 24.72  | 22.96  | 2.53 | 25.26  | 24.84  | 2.53 | 26.84  | 24.21  | 2.53 | 27.36  | 26.06  | 2.53 |

**Symbols:**

EDB : Entering dry bulb temp. (°F)  
EWB : Entering wet bulb temp. (°F)  
TC : Total capacity (kBtu/h)  
SHC : Sensible heat capacity (kBtu/h)  
PI : Power input (kW)

**Notes:**

1. Ratings shown are net capacities which include a deduction for indoor fan motor heat.
2. ■ shows max capacities and power input.
3. TC, SHC and PI must be calculated by interpolation using the figures in the above tables.  
(Figures out of the tables should not be used for calculation.)
4. Capacities are based on the following conditions.
5. Corresponding refrigerant piping length : 25 ft

3D153106

3D153107

3D153108

3D153109

### 3.4 3MXM24AVJU9 Heating

#### Heating [60 Hz, 208 - 230 V]

| Combination<br>(Capacity) | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|---------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                           |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                           |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                           |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| CTXV07A                   | 60.8                       | 7.85                   | 0.98 | 9.44   | 1.03 | 11.02  | 1.08 | 12.60  | 1.13 | 14.49  | 1.19 | 15.76  | 1.23 | 17.34  | 1.28 |
|                           | 64.4                       | 7.66                   | 0.99 | 9.24   | 1.04 | 10.82  | 1.09 | 12.40  | 1.14 | 14.30  | 1.20 | 15.57  | 1.24 | 17.15  | 1.29 |
|                           | 68.0                       | 7.47                   | 1.00 | 9.05   | 1.05 | 10.63  | 1.10 | 12.21  | 1.15 | 14.11  | 1.21 | 15.37  | 1.25 | 16.95  | 1.30 |
|                           | 70.0                       | 7.36                   | 1.01 | 8.94   | 1.06 | 10.52  | 1.11 | 12.10  | 1.16 | 14.00  | 1.22 | 15.26  | 1.26 | 16.85  | 1.31 |
|                           | 71.6                       | 7.27                   | 1.01 | 8.86   | 1.06 | 10.44  | 1.11 | 12.02  | 1.16 | 13.91  | 1.22 | 15.18  | 1.27 | 16.76  | 1.32 |
|                           | 75.2                       | 7.08                   | 1.02 | 8.66   | 1.08 | 10.24  | 1.13 | 11.82  | 1.18 | 13.72  | 1.24 | 14.99  | 1.28 | 16.57  | 1.33 |
| FTXV09A                   | 60.8                       | 10.10                  | 1.31 | 12.13  | 1.38 | 14.16  | 1.44 | 16.20  | 1.51 | 18.64  | 1.59 | 20.26  | 1.65 | 22.29  | 1.71 |
|                           | 64.4                       | 9.85                   | 1.33 | 11.88  | 1.39 | 13.92  | 1.46 | 15.95  | 1.53 | 18.39  | 1.61 | 20.01  | 1.66 | 22.05  | 1.73 |
|                           | 68.0                       | 9.60                   | 1.34 | 11.63  | 1.41 | 13.67  | 1.47 | 15.70  | 1.54 | 18.14  | 1.62 | 19.76  | 1.68 | 21.80  | 1.74 |
|                           | 70.0                       | 9.46                   | 1.35 | 11.50  | 1.42 | 13.53  | 1.48 | 15.56  | 1.55 | 18.00  | 1.63 | 19.63  | 1.68 | 21.66  | 1.75 |
|                           | 71.6                       | 9.35                   | 1.35 | 11.39  | 1.42 | 13.42  | 1.49 | 15.45  | 1.56 | 17.89  | 1.64 | 19.52  | 1.69 | 21.55  | 1.76 |
|                           | 75.2                       | 9.10                   | 1.37 | 11.14  | 1.44 | 13.17  | 1.50 | 15.20  | 1.57 | 17.64  | 1.65 | 19.27  | 1.70 | 21.30  | 1.77 |
| FTXV12A                   | 60.8                       | 13.46                  | 1.80 | 16.17  | 1.89 | 18.88  | 1.99 | 21.59  | 2.08 | 24.85  | 2.19 | 27.01  | 2.26 | 29.72  | 2.35 |
|                           | 64.4                       | 13.13                  | 1.82 | 15.84  | 1.91 | 18.55  | 2.01 | 21.26  | 2.10 | 24.52  | 2.21 | 26.68  | 2.28 | 28.89  | 2.30 |
|                           | 68.0                       | 12.80                  | 1.84 | 15.51  | 1.93 | 18.22  | 2.03 | 20.93  | 2.12 | 24.18  | 2.23 | 26.35  | 2.30 | 27.33  | 2.13 |
|                           | 70.0                       | 12.62                  | 1.85 | 15.33  | 1.94 | 18.04  | 2.04 | 20.75  | 2.13 | 24.00  | 2.24 | 26.17  | 2.31 | 26.46  | 2.05 |
|                           | 71.6                       | 12.47                  | 1.86 | 15.18  | 1.95 | 17.89  | 2.05 | 20.60  | 2.14 | 23.85  | 2.25 | 25.77  | 2.28 | 25.77  | 1.98 |
|                           | 75.2                       | 12.14                  | 1.88 | 14.85  | 1.97 | 17.56  | 2.07 | 20.27  | 2.16 | 23.52  | 2.27 | 24.21  | 2.10 | 24.21  | 1.82 |
| FTXV15A                   | 60.8                       | 16.83                  | 2.16 | 20.22  | 2.27 | 23.61  | 2.38 | 26.99  | 2.50 | 31.06  | 2.63 | 33.77  | 2.72 | 37.16  | 2.83 |
|                           | 64.4                       | 16.42                  | 2.19 | 19.80  | 2.30 | 23.19  | 2.41 | 26.58  | 2.52 | 30.64  | 2.65 | 33.35  | 2.74 | 36.74  | 2.85 |
|                           | 68.0                       | 16.00                  | 2.21 | 19.39  | 2.32 | 22.78  | 2.43 | 26.17  | 2.54 | 30.23  | 2.68 | 32.94  | 2.77 | 36.33  | 2.88 |
|                           | 70.0                       | 15.77                  | 2.22 | 19.16  | 2.34 | 22.55  | 2.45 | 25.93  | 2.56 | 30.00  | 2.69 | 32.71  | 2.78 | 36.10  | 2.89 |
|                           | 71.6                       | 15.59                  | 2.24 | 18.98  | 2.35 | 22.36  | 2.46 | 25.75  | 2.57 | 29.82  | 2.70 | 32.53  | 2.79 | 35.91  | 2.90 |
|                           | 75.2                       | 15.17                  | 2.26 | 18.56  | 2.37 | 21.95  | 2.48 | 25.34  | 2.59 | 29.40  | 2.73 | 32.11  | 2.81 | 35.50  | 2.92 |
| FTXV18A                   | 60.8                       | 20.20                  | 2.73 | 24.26  | 2.87 | 28.33  | 3.01 | 32.39  | 3.15 | 37.27  | 3.32 | 40.52  | 3.43 | 44.59  | 3.57 |
|                           | 64.4                       | 19.70                  | 2.76 | 23.77  | 2.90 | 27.83  | 3.04 | 31.90  | 3.18 | 36.77  | 3.35 | 40.03  | 3.46 | 44.09  | 3.60 |
|                           | 68.0                       | 19.20                  | 2.79 | 23.27  | 2.93 | 27.33  | 3.07 | 31.40  | 3.21 | 36.28  | 3.38 | 39.53  | 3.49 | 43.59  | 3.64 |
|                           | 70.0                       | 18.93                  | 2.81 | 22.99  | 2.95 | 27.06  | 3.09 | 31.12  | 3.23 | 36.00  | 3.40 | 39.25  | 3.51 | 42.67  | 3.52 |
|                           | 71.6                       | 18.71                  | 2.83 | 22.77  | 2.97 | 26.84  | 3.11 | 30.90  | 3.25 | 35.78  | 3.41 | 39.03  | 3.53 | 41.55  | 3.36 |
|                           | 75.2                       | 18.21                  | 2.86 | 22.27  | 3.00 | 26.34  | 3.14 | 30.40  | 3.28 | 35.28  | 3.44 | 38.53  | 3.56 | 39.03  | 3.03 |
| CTXV07A +<br>CTXV07A      | 60.8                       | 15.71                  | 1.93 | 18.87  | 2.03 | 22.03  | 2.13 | 25.19  | 2.23 | 28.99  | 2.34 | 31.52  | 2.42 | 34.68  | 2.52 |
|                           | 64.4                       | 15.32                  | 1.95 | 18.48  | 2.05 | 21.65  | 2.15 | 24.81  | 2.25 | 28.60  | 2.37 | 31.13  | 2.45 | 34.29  | 2.54 |
|                           | 68.0                       | 14.94                  | 1.97 | 18.10  | 2.07 | 21.26  | 2.17 | 24.42  | 2.27 | 28.21  | 2.39 | 30.74  | 2.47 | 33.91  | 2.57 |
|                           | 70.0                       | 14.72                  | 1.98 | 17.88  | 2.08 | 21.04  | 2.18 | 24.21  | 2.28 | 28.00  | 2.40 | 30.53  | 2.48 | 33.69  | 2.58 |
|                           | 71.6                       | 14.55                  | 1.99 | 17.71  | 2.09 | 20.87  | 2.19 | 24.03  | 2.29 | 27.83  | 2.41 | 30.36  | 2.49 | 33.52  | 2.59 |
|                           | 75.2                       | 14.16                  | 2.02 | 17.32  | 2.11 | 20.49  | 2.21 | 23.65  | 2.31 | 27.44  | 2.43 | 29.97  | 2.51 | 33.13  | 2.61 |
| CTXV07A +<br>FTXV09A      | 60.8                       | 17.95                  | 2.28 | 21.57  | 2.40 | 25.18  | 2.52 | 28.79  | 2.63 | 33.13  | 2.77 | 36.02  | 2.87 | 39.63  | 2.99 |
|                           | 64.4                       | 17.51                  | 2.31 | 21.12  | 2.43 | 24.74  | 2.54 | 28.35  | 2.66 | 32.69  | 2.80 | 35.58  | 2.89 | 39.19  | 3.01 |
|                           | 68.0                       | 17.07                  | 2.33 | 20.68  | 2.45 | 24.30  | 2.57 | 27.91  | 2.69 | 32.25  | 2.83 | 35.14  | 2.92 | 38.75  | 3.04 |
|                           | 70.0                       | 16.82                  | 2.35 | 20.44  | 2.47 | 24.05  | 2.58 | 27.66  | 2.70 | 32.00  | 2.84 | 34.89  | 2.93 | 38.50  | 3.05 |
|                           | 71.6                       | 16.63                  | 2.36 | 20.24  | 2.48 | 23.85  | 2.59 | 27.47  | 2.71 | 31.80  | 2.85 | 34.69  | 2.94 | 38.31  | 3.06 |
|                           | 75.2                       | 16.19                  | 2.39 | 19.80  | 2.50 | 23.41  | 2.62 | 27.03  | 2.74 | 31.36  | 2.88 | 34.25  | 2.97 | 37.87  | 3.09 |
| CTXV07A +<br>FTXV12A      | 60.8                       | 20.20                  | 2.69 | 24.26  | 2.83 | 28.33  | 2.97 | 32.39  | 3.11 | 37.27  | 3.27 | 40.52  | 3.38 | 44.59  | 3.52 |
|                           | 64.4                       | 19.70                  | 2.72 | 23.77  | 2.86 | 27.83  | 3.00 | 31.90  | 3.14 | 36.77  | 3.30 | 40.03  | 3.41 | 44.09  | 3.55 |
|                           | 68.0                       | 19.20                  | 2.75 | 23.27  | 2.89 | 27.33  | 3.03 | 31.40  | 3.17 | 36.28  | 3.33 | 39.53  | 3.44 | 43.59  | 3.58 |
|                           | 70.0                       | 18.93                  | 2.77 | 22.99  | 2.91 | 27.06  | 3.05 | 31.12  | 3.18 | 36.00  | 3.35 | 39.25  | 3.46 | 43.32  | 3.60 |
|                           | 71.6                       | 18.71                  | 2.78 | 22.77  | 2.92 | 26.84  | 3.06 | 30.90  | 3.20 | 35.78  | 3.36 | 39.03  | 3.47 | 43.10  | 3.61 |
|                           | 75.2                       | 18.21                  | 2.81 | 22.27  | 2.95 | 26.34  | 3.09 | 30.40  | 3.23 | 35.28  | 3.39 | 38.53  | 3.50 | 42.60  | 3.64 |
| CTXV07A +<br>FTXV15A      | 60.8                       | 20.20                  | 2.46 | 24.26  | 2.59 | 28.33  | 2.71 | 32.39  | 2.84 | 37.27  | 2.99 | 40.52  | 3.09 | 44.59  | 3.22 |
|                           | 64.4                       | 19.70                  | 2.49 | 23.77  | 2.61 | 27.83  | 2.74 | 31.90  | 2.87 | 36.77  | 3.02 | 40.03  | 3.12 | 44.09  | 3.24 |
|                           | 68.0                       | 19.20                  | 2.52 | 23.27  | 2.64 | 27.33  | 2.77 | 31.40  | 2.89 | 36.28  | 3.04 | 39.53  | 3.15 | 43.59  | 3.27 |
|                           | 70.0                       | 18.93                  | 2.53 | 22.99  | 2.66 | 27.06  | 2.78 | 31.12  | 2.91 | 36.00  | 3.06 | 39.25  | 3.16 | 43.32  | 3.29 |
|                           | 71.6                       | 18.71                  | 2.54 | 22.77  | 2.67 | 26.84  | 2.80 | 30.90  | 2.92 | 35.78  | 3.07 | 39.03  | 3.17 | 43.10  | 3.30 |
|                           | 75.2                       | 18.21                  | 2.57 | 22.27  | 2.70 | 26.34  | 2.82 | 30.40  | 2.95 | 35.28  | 3.10 | 38.53  | 3.20 | 42.60  | 3.33 |
| CTXV07A +<br>FTXV18A      | 60.8                       | 20.20                  | 2.44 | 24.26  | 2.57 | 28.33  | 2.69 | 32.39  | 2.82 | 37.27  | 2.97 | 40.52  | 3.07 | 44.59  | 3.20 |
|                           | 64.4                       | 19.70                  | 2.47 | 23.77  | 2.60 | 27.83  | 2.72 | 31.90  | 2.85 | 36.77  | 3.00 | 40.03  | 3.10 | 44.09  | 3.22 |
|                           | 68.0                       | 19.20                  | 2.50 | 23.27  | 2.62 | 27.33  | 2.75 | 31.40  | 2.87 | 36.28  | 3.02 | 39.53  | 3.12 | 43.59  | 3.25 |
|                           | 70.0                       | 18.93                  | 2.51 | 22.99  | 2.64 | 27.06  | 2.76 | 31.12  | 2.89 | 36.00  | 3.04 | 39.25  | 3.14 | 43.32  | 3.27 |
|                           | 71.6                       | 18.71                  | 2.53 | 22.77  | 2.65 | 26.84  | 2.78 | 30.90  | 2.90 | 35.78  | 3.05 | 39.03  | 3.15 | 43.10  | 3.28 |
|                           | 75.2                       | 18.21                  | 2.55 | 22.27  | 2.68 | 26.34  | 2.80 | 30.40  | 2.93 | 35.28  | 3.08 | 38.53  | 3.18 | 42.60  | 3.30 |
| FTXV09A +<br>FTXV09A      | 60.8                       | 20.20                  | 2.69 | 24.26  | 2.83 | 28.33  | 2.97 | 32.39  | 3.11 | 37.27  | 3.27 | 40.52  | 3.38 | 44.59  | 3.52 |
|                           | 64.4                       | 19.70                  | 2.72 | 23.77  | 2.86 | 27.83  | 3.00 | 31.90  | 3.14 | 36.77  | 3.30 | 40.03  | 3.41 | 44.09  | 3.55 |
|                           | 68.0                       | 19.20                  | 2.75 | 23.27  | 2.89 | 27.33  | 3.03 | 31.40  | 3.17 | 36.28  | 3.33 | 39.53  | 3.44 | 43.59  | 3.58 |
|                           | 70.0                       | 18.93                  | 2.77 | 22.99  | 2.91 | 27.06  | 3.05 | 31.12  | 3.18 | 36.00  | 3.35 | 39.25  | 3.46 | 43.32  | 3.60 |
|                           | 71.6                       | 18.71                  | 2.78 | 22.77  | 2.92 | 26.84  | 3.06 | 30.90  | 3.20 | 35.78  | 3.36 | 39.03  | 3.47 | 43.10  | 3.61 |
|                           | 75.2                       | 18.21                  | 2.81 | 22.27  | 2.95 | 26.34  | 3.09 | 30.40  | 3.23 | 35.28  | 3.39 | 38.53  | 3.50 | 42.60  | 3.64 |
| FTXV09A +<br>FTXV12A      | 60.8                       | 20.20                  | 2.68 | 24.26  | 2.81 | 28.33  | 2.95 | 32.39  | 3.09 | 37.27  | 3.25 | 40.52  | 3.36 | 44.59  | 3.50 |
|                           | 64.4                       | 19.70                  | 2.71 | 23.77  | 2.84 | 27.83  | 2.98 | 31.90  | 3.12 | 36.77  | 3.28 | 40.03  | 3.39 | 44.09  | 3.53 |
|                           | 68.0                       | 19.20                  | 2.74 | 23.27  | 2.87 | 27.33  | 3.01 | 31.40  | 3.15 | 36.28  | 3.31 | 39.53  | 3.42 | 43.59  | 3.56 |
|                           | 70.0                       | 18.93                  | 2.75 | 22.99  | 2.89 | 27.06  | 3.03 | 31.12  | 3.17 | 36.00  | 3.33 | 39.25  | 3.44 | 43.32  | 3.58 |
|                           | 71.6                       | 18.71                  | 2.77 | 22.77  | 2.90 | 26.84  | 3.04 | 30.90  | 3.18 | 35.78  | 3.34 | 39.03  | 3.45 | 43.10  | 3.59 |
|                           | 75.2                       | 18.21                  | 2.80 | 22.27  | 2.93 | 26.34  | 3.07 | 30.40  | 3.21 | 35.28  | 3.37 | 38.53  | 3.48 | 42.60  | 3.62 |



| Combination<br>(Capacity) | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|---------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                           |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                           |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                           |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| FTXV09A +<br>FTXV15A      | 60.8                       | 20.20                  | 2.44 | 24.26  | 2.57 | 28.33  | 2.69 | 32.39  | 2.82 | 37.27  | 2.97 | 40.52  | 3.07 | 44.59  | 3.20 |
|                           | 64.4                       | 19.70                  | 2.47 | 23.77  | 2.60 | 27.83  | 2.72 | 31.90  | 2.85 | 36.77  | 3.00 | 40.03  | 3.10 | 44.09  | 3.22 |
|                           | 68.0                       | 19.20                  | 2.50 | 23.27  | 2.62 | 27.33  | 2.75 | 31.40  | 2.87 | 36.28  | 3.02 | 39.53  | 3.12 | 43.59  | 3.25 |
|                           | 70.0                       | 18.93                  | 2.51 | 22.99  | 2.64 | 27.06  | 2.76 | 31.12  | 2.89 | 36.00  | 3.04 | 39.25  | 3.14 | 43.32  | 3.27 |
|                           | 71.6                       | 18.71                  | 2.53 | 22.77  | 2.65 | 26.84  | 2.78 | 30.90  | 2.90 | 35.78  | 3.05 | 39.03  | 3.15 | 43.10  | 3.28 |
|                           | 75.2                       | 18.21                  | 2.55 | 22.27  | 2.68 | 26.34  | 2.80 | 30.40  | 2.93 | 35.28  | 3.08 | 38.53  | 3.18 | 42.60  | 3.30 |
| FTXV09A +<br>FTXV18A      | 60.8                       | 20.20                  | 2.43 | 24.26  | 2.55 | 28.33  | 2.68 | 32.39  | 2.80 | 37.27  | 2.95 | 40.52  | 3.05 | 44.59  | 3.17 |
|                           | 64.4                       | 19.70                  | 2.46 | 23.77  | 2.58 | 27.83  | 2.70 | 31.90  | 2.83 | 36.77  | 2.98 | 40.03  | 3.08 | 44.09  | 3.20 |
|                           | 68.0                       | 19.20                  | 2.48 | 23.27  | 2.61 | 27.33  | 2.73 | 31.40  | 2.86 | 36.28  | 3.00 | 39.53  | 3.10 | 43.59  | 3.23 |
|                           | 70.0                       | 18.93                  | 2.50 | 22.99  | 2.62 | 27.06  | 2.75 | 31.12  | 2.87 | 36.00  | 3.02 | 39.25  | 3.12 | 43.32  | 3.24 |
|                           | 71.6                       | 18.71                  | 2.51 | 22.77  | 2.63 | 26.84  | 2.76 | 30.90  | 2.88 | 35.78  | 3.03 | 39.03  | 3.13 | 43.10  | 3.26 |
|                           | 75.2                       | 18.21                  | 2.54 | 22.27  | 2.66 | 26.34  | 2.79 | 30.40  | 2.91 | 35.28  | 3.06 | 38.53  | 3.16 | 42.60  | 3.28 |
| FTXV12A +<br>FTXV12A      | 60.8                       | 20.20                  | 2.68 | 24.26  | 2.81 | 28.33  | 2.95 | 32.39  | 3.09 | 37.27  | 3.25 | 40.52  | 3.36 | 44.59  | 3.50 |
|                           | 64.4                       | 19.70                  | 2.71 | 23.77  | 2.84 | 27.83  | 2.98 | 31.90  | 3.12 | 36.77  | 3.28 | 40.03  | 3.39 | 44.09  | 3.53 |
|                           | 68.0                       | 19.20                  | 2.74 | 23.27  | 2.87 | 27.33  | 3.01 | 31.40  | 3.15 | 36.28  | 3.31 | 39.53  | 3.42 | 43.59  | 3.56 |
|                           | 70.0                       | 18.93                  | 2.75 | 22.99  | 2.89 | 27.06  | 3.03 | 31.12  | 3.17 | 36.00  | 3.33 | 39.25  | 3.44 | 43.32  | 3.58 |
|                           | 71.6                       | 18.71                  | 2.77 | 22.77  | 2.90 | 26.84  | 3.04 | 30.90  | 3.18 | 35.78  | 3.34 | 39.03  | 3.45 | 43.10  | 3.59 |
|                           | 75.2                       | 18.21                  | 2.80 | 22.27  | 2.93 | 26.34  | 3.07 | 30.40  | 3.21 | 35.28  | 3.37 | 38.53  | 3.48 | 42.60  | 3.62 |
| FTXV12A +<br>FTXV15A      | 60.8                       | 20.20                  | 2.44 | 24.26  | 2.56 | 28.33  | 2.69 | 32.39  | 2.81 | 37.27  | 2.96 | 40.52  | 3.06 | 44.59  | 3.18 |
|                           | 64.4                       | 19.70                  | 2.46 | 23.77  | 2.59 | 27.83  | 2.71 | 31.90  | 2.84 | 36.77  | 2.99 | 40.03  | 3.09 | 44.09  | 3.21 |
|                           | 68.0                       | 19.20                  | 2.49 | 23.27  | 2.62 | 27.33  | 2.74 | 31.40  | 2.87 | 36.28  | 3.01 | 39.53  | 3.11 | 43.59  | 3.24 |
|                           | 70.0                       | 18.93                  | 2.51 | 22.99  | 2.63 | 27.06  | 2.76 | 31.12  | 2.88 | 36.00  | 3.03 | 39.25  | 3.13 | 43.32  | 3.25 |
|                           | 71.6                       | 18.71                  | 2.52 | 22.77  | 2.64 | 26.84  | 2.77 | 30.90  | 2.89 | 35.78  | 3.04 | 39.03  | 3.14 | 43.10  | 3.27 |
|                           | 75.2                       | 18.21                  | 2.55 | 22.27  | 2.67 | 26.34  | 2.79 | 30.40  | 2.92 | 35.28  | 3.07 | 38.53  | 3.17 | 42.60  | 3.29 |
| FTXV12A +<br>FTXV18A      | 60.8                       | 20.20                  | 2.38 | 24.26  | 2.50 | 28.33  | 2.62 | 32.39  | 2.75 | 37.27  | 2.89 | 40.52  | 2.99 | 44.59  | 3.11 |
|                           | 64.4                       | 19.70                  | 2.41 | 23.77  | 2.53 | 27.83  | 2.65 | 31.90  | 2.77 | 36.77  | 2.92 | 40.03  | 3.02 | 44.09  | 3.14 |
|                           | 68.0                       | 19.20                  | 2.43 | 23.27  | 2.56 | 27.33  | 2.68 | 31.40  | 2.80 | 36.28  | 2.95 | 39.53  | 3.04 | 43.59  | 3.16 |
|                           | 70.0                       | 18.93                  | 2.45 | 22.99  | 2.57 | 27.06  | 2.69 | 31.12  | 2.81 | 36.00  | 2.96 | 39.25  | 3.06 | 43.32  | 3.18 |
|                           | 71.6                       | 18.71                  | 2.46 | 22.77  | 2.58 | 26.84  | 2.70 | 30.90  | 2.83 | 35.78  | 2.97 | 39.03  | 3.07 | 43.10  | 3.19 |
|                           | 75.2                       | 18.21                  | 2.49 | 22.27  | 2.61 | 26.34  | 2.73 | 30.40  | 2.85 | 35.28  | 3.00 | 38.53  | 3.10 | 42.60  | 3.22 |
| FTXV15A +<br>FTXV15A      | 60.8                       | 20.20                  | 2.21 | 24.26  | 2.32 | 28.33  | 2.44 | 32.39  | 2.55 | 37.27  | 2.69 | 40.52  | 2.78 | 44.59  | 2.89 |
|                           | 64.4                       | 19.70                  | 2.24 | 23.77  | 2.35 | 27.83  | 2.46 | 31.90  | 2.58 | 36.77  | 2.71 | 40.03  | 2.80 | 44.09  | 2.92 |
|                           | 68.0                       | 19.20                  | 2.26 | 23.27  | 2.37 | 27.33  | 2.49 | 31.40  | 2.60 | 36.28  | 2.74 | 39.53  | 2.83 | 43.59  | 2.94 |
|                           | 70.0                       | 18.93                  | 2.27 | 22.99  | 2.39 | 27.06  | 2.50 | 31.12  | 2.61 | 36.00  | 2.75 | 39.25  | 2.84 | 43.32  | 2.95 |
|                           | 71.6                       | 18.71                  | 2.29 | 22.77  | 2.40 | 26.84  | 2.51 | 30.90  | 2.63 | 35.78  | 2.76 | 39.03  | 2.85 | 43.10  | 2.96 |
|                           | 75.2                       | 18.21                  | 2.31 | 22.27  | 2.42 | 26.34  | 2.54 | 30.40  | 2.65 | 35.28  | 2.79 | 38.53  | 2.88 | 42.60  | 2.99 |
| FTXV15A +<br>FTXV18A      | 60.8                       | 20.20                  | 2.15 | 24.26  |      |        |      |        |      |        |      |        |      |        |      |

| Combination<br>(Capacity)         | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |         |      |        |      |        |      |        |      |
|-----------------------------------|----------------------------|------------------------|------|--------|------|--------|------|---------|------|--------|------|--------|------|--------|------|
|                                   |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0    |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                   |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC      | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                   |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h  | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| CTXV07A +<br>FTXV09A +<br>FTXV09A | 60.8                       | 20.20                  | 2.36 | 24.26  | 2.48 | 28.33  | 2.60 | 32.39   | 2.72 | 37.27  | 2.86 | 40.52  | 2.96 | 44.59  | 3.08 |
|                                   | 64.4                       | 19.70                  | 2.38 | 23.77  | 2.50 | 27.83  | 2.62 | 31.90   | 2.74 | 36.77  | 2.89 | 40.03  | 2.99 | 44.09  | 3.11 |
|                                   | 68.0                       | 19.20                  | 2.41 | 23.27  | 2.53 | 27.33  | 2.65 | 31.40   | 2.77 | 36.28  | 2.92 | 39.53  | 3.01 | 43.59  | 3.13 |
|                                   | 70.0                       | 18.93                  | 2.42 | 22.99  | 2.54 | 27.06  | 2.66 | 31.12   | 2.79 | 36.00  | 2.93 | 39.25  | 3.03 | 43.32  | 3.15 |
|                                   | 71.6                       | 18.71                  | 2.43 | 22.77  | 2.56 | 26.84  | 2.68 | 30.90   | 2.80 | 35.78  | 2.94 | 39.03  | 3.04 | 43.10  | 3.16 |
| CTXV07A +<br>FTXV09A +<br>FTXV12A | 75.2                       | 18.21                  | 2.46 | 22.27  | 2.58 | 26.34  | 2.70 | 30.40   | 2.82 | 35.28  | 2.97 | 38.53  | 3.06 | 42.60  | 3.19 |
|                                   | 60.8                       | 20.20                  | 2.35 | 24.26  | 2.47 | 28.33  | 2.59 | 32.39   | 2.71 | 37.27  | 2.85 | 40.52  | 2.95 | 44.59  | 3.07 |
|                                   | 64.4                       | 19.70                  | 2.37 | 23.77  | 2.49 | 27.83  | 2.61 | 31.90   | 2.73 | 36.77  | 2.88 | 40.03  | 2.98 | 44.09  | 3.10 |
|                                   | 68.0                       | 19.20                  | 2.40 | 23.27  | 2.52 | 27.33  | 2.64 | 31.40   | 2.76 | 36.28  | 2.91 | 39.53  | 3.00 | 43.59  | 3.12 |
|                                   | 70.0                       | 18.93                  | 2.41 | 22.99  | 2.54 | 27.06  | 2.66 | 31.12   | 2.78 | 36.00  | 2.92 | 39.25  | 3.02 | 43.32  | 3.14 |
| CTXV07A +<br>FTXV09A +<br>FTXV15A | 71.6                       | 18.71                  | 2.43 | 22.77  | 2.55 | 26.84  | 2.67 | 30.90   | 2.79 | 35.78  | 2.93 | 39.03  | 3.03 | 43.10  | 3.15 |
|                                   | 75.2                       | 18.21                  | 2.45 | 22.27  | 2.57 | 26.34  | 2.69 | 30.40   | 2.81 | 35.28  | 2.96 | 38.53  | 3.05 | 42.60  | 3.17 |
|                                   | 60.8                       | 20.20                  | 2.12 | 24.26  | 2.23 | 28.33  | 2.34 | 32.39   | 2.45 | 37.27  | 2.58 | 40.52  | 2.67 | 44.59  | 2.77 |
|                                   | 64.4                       | 19.70                  | 2.15 | 23.77  | 2.26 | 27.83  | 2.36 | 31.90   | 2.47 | 36.77  | 2.60 | 40.03  | 2.69 | 44.09  | 2.80 |
|                                   | 68.0                       | 19.20                  | 2.17 | 23.27  | 2.28 | 27.33  | 2.39 | 31.40   | 2.50 | 36.28  | 2.63 | 39.53  | 2.71 | 43.59  | 2.82 |
| CTXV07A +<br>FTXV09A +<br>FTXV18A | 70.0                       | 18.93                  | 2.18 | 22.99  | 2.29 | 27.06  | 2.40 | 31.12   | 2.51 | 36.00  | 2.64 | 39.25  | 2.73 | 43.32  | 2.84 |
|                                   | 71.6                       | 18.71                  | 2.19 | 22.77  | 2.30 | 26.84  | 2.41 | 30.90   | 2.52 | 35.78  | 2.65 | 39.03  | 2.74 | 43.10  | 2.85 |
|                                   | 75.2                       | 18.21                  | 2.22 | 22.27  | 2.33 | 26.34  | 2.44 | 30.40   | 2.54 | 35.28  | 2.67 | 38.53  | 2.76 | 42.60  | 2.87 |
|                                   | 60.8                       | 20.20                  | 2.11 | 24.26  | 2.21 | 28.33  | 2.32 | 32.39   | 2.43 | 37.27  | 2.56 | 40.52  | 2.65 | 44.59  | 2.75 |
|                                   | 64.4                       | 19.70                  | 2.13 | 23.77  | 2.24 | 27.83  | 2.35 | 31.90   | 2.45 | 36.77  | 2.58 | 40.03  | 2.67 | 44.09  | 2.78 |
| CTXV07A +<br>FTXV12A +<br>FTXV12A | 68.0                       | 19.20                  | 2.15 | 23.27  | 2.26 | 27.33  | 2.37 | 31.40   | 2.48 | 36.28  | 2.61 | 39.53  | 2.69 | 43.59  | 2.80 |
|                                   | 70.0                       | 18.93                  | 2.17 | 22.99  | 2.27 | 27.06  | 2.38 | 31.12   | 2.49 | 36.00  | 2.62 | 39.25  | 2.71 | 43.32  | 2.81 |
|                                   | 71.6                       | 18.71                  | 2.18 | 22.77  | 2.29 | 26.84  | 2.39 | 30.90   | 2.50 | 35.78  | 2.63 | 39.03  | 2.72 | 43.10  | 2.82 |
|                                   | 75.2                       | 18.21                  | 2.20 | 22.27  | 2.31 | 26.34  | 2.42 | 30.40   | 2.52 | 35.28  | 2.65 | 38.53  | 2.74 | 42.60  | 2.85 |
|                                   | 60.8                       | 20.20                  | 2.34 | 24.26  | 2.46 | 28.33  | 2.58 | 32.39   | 2.70 | 37.27  | 2.84 | 40.52  | 2.94 | 44.59  | 3.06 |
| CTXV07A +<br>FTXV12A +<br>FTXV15A | 64.4                       | 19.70                  | 2.37 | 23.77  | 2.49 | 27.83  | 2.61 | 31.90   | 2.73 | 36.77  | 2.87 | 40.03  | 2.97 | 44.09  | 3.08 |
|                                   | 68.0                       | 19.20                  | 2.39 | 23.27  | 2.51 | 27.33  | 2.63 | 31.40   | 2.75 | 36.28  | 2.90 | 39.53  | 2.99 | 43.59  | 3.11 |
|                                   | 70.0                       | 18.93                  | 2.41 | 22.99  | 2.53 | 27.06  | 2.65 | 31.12   | 2.77 | 36.00  | 2.91 | 39.25  | 3.01 | 43.32  | 3.13 |
|                                   | 71.6                       | 18.71                  | 2.42 | 22.77  | 2.54 | 26.84  | 2.66 | 30.90   | 2.78 | 35.78  | 2.92 | 39.03  | 3.02 | 43.10  | 3.14 |
|                                   | 75.2                       | 18.21                  | 2.44 | 22.27  | 2.56 | 26.34  | 2.68 | 30.40   | 2.80 | 35.28  | 2.95 | 38.53  | 3.04 | 42.60  | 3.16 |
| CTXV07A +<br>FTXV15A +<br>FTXV15A | 60.8                       | 20.20                  | 2.11 | 24.26  | 2.22 | 28.33  | 2.33 | 32.39   | 2.44 | 37.27  | 2.57 | 40.52  | 2.66 | 44.59  | 2.76 |
|                                   | 64.4                       | 19.70                  | 2.14 | 23.77  | 2.25 | 27.83  | 2.35 | 31.90   | 2.46 | 36.77  | 2.59 | 40.03  | 2.68 | 44.09  | 2.79 |
|                                   | 68.0                       | 19.20                  | 2.16 | 23.27  | 2.27 | 27.33  | 2.38 | 31.40   | 2.49 | 36.28  | 2.62 | 39.53  | 2.70 | 43.59  | 2.81 |
|                                   | 70.0                       | 18.93                  | 2.18 | 22.99  | 2.28 | 27.06  | 2.39 | 31.12   | 2.50 | 36.00  | 2.63 | 39.25  | 2.72 | 43.32  | 2.82 |
|                                   | 71.6                       | 18.71                  | 2.19 | 22.77  | 2.29 | 26.84  | 2.40 | 30.90   | 2.51 | 35.78  | 2.64 | 39.03  | 2.73 | 43.10  | 2.84 |
| CTXV07A +<br>FTXV12A +<br>FTXV18A | 75.2                       | 18.21                  | 2.21 | 22.27  | 2.32 | 26.34  | 2.43 | 30.40</ |      |        |      |        |      |        |      |

| Combination<br>(Capacity)         | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|-----------------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                                   |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                   |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                   |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| FTXV09A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 20.20                  | 2.10 | 24.26  | 2.21 | 28.33  | 2.31 | 32.39  | 2.42 | 37.27  | 2.55 | 40.52  | 2.64 | 44.59  | 2.74 |
|                                   | 64.4                       | 19.70                  | 2.12 | 23.77  | 2.23 | 27.83  | 2.34 | 31.90  | 2.44 | 36.77  | 2.57 | 40.03  | 2.66 | 44.09  | 2.77 |
|                                   | 68.0                       | 19.20                  | 2.15 | 23.27  | 2.25 | 27.33  | 2.36 | 31.40  | 2.47 | 36.28  | 2.60 | 39.53  | 2.68 | 43.59  | 2.79 |
|                                   | 70.0                       | 18.93                  | 2.16 | 22.99  | 2.27 | 27.06  | 2.37 | 31.12  | 2.48 | 36.00  | 2.61 | 39.25  | 2.70 | 43.32  | 2.80 |
|                                   | 71.6                       | 18.71                  | 2.17 | 22.77  | 2.28 | 26.84  | 2.38 | 30.90  | 2.49 | 35.78  | 2.62 | 39.03  | 2.71 | 43.10  | 2.81 |
|                                   | 75.2                       | 18.21                  | 2.19 | 22.27  | 2.30 | 26.34  | 2.41 | 30.40  | 2.51 | 35.28  | 2.64 | 38.53  | 2.73 | 42.60  | 2.84 |
| FTXV09A +<br>FTXV12A +<br>FTXV18A | 60.8                       | 20.20                  | 2.05 | 24.26  | 2.16 | 28.33  | 2.26 | 32.39  | 2.37 | 37.27  | 2.49 | 40.52  | 2.58 | 44.59  | 2.68 |
|                                   | 64.4                       | 19.70                  | 2.07 | 23.77  | 2.18 | 27.83  | 2.28 | 31.90  | 2.39 | 36.77  | 2.51 | 40.03  | 2.60 | 44.09  | 2.70 |
|                                   | 68.0                       | 19.20                  | 2.10 | 23.27  | 2.20 | 27.33  | 2.31 | 31.40  | 2.41 | 36.28  | 2.54 | 39.53  | 2.62 | 43.59  | 2.73 |
|                                   | 70.0                       | 18.93                  | 2.11 | 22.99  | 2.21 | 27.06  | 2.32 | 31.12  | 2.42 | 36.00  | 2.55 | 39.25  | 2.63 | 43.32  | 2.74 |
|                                   | 71.6                       | 18.71                  | 2.12 | 22.77  | 2.22 | 26.84  | 2.33 | 30.90  | 2.43 | 35.78  | 2.56 | 39.03  | 2.64 | 43.10  | 2.75 |
|                                   | 75.2                       | 18.21                  | 2.14 | 22.27  | 2.25 | 26.34  | 2.35 | 30.40  | 2.46 | 35.28  | 2.58 | 38.53  | 2.67 | 42.60  | 2.77 |
| FTXV09A +<br>FTXV15A +<br>FTXV15A | 60.8                       | 20.20                  | 1.85 | 24.26  | 1.94 | 28.33  | 2.04 | 32.39  | 2.13 | 37.27  | 2.25 | 40.52  | 2.32 | 44.59  | 2.42 |
|                                   | 64.4                       | 19.70                  | 1.87 | 23.77  | 1.96 | 27.83  | 2.06 | 31.90  | 2.15 | 36.77  | 2.27 | 40.03  | 2.34 | 44.09  | 2.44 |
|                                   | 68.0                       | 19.20                  | 1.89 | 23.27  | 1.99 | 27.33  | 2.08 | 31.40  | 2.17 | 36.28  | 2.29 | 39.53  | 2.36 | 43.59  | 2.46 |
|                                   | 70.0                       | 18.93                  | 1.90 | 22.99  | 2.00 | 27.06  | 2.09 | 31.12  | 2.19 | 36.00  | 2.30 | 39.25  | 2.38 | 43.32  | 2.47 |
|                                   | 71.6                       | 18.71                  | 1.91 | 22.77  | 2.01 | 26.84  | 2.10 | 30.90  | 2.20 | 35.78  | 2.31 | 39.03  | 2.38 | 43.10  | 2.48 |
|                                   | 75.2                       | 18.21                  | 1.93 | 22.27  | 2.03 | 26.34  | 2.12 | 30.40  | 2.22 | 35.28  | 2.33 | 38.53  | 2.41 | 42.60  | 2.50 |
| FTXV12A +<br>FTXV12A +<br>FTXV12A | 60.8                       | 20.20                  | 2.32 | 24.26  | 2.43 | 28.33  | 2.55 | 32.39  | 2.67 | 37.27  | 2.81 | 40.52  | 2.91 | 44.59  | 3.03 |
|                                   | 64.4                       | 19.70                  | 2.34 | 23.77  | 2.46 | 27.83  | 2.58 | 31.90  | 2.70 | 36.77  | 2.84 | 40.03  | 2.93 | 44.09  | 3.05 |
|                                   | 68.0                       | 19.20                  | 2.37 | 23.27  | 2.49 | 27.33  | 2.60 | 31.40  | 2.72 | 36.28  | 2.87 | 39.53  | 2.96 | 43.59  | 3.08 |
|                                   | 70.0                       | 18.93                  | 2.38 | 22.99  | 2.50 | 27.06  | 2.62 | 31.12  | 2.74 | 36.00  | 2.88 | 39.25  | 2.97 | 43.32  | 3.09 |
|                                   | 71.6                       | 18.71                  | 2.39 | 22.77  | 2.51 | 26.84  | 2.63 | 30.90  | 2.75 | 35.78  | 2.89 | 39.03  | 2.99 | 43.10  | 3.11 |
|                                   | 75.2                       | 18.21                  | 2.42 | 22.27  | 2.54 | 26.34  | 2.66 | 30.40  | 2.78 | 35.28  | 2.92 | 38.53  | 3.01 | 42.60  | 3.13 |
| FTXV12A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 20.20                  | 2.05 | 24.26  | 2.16 | 28.33  | 2.26 | 32.39  | 2.37 | 37.27  | 2.49 | 40.52  | 2.58 | 44.59  | 2.68 |
|                                   | 64.4                       | 19.70                  | 2.07 | 23.77  | 2.18 | 27.83  | 2.28 | 31.90  | 2.39 | 36.77  | 2.51 | 40.03  | 2.60 | 44.09  | 2.70 |
|                                   | 68.0                       | 19.20                  | 2.10 | 23.27  | 2.20 | 27.33  | 2.31 | 31.40  | 2.41 | 36.28  | 2.54 | 39.53  | 2.62 | 43.59  | 2.73 |
|                                   | 70.0                       | 18.93                  | 2.11 | 22.99  | 2.21 | 27.06  | 2.32 | 31.12  | 2.42 | 36.00  | 2.55 | 39.25  | 2.63 | 43.32  | 2.74 |
|                                   | 71.6                       | 18.71                  | 2.12 | 22.77  | 2.22 | 26.84  | 2.33 | 30.90  | 2.43 | 35.78  | 2.56 | 39.03  | 2.64 | 43.10  | 2.75 |
|                                   | 75.2                       | 18.21                  | 2.14 | 22.27  | 2.25 | 26.34  | 2.35 | 30.40  | 2.46 | 35.28  | 2.58 | 38.53  | 2.67 | 42.60  | 2.77 |

**Symbols:**

EDB : Entering dry bulb temp. (°F)  
 EWB : Entering wet bulb temp. (°F)  
 TC : Total capacity (kBtu/h)  
 PI : Power input (kW)

**Notes:**

1. Ratings shown are net capacities which include a deduction for indoor fan motor heat.
2. ■ shows max capacities and power input.
3. TC and PI must be calculated by interpolation using the figures in the above tables. (Figures out of the tables should not be used for calculation.)
4. Capacities are based on the following conditions.
5. Corresponding refrigerant piping length : 25 ft

3D153102

3D153103

3D153104

3D153105

### 3.5 4MXM36AVJU9 Cooling

#### Cooling [60 Hz, 208 - 230 V]

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                           |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A                   | 68.0                        | 9.53                  | 7.31   | 0.54 | 9.96   | 7.18   | 0.55 | 10.38  | 7.57   | 0.56 | 10.60  | 8.02   | 0.56 | 11.24  | 7.75   | 0.58 | 11.46  | 8.19   | 0.59 |
|                           | 77.0                        | 9.09                  | 7.10   | 0.57 | 9.52   | 6.98   | 0.58 | 9.95   | 7.38   | 0.59 | 10.17  | 7.84   | 0.60 | 10.81  | 7.59   | 0.61 | 11.02  | 8.04   | 0.62 |
|                           | 86.0                        | 8.66                  | 6.89   | 0.61 | 9.09   | 6.79   | 0.62 | 9.52   | 7.20   | 0.63 | 9.73   | 7.67   | 0.63 | 10.38  | 7.44   | 0.65 | 10.59  | 7.89   | 0.65 |
|                           | 89.6                        | 8.49                  | 6.80   | 0.62 | 8.92   | 6.71   | 0.63 | 9.35   | 7.13   | 0.64 | 9.56   | 7.60   | 0.65 | 10.20  | 7.37   | 0.66 | 10.42  | 7.83   | 0.67 |
|                           | 95.0                        | 8.23                  | 6.68   | 0.64 | 8.66   | 6.59   | 0.65 | 9.09   | 7.02   | 0.67 | 9.30   | 7.49   | 0.67 | 9.94   | 7.28   | 0.69 | 10.16  | 7.74   | 0.69 |
|                           | 104.0                       | 7.80                  | 6.48   | 0.69 | 8.22   | 6.40   | 0.70 | 8.65   | 6.84   | 0.71 | 8.87   | 7.32   | 0.71 | 9.51   | 7.13   | 0.73 | 9.72   | 7.60   | 0.73 |
|                           | 109.4                       | 7.54                  | 6.36   | 0.71 | 7.96   | 6.29   | 0.72 | 8.39   | 6.74   | 0.73 | 8.61   | 7.22   | 0.74 | 9.25   | 7.04   | 0.75 | 9.46   | 7.51   | 0.76 |
|                           | 114.8                       | 7.28                  | 6.24   | 0.74 | 7.70   | 6.18   | 0.75 | 8.13   | 6.63   | 0.76 | 8.35   | 7.12   | 0.77 | 8.99   | 6.95   | 0.78 | 9.20   | 7.43   | 0.79 |
| FTXV09A                   | 68.0                        | 12.29                 | 9.01   | 0.78 | 12.85  | 8.85   | 0.79 | 13.40  | 9.26   | 0.81 | 13.68  | 9.76   | 0.82 | 14.51  | 9.40   | 0.84 | 14.78  | 9.88   | 0.85 |
|                           | 77.0                        | 11.74                 | 8.73   | 0.83 | 12.29  | 8.58   | 0.84 | 12.84  | 9.01   | 0.86 | 13.12  | 9.52   | 0.86 | 13.95  | 9.19   | 0.89 | 14.22  | 9.68   | 0.90 |
|                           | 86.0                        | 11.18                 | 8.45   | 0.88 | 11.73  | 8.32   | 0.89 | 12.28  | 8.77   | 0.91 | 12.56  | 9.28   | 0.92 | 13.39  | 8.99   | 0.94 | 13.66  | 9.48   | 0.95 |
|                           | 89.6                        | 10.95                 | 8.34   | 0.90 | 11.51  | 8.22   | 0.91 | 12.06  | 8.67   | 0.93 | 12.34  | 9.19   | 0.94 | 13.16  | 8.90   | 0.96 | 13.44  | 9.40   | 0.97 |
|                           | 95.0                        | 10.62                 | 8.17   | 0.93 | 11.17  | 8.06   | 0.95 | 11.72  | 8.53   | 0.96 | 12.00  | 9.05   | 0.97 | 12.83  | 8.78   | 0.99 | 13.11  | 9.29   | 1.00 |
|                           | 104.0                       | 10.06                 | 7.90   | 0.99 | 10.61  | 7.81   | 1.01 | 11.16  | 8.29   | 1.02 | 11.44  | 8.82   | 1.03 | 12.27  | 8.58   | 1.05 | 12.55  | 9.09   | 1.06 |
|                           | 109.4                       | 9.72                  | 7.74   | 1.03 | 10.28  | 7.66   | 1.05 | 10.83  | 8.15   | 1.06 | 11.11  | 8.69   | 1.07 | 11.94  | 8.46   | 1.09 | 12.21  | 8.98   | 1.10 |
|                           | 114.8                       | 9.39                  | 7.58   | 1.07 | 9.94   | 7.51   | 1.08 | 10.49  | 8.01   | 1.10 | 10.77  | 8.55   | 1.11 | 11.60  | 8.34   | 1.13 | 11.88  | 8.86   | 1.14 |
| FTXV12A                   | 68.0                        | 15.16                 | 10.63  | 1.03 | 17.13  | 11.10  | 1.18 | 17.87  | 11.48  | 1.20 | 18.24  | 11.98  | 1.21 | 19.34  | 11.50  | 1.25 | 19.71  | 11.96  | 1.26 |
|                           | 77.0                        | 15.16                 | 10.63  | 1.17 | 16.38  | 10.72  | 1.25 | 17.12  | 11.13  | 1.27 | 17.49  | 11.63  | 1.28 | 18.60  | 11.19  | 1.32 | 18.96  | 11.67  | 1.33 |
|                           | 86.0                        | 14.90                 | 10.49  | 1.30 | 15.64  | 10.34  | 1.32 | 16.38  | 10.77  | 1.35 | 16.75  | 11.29  | 1.36 | 17.85  | 10.89  | 1.39 | 18.22  | 11.38  | 1.41 |
|                           | 89.6                        | 14.60                 | 10.34  | 1.33 | 15.34  | 10.19  | 1.36 | 16.08  | 10.64  | 1.38 | 16.45  | 11.16  | 1.39 | 17.55  | 10.77  | 1.43 | 17.92  | 11.27  | 1.44 |
|                           | 95.0                        | 14.16                 | 10.10  | 1.38 | 14.89  | 9.97   | 1.41 | 15.63  | 10.43  | 1.43 | 16.00  | 10.96  | 1.44 | 17.11  | 10.60  | 1.48 | 17.47  | 11.10  | 1.49 |
|                           | 104.0                       | 13.41                 | 9.72   | 1.47 | 14.15  | 9.61   | 1.50 | 14.89  | 10.09  | 1.52 | 15.25  | 10.63  | 1.53 | 16.36  | 10.31  | 1.56 | 16.73  | 10.82  | 1.58 |
|                           | 109.4                       | 12.97                 | 9.49   | 1.53 | 13.70  | 9.39   | 1.55 | 14.44  | 9.89   | 1.57 | 14.81  | 10.44  | 1.59 | 15.91  | 10.13  | 1.62 | 16.28  | 10.65  | 1.63 |
|                           | 114.8                       | 12.52                 | 9.26   | 1.59 | 13.26  | 9.18   | 1.61 | 13.99  | 9.69   | 1.63 | 14.36  | 10.24  | 1.64 | 15.47  | 9.96   | 1.68 | 15.84  | 10.49  | 1.69 |
| FTXV15A                   | 68.0                        | 19.20                 | 13.46  | 1.37 | 21.41  | 13.91  | 1.55 | 22.33  | 14.40  | 1.58 | 22.79  | 15.03  | 1.59 | 24.18  | 14.43  | 1.64 | 24.64  | 15.02  | 1.65 |
|                           | 77.0                        | 19.20                 | 13.46  | 1.56 | 20.48  | 13.44  | 1.64 | 21.40  | 13.96  | 1.67 | 21.86  | 14.60  | 1.68 | 23.24  | 14.05  | 1.73 | 23.71  | 14.66  | 1.75 |
|                           | 86.0                        | 18.63                 | 13.16  | 1.71 | 19.55  | 12.97  | 1.74 | 20.47  | 13.52  | 1.77 | 20.93  | 14.18  | 1.78 | 22.31  | 13.68  | 1.83 | 22.77  | 14.30  | 1.84 |
|                           | 89.6                        | 18.26                 | 12.96  | 1.75 | 19.18  | 12.78  | 1.78 | 20.10  | 13.35  | 1.81 | 20.56  | 14.01  | 1.83 | 21.94  | 13.53  | 1.87 | 22.40  | 14.16  | 1.89 |
|                           | 95.0                        | 17.70                 | 12.67  | 1.82 | 18.62  | 12.51  | 1.85 | 19.54  | 13.09  | 1.88 | 20.00  | 13.76  | 1.89 | 21.38  | 13.31  | 1.94 | 21.84  | 13.95  | 1.95 |
|                           | 104.0                       | 16.77                 | 12.19  | 1.93 | 17.69  | 12.0   |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                           |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>FTXV15A      | 68.0                        | 29.51                 | 21.13  | 2.40 | 30.83  | 20.76  | 2.45 | 32.16  | 21.64  | 2.50 | 32.82  | 22.72  | 2.52 | 34.81  | 21.87  | 2.59 | 35.48  | 22.91  | 2.62 |
|                           | 77.0                        | 28.16                 | 20.44  | 2.55 | 29.49  | 20.11  | 2.59 | 30.82  | 21.03  | 2.64 | 31.48  | 22.14  | 2.67 | 33.47  | 21.35  | 2.74 | 34.14  | 22.41  | 2.76 |
|                           | 86.0                        | 26.82                 | 19.76  | 2.70 | 28.15  | 19.46  | 2.75 | 29.48  | 20.43  | 2.80 | 30.14  | 21.56  | 2.82 | 32.13  | 20.84  | 2.89 | 32.79  | 21.92  | 2.92 |
|                           | 89.6                        | 26.29                 | 19.48  | 2.77 | 27.61  | 19.21  | 2.82 | 28.94  | 20.19  | 2.87 | 29.60  | 21.33  | 2.89 | 31.59  | 20.64  | 2.96 | 32.26  | 21.73  | 2.98 |
|                           | 95.0                        | 25.48                 | 19.08  | 2.87 | 26.81  | 18.83  | 2.92 | 28.14  | 19.84  | 2.97 | 28.80  | 20.99  | 2.99 | 30.79  | 20.34  | 3.06 | 31.45  | 21.44  | 3.09 |
|                           | 104.0                       | 24.14                 | 18.42  | 3.06 | 25.47  | 18.21  | 3.11 | 26.80  | 19.26  | 3.15 | 27.46  | 20.43  | 3.18 | 29.45  | 19.84  | 3.25 | 30.11  | 20.97  | 3.27 |
|                           | 109.4                       | 23.34                 | 18.02  | 3.17 | 24.66  | 17.84  | 3.22 | 25.99  | 18.91  | 3.27 | 26.65  | 20.10  | 3.29 | 28.64  | 19.55  | 3.36 | 29.31  | 20.68  | 3.39 |
|                           | 114.8                       | 22.53                 | 17.63  | 3.29 | 23.86  | 17.47  | 3.34 | 25.19  | 18.57  | 3.39 | 25.84  | 19.76  | 3.39 | 27.74  | 19.22  | 3.39 | 28.36  | 20.36  | 3.39 |
| CTXV07A +<br>FTXV18A      | 68.0                        | 31.86                 | 22.49  | 2.64 | 33.30  | 22.09  | 2.69 | 34.73  | 22.96  | 2.75 | 35.44  | 24.06  | 2.77 | 37.59  | 23.13  | 2.85 | 38.31  | 24.17  | 2.88 |
|                           | 77.0                        | 30.41                 | 21.73  | 2.80 | 31.85  | 21.37  | 2.85 | 33.28  | 22.29  | 2.91 | 34.00  | 23.41  | 2.93 | 36.15  | 22.56  | 3.01 | 36.86  | 23.63  | 3.04 |
|                           | 86.0                        | 28.97                 | 20.97  | 2.97 | 30.40  | 20.67  | 3.03 | 31.83  | 21.64  | 3.08 | 32.55  | 22.78  | 3.11 | 34.70  | 22.00  | 3.18 | 35.41  | 23.09  | 3.21 |
|                           | 89.6                        | 28.39                 | 20.68  | 3.05 | 29.82  | 20.39  | 3.10 | 31.25  | 21.37  | 3.15 | 31.97  | 22.52  | 3.18 | 34.12  | 21.78  | 3.26 | 34.83  | 22.87  | 3.28 |
|                           | 95.0                        | 27.52                 | 20.23  | 3.16 | 28.95  | 19.97  | 3.21 | 30.38  | 20.99  | 3.27 | 31.10  | 22.15  | 3.29 | 33.25  | 21.45  | 3.37 | 33.97  | 22.56  | 3.40 |
|                           | 104.0                       | 26.07                 | 19.51  | 3.36 | 27.50  | 19.29  | 3.42 | 28.94  | 20.35  | 3.47 | 29.65  | 21.53  | 3.50 | 31.80  | 20.90  | 3.57 | 32.52  | 22.03  | 3.60 |
|                           | 109.4                       | 25.20                 | 19.07  | 3.49 | 26.63  | 18.88  | 3.54 | 28.07  | 19.97  | 3.60 | 28.78  | 21.17  | 3.62 | 30.93  | 20.58  | 3.70 | 31.65  | 21.72  | 3.73 |
|                           | 114.8                       | 24.33                 | 18.65  | 3.39 | 25.74  | 18.47  | 3.39 | 27.08  | 19.54  | 3.39 | 27.73  | 20.73  | 3.39 | 29.66  | 20.11  | 3.39 | 30.29  | 21.24  | 3.39 |
| CTXV07A +<br>FTXV24A      | 68.0                        | 35.14                 | 24.66  | 2.97 | 36.72  | 24.22  | 3.03 | 38.30  | 25.15  | 3.09 | 39.09  | 26.32  | 3.12 | 41.46  | 25.30  | 3.21 | 42.25  | 26.41  | 3.24 |
|                           | 77.0                        | 33.54                 | 23.81  | 3.15 | 35.12  | 23.42  | 3.21 | 36.70  | 24.41  | 3.27 | 37.49  | 25.60  | 3.30 | 39.86  | 24.67  | 3.39 | 40.65  | 25.80  | 3.42 |
|                           | 86.0                        | 31.95                 | 22.98  | 3.34 | 33.53  | 22.64  | 3.40 | 35.11  | 23.67  | 3.46 | 35.90  | 24.90  | 3.49 | 38.27  | 24.04  | 3.58 | 39.06  | 25.20  | 3.61 |
|                           | 89.6                        | 31.31                 | 22.65  | 3.43 | 32.89  | 22.33  | 3.49 | 34.47  | 23.38  | 3.55 | 35.26  | 24.62  | 3.58 | 37.63  | 23.79  | 3.66 | 38.42  | 24.97  | 3.69 |
|                           | 95.0                        | 30.35                 | 22.15  | 3.56 | 31.93  | 21.87  | 3.62 | 33.51  | 22.95  | 3.67 | 34.30  | 24.20  | 3.70 | 36.67  | 23.42  | 3.79 | 37.46  | 24.61  | 3.82 |
|                           | 104.0                       | 28.75                 | 21.35  | 3.78 | 30.33  | 21.11  | 3.84 | 31.91  | 22.24  | 3.90 | 32.70  | 23.52  | 3.93 | 35.07  | 22.82  | 4.02 | 35.86  | 24.03  | 4.05 |
|                           | 109.4                       | 27.79                 | 20.87  | 3.85 | 29.37  | 20.66  | 3.85 | 30.95  | 21.82  | 3.85 | 31.74  | 23.11  | 3.85 | 34.01  | 22.42  | 3.85 | 34.75  | 23.63  | 3.85 |
|                           | 114.8                       | 26.84                 | 20.39  | 3.39 | 28.42  | 20.21  | 3.39 | 29.82  | 21.33  | 3.39 | 30.49  | 22.58  | 3.39 | 32.46  | 21.84  | 3.39 | 33.11  | 23.05  | 3.39 |
| FTXV09A +<br>FTXV09A      | 68.0                        | 24.59                 | 18.02  | 1.97 | 25.69  | 17.70  | 2.01 | 26.80  | 18.52  | 2.05 | 27.35  | 19.51  | 2.07 | 29.01  | 18.81  | 2.12 | 29.56  | 19.76  | 2.14 |
|                           | 77.0                        | 23.47                 | 17.45  | 2.09 | 24.58  | 17.17  | 2.12 | 25.68  | 18.03  | 2.16 | 26.24  | 19.04  | 2.18 | 27.89  | 18.39  | 2.24 | 28.45  | 19.36  | 2.26 |
|                           | 86.0                        | 22.35                 | 16.89  | 2.21 | 23.46  | 16.65  | 2.25 | 24.56  | 17.54  | 2.29 | 25.12  | 18.57  | 2.31 | 26.78  | 17.97  | 2.37 | 27.33  | 18.96  | 2.39 |
|                           | 89.6                        | 21.91                 | 16.67  | 2.27 | 23.01  | 16.44  | 2.31 | 24.12  | 17.35  | 2.35 | 24.67  | 18.38  | 2.37 | 26.33  | 17.81  | 2.43 | 26.88  | 18.81  | 2.45 |
|                           | 95.0                        | 21.24                 |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity) | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|---------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                           |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                           |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                           |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV12A +<br>FTXV18A      | 68.0                        | 34.63                 | 24.35  | 2.96 | 36.19  | 23.92  | 3.02 | 37.74  | 24.85  | 3.08 | 38.52  | 26.02  | 3.11 | 40.86  | 25.01  | 3.20 | 41.64  | 26.12  | 3.23 |
|                           | 77.0                        | 33.05                 | 23.52  | 3.14 | 34.61  | 23.14  | 3.20 | 36.17  | 24.12  | 3.26 | 36.95  | 25.31  | 3.29 | 39.28  | 24.39  | 3.38 | 40.06  | 25.52  | 3.41 |
|                           | 86.0                        | 31.48                 | 22.70  | 3.34 | 33.04  | 22.37  | 3.39 | 34.60  | 23.40  | 3.45 | 35.37  | 24.62  | 3.48 | 37.71  | 23.77  | 3.57 | 38.49  | 24.94  | 3.60 |
|                           | 89.6                        | 30.85                 | 22.38  | 3.42 | 32.41  | 22.06  | 3.48 | 33.97  | 23.12  | 3.54 | 34.74  | 24.34  | 3.57 | 37.08  | 23.53  | 3.65 | 37.86  | 24.70  | 3.68 |
|                           | 95.0                        | 29.91                 | 21.89  | 3.55 | 31.46  | 21.61  | 3.61 | 33.02  | 22.69  | 3.66 | 33.80  | 23.93  | 3.69 | 36.14  | 23.17  | 3.78 | 36.91  | 24.36  | 3.81 |
|                           | 104.0                       | 28.33                 | 21.10  | 3.77 | 29.89  | 20.86  | 3.83 | 31.45  | 21.99  | 3.89 | 32.23  | 23.26  | 3.92 | 34.56  | 22.57  | 4.01 | 35.34  | 23.78  | 4.04 |
|                           | 109.4                       | 27.39                 | 20.63  | 3.85 | 28.95  | 20.42  | 3.85 | 30.50  | 21.58  | 3.85 | 31.28  | 22.86  | 3.85 | 33.55  | 22.19  | 3.85 | 34.28  | 23.40  | 3.85 |
|                           | 114.8                       | 26.44                 | 20.16  | 3.39 | 28.00  | 19.98  | 3.39 | 29.45  | 21.12  | 3.39 | 30.12  | 22.38  | 3.39 | 32.07  | 21.65  | 3.39 | 32.71  | 22.85  | 3.39 |
| FTXV12A +<br>FTXV24A      | 68.0                        | 37.53                 | 26.33  | 3.16 | 39.61  | 26.05  | 3.30 | 41.32  | 27.04  | 3.37 | 42.17  | 28.28  | 3.40 | 44.73  | 27.18  | 3.49 | 45.58  | 28.36  | 3.53 |
|                           | 77.0                        | 36.18                 | 25.61  | 3.43 | 37.89  | 25.19  | 3.50 | 39.59  | 26.23  | 3.56 | 40.45  | 27.51  | 3.59 | 43.00  | 26.50  | 3.69 | 43.85  | 27.70  | 3.72 |
|                           | 86.0                        | 34.46                 | 24.70  | 3.64 | 36.17  | 24.34  | 3.71 | 37.87  | 25.44  | 3.77 | 38.72  | 26.74  | 3.80 | 41.28  | 25.82  | 3.90 | 42.13  | 27.05  | 3.93 |
|                           | 89.6                        | 33.77                 | 24.35  | 3.73 | 35.48  | 24.00  | 3.80 | 37.18  | 25.13  | 3.86 | 38.03  | 26.44  | 3.89 | 40.59  | 25.55  | 3.99 | 41.44  | 26.80  | 4.02 |
|                           | 95.0                        | 32.74                 | 23.81  | 3.87 | 34.44  | 23.50  | 3.94 | 36.15  | 24.66  | 4.00 | 37.00  | 25.99  | 4.03 | 39.55  | 25.15  | 4.12 | 40.36  | 26.40  | 4.12 |
|                           | 104.0                       | 31.02                 | 22.94  | 4.12 | 32.72  | 22.68  | 4.12 | 34.42  | 23.89  | 4.12 | 35.28  | 25.25  | 4.12 | 37.78  | 24.47  | 4.12 | 38.59  | 25.75  | 4.12 |
|                           | 109.4                       | 29.98                 | 22.42  | 3.85 | 31.69  | 22.19  | 3.85 | 33.39  | 23.43  | 3.85 | 34.24  | 24.81  | 3.85 | 36.63  | 24.04  | 3.85 | 37.38  | 25.31  | 3.85 |
|                           | 114.8                       | 28.95                 | 21.91  | 3.39 | 30.65  | 21.71  | 3.39 | 32.18  | 22.91  | 3.39 | 32.87  | 24.23  | 3.39 | 34.88  | 23.39  | 3.39 | 35.54  | 24.66  | 3.39 |
| FTXV15A +<br>FTXV15A      | 68.0                        | 34.63                 | 24.95  | 2.76 | 36.19  | 24.50  | 2.82 | 37.74  | 25.57  | 2.87 | 38.52  | 26.88  | 2.90 | 40.86  | 25.88  | 2.98 | 41.64  | 27.13  | 3.01 |
|                           | 77.0                        | 33.05                 | 24.14  | 2.93 | 34.61  | 23.75  | 2.98 | 36.17  | 24.86  | 3.04 | 36.95  | 26.19  | 3.07 | 39.28  | 25.27  | 3.15 | 40.06  | 26.55  | 3.18 |
|                           | 86.0                        | 31.48                 | 23.34  | 3.11 | 33.04  | 23.00  | 3.16 | 34.60  | 24.16  | 3.22 | 35.37  | 25.52  | 3.25 | 37.71  | 24.68  | 3.33 | 38.49  | 25.98  | 3.36 |
|                           | 89.6                        | 30.85                 | 23.02  | 3.19 | 32.41  | 22.70  | 3.24 | 33.97  | 23.89  | 3.30 | 34.74  | 25.25  | 3.32 | 37.08  | 24.44  | 3.41 | 37.86  | 25.76  | 3.43 |
|                           | 95.0                        | 29.91                 | 22.55  | 3.31 | 31.46  | 22.26  | 3.36 | 33.02  | 23.48  | 3.42 | 33.80  | 24.86  | 3.44 | 36.14  | 24.09  | 3.53 | 36.91  | 25.42  | 3.55 |
|                           | 104.0                       | 28.33                 | 21.78  | 3.52 | 29.89  | 21.53  | 3.57 | 31.45  | 22.80  | 3.63 | 32.23  | 24.20  | 3.65 | 34.56  | 23.51  | 3.74 | 35.34  | 24.87  | 3.76 |
|                           | 109.4                       | 27.39                 | 21.32  | 3.65 | 28.95  | 21.10  | 3.71 | 30.50  | 22.39  | 3.76 | 31.28  | 23.81  | 3.79 | 33.60  | 23.16  | 3.85 | 34.35  | 24.52  | 3.85 |
|                           | 114.8                       | 26.43                 | 20.85  | 3.39 | 27.84  | 20.60  | 3.39 | 29.23  | 21.86  | 3.39 | 29.91  | 23.26  | 3.39 | 31.92  | 22.56  | 3.39 | 32.58  | 23.91  | 3.39 |
| FTXV15A +<br>FTXV18A      | 68.0                        | 36.27                 | 25.92  | 2.90 | 37.90  | 25.46  | 2.96 | 39.53  | 26.53  | 3.01 | 40.34  | 27.85  | 3.04 | 42.79  | 26.80  | 3.13 | 43.61  | 28.06  | 3.16 |
|                           | 77.0                        | 34.62                 | 25.07  | 3.07 | 36.25  | 24.66  | 3.13 | 37.88  | 25.78  | 3.19 | 38.70  | 27.13  | 3.22 | 41.14  | 26.16  | 3.30 | 41.96  | 27.45  | 3.33 |
|                           | 86.0                        | 32.97                 | 24.22  | 3.26 | 34.60  | 23.87  | 3.32 | 36.23  | 25.04  | 3.38 | 37.05  | 26.42  | 3.41 | 39.49  | 25.53  | 3.49 | 40.31  | 26.85  | 3.52 |
|                           | 89.6                        | 32.31                 | 23.89  | 3.34 | 33.94  | 23.55  | 3.40 | 35.57  | 24.75  | 3.46 | 36.39  | 26.13  | 3.49 | 38.84  | 25.28  | 3.58 | 39.65  | 26.61  | 3.60 |
|                           | 95.0                        | 31.32                 | 23.39  | 3.47 |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>CTXV07A +<br>FTXV12A | 68.0                        | 32.37                 | 24.27  | 2.69 | 33.83  | 23.84  | 2.74 | 35.29  | 25.04  | 2.80 | 36.01  | 26.46  | 2.82 | 38.20  | 25.53  | 2.90 | 38.93  | 26.91  | 2.93 |
|                                   | 77.0                        | 30.90                 | 23.54  | 2.85 | 32.36  | 23.16  | 2.91 | 33.81  | 24.40  | 2.96 | 34.54  | 25.85  | 2.99 | 36.73  | 24.99  | 3.07 | 37.45  | 26.40  | 3.09 |
|                                   | 86.0                        | 29.43                 | 22.82  | 3.03 | 30.89  | 22.48  | 3.08 | 32.34  | 23.77  | 3.14 | 33.07  | 25.24  | 3.16 | 35.26  | 24.46  | 3.24 | 35.98  | 25.89  | 3.27 |
|                                   | 89.6                        | 28.84                 | 22.53  | 3.10 | 30.30  | 22.22  | 3.16 | 31.75  | 23.52  | 3.21 | 32.48  | 25.00  | 3.24 | 34.67  | 24.24  | 3.32 | 35.39  | 25.68  | 3.34 |
|                                   | 95.0                        | 27.96                 | 22.11  | 3.22 | 29.42  | 21.82  | 3.27 | 30.87  | 23.15  | 3.33 | 31.60  | 24.65  | 3.35 | 33.78  | 23.93  | 3.43 | 34.51  | 25.38  | 3.46 |
|                                   | 104.0                       | 26.49                 | 21.40  | 3.43 | 27.94  | 21.16  | 3.48 | 29.40  | 22.54  | 3.53 | 30.13  | 24.05  | 3.56 | 32.31  | 23.41  | 3.64 | 33.04  | 24.88  | 3.67 |
|                                   | 109.4                       | 25.61                 | 20.98  | 3.56 | 27.06  | 20.77  | 3.61 | 28.52  | 22.17  | 3.66 | 29.25  | 23.70  | 3.69 | 31.43  | 23.10  | 3.77 | 32.16  | 24.58  | 3.80 |
|                                   | 114.8                       | 24.72                 | 20.57  | 3.39 | 26.16  | 20.37  | 3.39 | 27.50  | 21.75  | 3.39 | 28.15  | 23.27  | 3.39 | 30.09  | 22.63  | 3.39 | 30.72  | 24.11  | 3.39 |
| CTXV07A +<br>CTXV07A +<br>FTXV15A | 68.0                        | 34.01                 | 25.89  | 2.68 | 35.54  | 25.44  | 2.74 | 37.07  | 26.78  | 2.79 | 37.84  | 28.36  | 2.82 | 40.13  | 27.38  | 2.90 | 40.90  | 28.92  | 2.92 |
|                                   | 77.0                        | 32.47                 | 25.14  | 2.84 | 34.00  | 24.73  | 2.90 | 35.53  | 26.12  | 2.95 | 36.29  | 27.72  | 2.98 | 38.59  | 26.82  | 3.06 | 39.35  | 28.38  | 3.08 |
|                                   | 86.0                        | 30.92                 | 24.39  | 3.02 | 32.45  | 24.03  | 3.07 | 33.98  | 25.46  | 3.13 | 34.75  | 27.09  | 3.15 | 37.04  | 26.27  | 3.23 | 37.81  | 27.85  | 3.26 |
|                                   | 89.6                        | 30.30                 | 24.09  | 3.09 | 31.83  | 23.75  | 3.15 | 33.36  | 25.21  | 3.20 | 34.13  | 26.84  | 3.23 | 36.42  | 26.05  | 3.31 | 37.19  | 27.64  | 3.33 |
|                                   | 95.0                        | 29.38                 | 23.65  | 3.21 | 30.91  | 23.34  | 3.26 | 32.44  | 24.82  | 3.32 | 33.20  | 26.47  | 3.34 | 35.49  | 25.72  | 3.42 | 36.26  | 27.33  | 3.45 |
|                                   | 104.0                       | 27.83                 | 22.92  | 3.42 | 29.36  | 22.66  | 3.47 | 30.89  | 24.18  | 3.52 | 31.65  | 25.86  | 3.55 | 33.95  | 25.18  | 3.63 | 34.71  | 26.81  | 3.66 |
|                                   | 109.4                       | 26.90                 | 22.48  | 3.55 | 28.43  | 22.25  | 3.60 | 29.96  | 23.80  | 3.65 | 30.73  | 25.49  | 3.68 | 33.02  | 24.85  | 3.76 | 33.79  | 26.50  | 3.79 |
|                                   | 114.8                       | 25.94                 | 22.03  | 3.39 | 27.36  | 21.78  | 3.39 | 28.74  | 23.31  | 3.39 | 29.43  | 24.98  | 3.39 | 31.44  | 24.31  | 3.39 | 32.09  | 25.94  | 3.39 |
| CTXV07A +<br>CTXV07A +<br>FTXV18A | 68.0                        | 35.65                 | 26.84  | 2.81 | 37.26  | 26.37  | 2.87 | 38.86  | 27.71  | 2.92 | 39.66  | 29.30  | 2.95 | 42.07  | 28.28  | 3.03 | 42.87  | 29.82  | 3.06 |
|                                   | 77.0                        | 34.03                 | 26.04  | 2.98 | 35.64  | 25.62  | 3.04 | 37.24  | 27.01  | 3.09 | 38.04  | 28.63  | 3.12 | 40.45  | 27.68  | 3.20 | 41.25  | 29.26  | 3.23 |
|                                   | 86.0                        | 32.41                 | 25.25  | 3.16 | 34.02  | 24.88  | 3.22 | 35.62  | 26.32  | 3.28 | 36.42  | 27.96  | 3.30 | 38.83  | 27.10  | 3.39 | 39.63  | 28.70  | 3.42 |
|                                   | 89.6                        | 31.76                 | 24.93  | 3.24 | 33.37  | 24.59  | 3.30 | 34.97  | 26.05  | 3.35 | 35.77  | 27.70  | 3.38 | 38.18  | 26.87  | 3.47 | 38.98  | 28.47  | 3.49 |
|                                   | 95.0                        | 30.79                 | 24.47  | 3.36 | 32.40  | 24.15  | 3.42 | 34.00  | 25.64  | 3.48 | 34.80  | 27.31  | 3.50 | 37.20  | 26.52  | 3.59 | 38.01  | 28.14  | 3.62 |
|                                   | 104.0                       | 29.17                 | 23.69  | 3.58 | 30.77  | 23.42  | 3.63 | 32.38  | 24.97  | 3.69 | 33.18  | 26.66  | 3.72 | 35.58  | 25.95  | 3.80 | 36.39  | 27.59  | 3.83 |
|                                   | 109.4                       | 28.20                 | 23.23  | 3.71 | 29.80  | 22.99  | 3.77 | 31.41  | 24.56  | 3.83 | 32.21  | 26.27  | 3.85 | 34.53  | 25.58  | 3.85 | 35.29  | 27.23  | 3.85 |
|                                   | 114.8                       | 27.17                 | 22.75  | 3.39 | 28.60  | 22.47  | 3.39 | 30.01  | 23.99  | 3.39 | 30.70  | 25.68  | 3.39 | 32.74  | 24.95  | 3.39 | 33.40  | 26.60  | 3.39 |
| CTXV07A +<br>CTXV07A +<br>FTXV24A | 68.0                        | 37.91                 | 28.46  | 3.02 | 39.61  | 27.96  | 3.08 | 41.32  | 29.37  | 3.14 | 42.17  | 31.05  | 3.17 | 44.73  | 29.96  | 3.26 | 45.58  | 31.59  | 3.29 |
|                                   | 77.0                        | 36.18                 | 27.61  | 3.20 | 37.89  | 27.17  | 3.26 | 39.59  | 28.63  | 3.32 | 40.45  | 30.33  | 3.35 | 43.00  | 29.33  | 3.44 | 43.85  | 30.99  | 3.47 |
|                                   | 86.0                        | 34.46                 | 26.77  | 3.40 | 36.17  | 26.38  | 3.46 | 37.87  | 27.89  | 3.52 | 38.72  | 29.63  | 3.55 | 41.28  | 28.71  | 3.64 | 42.13  | 30.39  | 3.67 |
|                                   | 89.6                        | 33.77                 | 26.43  | 3.48 | 35.48  | 26.06  | 3.54 | 37.18  | 27.60  | 3.60 | 38.03  | 29.35  | 3.63 | 40.59  | 28.46  | 3.72 | 41.44  | 30.15  | 3.75 |
|                                   | 95.0                        | 32.74                 | 25.93  | 3.61 |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>FTXV12A +<br>FTXV15A | 68.0                        | 36.78                 | 27.73  | 2.95 | 38.43  | 27.25  | 3.01 | 40.09  | 28.64  | 3.06 | 40.91  | 30.29  | 3.09 | 43.40  | 29.23  | 3.18 | 44.22  | 30.84  | 3.21 |
|                                   | 77.0                        | 35.11                 | 26.91  | 3.12 | 36.76  | 26.47  | 3.18 | 38.42  | 27.92  | 3.24 | 39.24  | 29.60  | 3.27 | 41.72  | 28.62  | 3.36 | 42.55  | 30.25  | 3.39 |
|                                   | 86.0                        | 33.44                 | 26.09  | 3.32 | 35.09  | 25.71  | 3.38 | 36.74  | 27.21  | 3.44 | 37.57  | 28.91  | 3.46 | 40.05  | 28.02  | 3.55 | 40.88  | 29.68  | 3.58 |
|                                   | 89.6                        | 32.77                 | 25.77  | 3.40 | 34.42  | 25.41  | 3.46 | 36.08  | 26.92  | 3.52 | 36.90  | 28.64  | 3.55 | 39.38  | 27.78  | 3.63 | 40.21  | 29.45  | 3.66 |
|                                   | 95.0                        | 31.77                 | 25.29  | 3.53 | 33.42  | 24.96  | 3.59 | 35.07  | 26.50  | 3.64 | 35.90  | 28.24  | 3.67 | 38.38  | 27.42  | 3.76 | 39.21  | 29.10  | 3.79 |
|                                   | 104.0                       | 30.09                 | 24.49  | 3.75 | 31.75  | 24.21  | 3.81 | 33.40  | 25.81  | 3.87 | 34.23  | 27.57  | 3.90 | 36.71  | 26.83  | 3.99 | 37.54  | 28.54  | 4.02 |
|                                   | 109.4                       | 29.09                 | 24.02  | 3.85 | 30.74  | 23.77  | 3.85 | 32.37  | 25.38  | 3.85 | 33.16  | 27.14  | 3.85 | 35.49  | 26.40  | 3.85 | 36.25  | 28.11  | 3.85 |
|                                   | 114.8                       | 28.08                 | 23.54  | 3.39 | 29.52  | 23.23  | 3.39 | 30.93  | 24.80  | 3.39 | 31.62  | 26.54  | 3.39 | 33.66  | 25.77  | 3.39 | 34.33  | 27.47  | 3.39 |
| CTXV07A +<br>FTXV12A +<br>FTXV18A | 68.0                        | 37.91                 | 28.42  | 3.08 | 39.61  | 27.93  | 3.15 | 41.32  | 29.33  | 3.21 | 42.17  | 31.00  | 3.24 | 44.73  | 29.91  | 3.33 | 45.58  | 31.53  | 3.36 |
|                                   | 77.0                        | 36.18                 | 27.57  | 3.27 | 37.89  | 27.13  | 3.33 | 39.59  | 28.58  | 3.39 | 40.45  | 30.28  | 3.42 | 43.00  | 29.28  | 3.51 | 43.85  | 30.93  | 3.55 |
|                                   | 86.0                        | 34.46                 | 26.73  | 3.47 | 36.17  | 26.34  | 3.53 | 37.87  | 27.85  | 3.59 | 38.72  | 29.57  | 3.63 | 41.28  | 28.65  | 3.72 | 42.13  | 30.33  | 3.75 |
|                                   | 89.6                        | 33.77                 | 26.39  | 3.56 | 35.48  | 26.02  | 3.62 | 37.18  | 27.56  | 3.68 | 38.03  | 29.29  | 3.71 | 40.59  | 28.40  | 3.80 | 41.44  | 30.09  | 3.83 |
|                                   | 95.0                        | 32.74                 | 25.89  | 3.69 | 34.44  | 25.56  | 3.75 | 36.15  | 27.12  | 3.81 | 37.00  | 28.87  | 3.84 | 39.56  | 28.03  | 3.94 | 40.41  | 29.74  | 3.97 |
|                                   | 104.0                       | 31.02                 | 25.07  | 3.93 | 32.72  | 24.79  | 3.99 | 34.42  | 26.40  | 4.05 | 35.28  | 28.18  | 4.08 | 37.80  | 27.41  | 4.12 | 38.63  | 29.13  | 4.12 |
|                                   | 109.4                       | 29.98                 | 24.58  | 3.85 | 31.69  | 24.33  | 3.85 | 33.36  | 25.96  | 3.85 | 34.16  | 27.74  | 3.85 | 36.50  | 26.95  | 3.85 | 37.26  | 28.67  | 3.85 |
|                                   | 114.8                       | 28.95                 | 24.10  | 3.39 | 30.47  | 23.79  | 3.39 | 31.88  | 25.36  | 3.39 | 32.57  | 27.11  | 3.39 | 34.62  | 26.30  | 3.39 | 35.29  | 28.02  | 3.39 |
| CTXV07A +<br>FTXV12A +<br>FTXV24A | 68.0                        | 37.91                 | 28.93  | 3.03 | 39.61  | 28.43  | 3.09 | 41.32  | 29.93  | 3.15 | 42.17  | 31.71  | 3.18 | 44.73  | 30.62  | 3.27 | 45.58  | 32.35  | 3.30 |
|                                   | 77.0                        | 36.18                 | 28.09  | 3.21 | 37.89  | 27.64  | 3.27 | 39.59  | 29.20  | 3.33 | 40.45  | 31.00  | 3.36 | 43.00  | 30.00  | 3.45 | 43.85  | 31.75  | 3.48 |
|                                   | 86.0                        | 34.46                 | 27.26  | 3.41 | 36.17  | 26.86  | 3.47 | 37.87  | 28.47  | 3.53 | 38.72  | 30.30  | 3.56 | 41.28  | 29.38  | 3.65 | 42.13  | 31.16  | 3.68 |
|                                   | 89.6                        | 33.77                 | 26.93  | 3.49 | 35.48  | 26.55  | 3.55 | 37.18  | 28.18  | 3.61 | 38.03  | 30.02  | 3.64 | 40.59  | 29.13  | 3.73 | 41.44  | 30.93  | 3.76 |
|                                   | 95.0                        | 32.74                 | 26.43  | 3.62 | 34.44  | 26.09  | 3.68 | 36.15  | 27.75  | 3.74 | 37.00  | 29.61  | 3.77 | 39.56  | 28.77  | 3.86 | 40.41  | 30.58  | 3.89 |
|                                   | 104.0                       | 31.02                 | 25.62  | 3.85 | 32.72  | 25.33  | 3.92 | 34.42  | 27.04  | 3.98 | 35.28  | 28.93  | 4.01 | 37.83  | 28.17  | 4.10 | 38.69  | 30.00  | 4.12 |
|                                   | 109.4                       | 29.98                 | 25.14  | 3.85 | 31.69  | 24.87  | 3.85 | 33.33  | 26.60  | 3.85 | 34.13  | 28.47  | 3.85 | 36.48  | 27.70  | 3.85 | 37.25  | 29.53  | 3.85 |
|                                   | 114.8                       | 28.92                 | 24.64  | 3.39 | 30.37  | 24.30  | 3.39 | 31.80  | 25.98  | 3.39 | 32.50  | 27.84  | 3.39 | 34.56  | 27.04  | 3.39 | 35.23  | 28.86  | 3.39 |
| CTXV07A +<br>FTXV15A +<br>FTXV15A | 68.0                        | 37.91                 | 29.11  | 2.88 | 39.61  | 28.60  | 2.94 | 41.32  | 30.14  | 3.00 | 42.17  | 31.95  | 3.03 | 44.73  | 30.87  | 3.11 | 45.58  | 32.63  | 3.14 |
|                                   | 77.0                        | 36.18                 | 28.27  | 3.06 | 37.89  | 27.82  | 3.11 | 39.59  | 29.41  | 3.17 | 40.45  | 31.25  | 3.20 | 43.00  | 30.24  | 3.29 | 43.85  | 32.04  | 3.31 |
|                                   | 86.0                        | 34.46                 | 27.44  | 3.25 | 36.17  | 27.04  | 3.30 | 37.87  | 28.69  | 3.36 | 38.72  | 30.55  | 3.39 | 41.28  | 29.63  | 3.48 | 42.13  | 31.45  | 3.50 |
|                                   | 89.6                        | 33.77                 | 27.11  | 3.33 | 35.48  | 26.73  | 3.38 | 37.18  | 28.40  | 3.44 | 38.03  | 30.28  | 3.47 | 40.59  | 29.39  | 3.56 | 41.44  | 31.22  | 3.58 |



| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV09A +<br>FTXV09A +<br>FTXV18A | 68.0                        | 37.91                 | 28.60  | 3.08 | 39.61  | 28.10  | 3.15 | 41.32  | 29.54  | 3.21 | 42.17  | 31.25  | 3.24 | 44.73  | 30.16  | 3.33 | 45.58  | 31.82  | 3.36 |
|                                   | 77.0                        | 36.18                 | 27.75  | 3.27 | 37.89  | 27.31  | 3.33 | 39.59  | 28.80  | 3.39 | 40.45  | 30.53  | 3.42 | 43.00  | 29.53  | 3.51 | 43.85  | 31.21  | 3.55 |
|                                   | 86.0                        | 34.46                 | 26.91  | 3.47 | 36.17  | 26.52  | 3.53 | 37.87  | 28.07  | 3.59 | 38.72  | 29.83  | 3.63 | 41.28  | 28.91  | 3.72 | 42.13  | 30.62  | 3.75 |
|                                   | 89.6                        | 33.77                 | 26.58  | 3.56 | 35.48  | 26.21  | 3.62 | 37.18  | 27.78  | 3.68 | 38.03  | 29.55  | 3.71 | 40.59  | 28.66  | 3.80 | 41.44  | 30.38  | 3.83 |
|                                   | 95.0                        | 32.74                 | 26.08  | 3.69 | 34.44  | 25.74  | 3.75 | 36.15  | 27.34  | 3.81 | 37.00  | 29.13  | 3.84 | 39.56  | 28.29  | 3.94 | 40.41  | 30.03  | 3.97 |
|                                   | 104.0                       | 31.02                 | 25.26  | 3.93 | 32.72  | 24.98  | 3.99 | 34.42  | 26.63  | 4.05 | 35.28  | 28.44  | 4.08 | 37.80  | 27.67  | 4.12 | 38.63  | 29.43  | 4.12 |
|                                   | 109.4                       | 29.98                 | 24.78  | 3.85 | 31.69  | 24.52  | 3.85 | 33.36  | 26.19  | 3.85 | 34.16  | 28.00  | 3.85 | 36.50  | 27.22  | 3.85 | 37.26  | 28.97  | 3.85 |
|                                   | 114.8                       | 28.95                 | 24.29  | 3.39 | 30.47  | 23.99  | 3.39 | 31.88  | 25.59  | 3.39 | 32.57  | 27.38  | 3.39 | 34.62  | 26.57  | 3.39 | 35.29  | 28.32  | 3.39 |
| FTXV09A +<br>FTXV09A +<br>FTXV24A | 68.0                        | 37.91                 | 29.11  | 3.04 | 39.61  | 28.61  | 3.10 | 41.32  | 30.15  | 3.16 | 42.17  | 31.96  | 3.19 | 44.73  | 30.87  | 3.28 | 45.58  | 32.64  | 3.31 |
|                                   | 77.0                        | 36.18                 | 28.27  | 3.22 | 37.89  | 27.82  | 3.28 | 39.59  | 29.42  | 3.34 | 40.45  | 31.25  | 3.37 | 43.00  | 30.25  | 3.46 | 43.85  | 32.04  | 3.49 |
|                                   | 86.0                        | 34.46                 | 27.44  | 3.42 | 36.17  | 27.05  | 3.48 | 37.87  | 28.69  | 3.54 | 38.72  | 30.56  | 3.57 | 41.28  | 29.64  | 3.66 | 42.13  | 31.46  | 3.69 |
|                                   | 89.6                        | 33.77                 | 27.12  | 3.50 | 35.48  | 26.74  | 3.56 | 37.18  | 28.41  | 3.62 | 38.03  | 30.28  | 3.65 | 40.59  | 29.39  | 3.74 | 41.44  | 31.22  | 3.77 |
|                                   | 95.0                        | 32.74                 | 26.62  | 3.63 | 34.44  | 26.28  | 3.69 | 36.15  | 27.98  | 3.75 | 37.00  | 29.87  | 3.78 | 39.56  | 29.03  | 3.87 | 40.41  | 30.88  | 3.90 |
|                                   | 104.0                       | 31.02                 | 25.81  | 3.86 | 32.72  | 25.52  | 3.93 | 34.42  | 27.27  | 3.99 | 35.28  | 29.19  | 4.02 | 37.83  | 28.43  | 4.11 | 38.68  | 30.30  | 4.12 |
|                                   | 109.4                       | 29.98                 | 25.33  | 3.85 | 31.69  | 25.07  | 3.85 | 33.33  | 26.83  | 3.85 | 34.13  | 28.74  | 3.85 | 36.48  | 27.96  | 3.85 | 37.25  | 29.83  | 3.85 |
|                                   | 11                          |                       |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity)         | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|-----------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                   |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                   |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                   |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV12A +<br>FTXV12A +<br>FTXV12A | 68.0                        | 37.91                 | 27.96  | 3.28 | 39.61  | 27.47  | 3.35 | 41.32  | 28.77  | 3.42 | 42.17  | 30.34  | 3.45 | 44.73  | 29.25  | 3.55 | 45.58  | 30.77  | 3.58 |
|                                   | 77.0                        | 36.18                 | 27.09  | 3.48 | 37.89  | 26.65  | 3.55 | 39.59  | 28.01  | 3.61 | 40.45  | 29.61  | 3.65 | 43.00  | 28.61  | 3.74 | 43.85  | 30.16  | 3.78 |
|                                   | 86.0                        | 34.46                 | 26.24  | 3.70 | 36.17  | 25.85  | 3.76 | 37.87  | 27.27  | 3.83 | 38.72  | 28.89  | 3.86 | 41.28  | 27.97  | 3.96 | 42.13  | 29.55  | 3.99 |
|                                   | 89.6                        | 33.77                 | 25.90  | 3.79 | 35.48  | 25.54  | 3.85 | 37.18  | 26.97  | 3.92 | 38.03  | 28.61  | 3.95 | 40.59  | 27.72  | 4.05 | 41.44  | 29.31  | 4.08 |
|                                   | 95.0                        | 32.74                 | 25.39  | 3.93 | 34.44  | 25.06  | 4.00 | 36.15  | 26.53  | 4.06 | 37.00  | 28.18  | 4.09 | 39.49  | 27.32  | 4.12 | 40.30  | 28.91  | 4.12 |
|                                   | 104.0                       | 31.02                 | 24.56  | 4.12 | 32.72  | 24.28  | 4.12 | 34.42  | 25.80  | 4.12 | 35.28  | 27.48  | 4.12 | 37.81  | 26.72  | 4.12 | 38.61  | 28.33  | 4.12 |
|                                   | 109.4                       | 29.98                 | 24.07  | 3.85 | 31.69  | 23.82  | 3.85 | 33.39  | 25.37  | 3.85 | 34.24  | 27.07  | 3.85 | 36.71  | 26.32  | 3.85 | 37.45  | 27.93  | 3.85 |
|                                   | 114.8                       | 28.95                 | 23.58  | 3.39 | 30.65  | 23.36  | 3.39 | 32.30  | 24.92  | 3.39 | 32.98  | 26.56  | 3.39 | 34.99  | 25.72  | 3.39 | 35.64  | 27.32  | 3.39 |
| FTXV12A +<br>FTXV12A +<br>FTXV15A | 68.0                        | 37.91                 | 28.76  | 3.08 | 39.61  | 28.26  | 3.15 | 41.32  | 29.73  | 3.21 | 42.17  | 31.46  | 3.24 | 44.73  | 30.38  | 3.33 | 45.58  | 32.07  | 3.36 |
|                                   | 77.0                        | 36.18                 | 27.91  | 3.27 | 37.89  | 27.46  | 3.33 | 39.59  | 28.99  | 3.39 | 40.45  | 30.75  | 3.42 | 43.00  | 29.75  | 3.51 | 43.85  | 31.47  | 3.55 |
|                                   | 86.0                        | 34.46                 | 27.08  | 3.47 | 36.17  | 26.68  | 3.53 | 37.87  | 28.26  | 3.59 | 38.72  | 30.05  | 3.63 | 41.28  | 29.13  | 3.72 | 42.13  | 30.88  | 3.75 |
|                                   | 89.6                        | 33.77                 | 26.74  | 3.56 | 35.48  | 26.37  | 3.62 | 37.18  | 27.97  | 3.68 | 38.03  | 29.77  | 3.71 | 40.59  | 28.88  | 3.80 | 41.44  | 30.64  | 3.83 |
|                                   | 95.0                        | 32.74                 | 26.25  | 3.69 | 34.44  | 25.91  | 3.75 | 36.15  | 27.54  | 3.81 | 37.00  | 29.36  | 3.84 | 39.56  | 28.52  | 3.94 | 40.41  | 30.29  | 3.97 |
|                                   | 104.0                       | 31.02                 | 25.43  | 3.93 | 32.72  | 25.14  | 3.99 | 34.42  | 26.83  | 4.05 | 35.28  | 28.67  | 4.08 | 37.80  | 27.90  | 4.12 | 38.63  | 29.69  | 4.12 |
|                                   | 109.4                       | 29.98                 | 24.95  | 3.85 | 31.69  | 24.69  | 3.85 | 33.36  | 26.39  | 3.85 | 34.16  | 28.23  | 3.85 | 36.50  | 27.45  | 3.85 | 37.26  | 29.24  | 3.85 |
|                                   | 114.8                       | 28.95</               |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |

| Combination<br>(Capacity)                      | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|------------------------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                                |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                                |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                                |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV09A | 68.0                        | 34.63                 | 27.89  | 2.74 | 36.19  | 27.41  | 2.79 | 37.74  | 29.07  | 2.85 | 38.52  | 30.97  | 2.87 | 40.86  | 29.99  | 2.96 | 41.64  | 31.86  | 2.98 |
|                                                | 77.0                        | 33.05                 | 27.14  | 2.90 | 34.61  | 26.72  | 2.96 | 36.17  | 28.42  | 3.01 | 36.95  | 30.35  | 3.04 | 39.28  | 29.44  | 3.12 | 40.06  | 31.33  | 3.15 |
|                                                | 86.0                        | 31.48                 | 26.40  | 3.08 | 33.04  | 26.03  | 3.14 | 34.60  | 27.78  | 3.19 | 35.37  | 29.73  | 3.22 | 37.71  | 28.89  | 3.30 | 38.49  | 30.81  | 3.33 |
|                                                | 89.6                        | 30.85                 | 26.11  | 3.16 | 32.41  | 25.75  | 3.21 | 33.97  | 27.52  | 3.27 | 34.74  | 29.49  | 3.30 | 37.08  | 28.68  | 3.38 | 37.86  | 30.61  | 3.40 |
|                                                | 95.0                        | 29.91                 | 25.67  | 3.28 | 31.46  | 25.35  | 3.33 | 33.02  | 27.14  | 3.39 | 33.80  | 29.12  | 3.41 | 36.14  | 28.35  | 3.50 | 36.91  | 30.30  | 3.52 |
|                                                | 104.0                       | 28.33                 | 24.95  | 3.49 | 29.89  | 24.67  | 3.54 | 31.45  | 26.52  | 3.60 | 32.23  | 28.52  | 3.62 | 34.56  | 27.82  | 3.70 | 35.34  | 29.79  | 3.73 |
|                                                | 109.4                       | 27.39                 | 24.52  | 3.62 | 28.95  | 24.27  | 3.67 | 30.50  | 26.14  | 3.73 | 31.28  | 28.16  | 3.76 | 33.62  | 27.50  | 3.84 | 34.38  | 29.48  | 3.85 |
|                                                | 114.8                       | 26.41                 | 24.08  | 3.39 | 27.83  | 23.80  | 3.39 | 29.22  | 25.64  | 3.39 | 29.91  | 27.64  | 3.39 | 31.92  | 26.94  | 3.39 | 32.58  | 28.91  | 3.39 |
| CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV12A | 68.0                        | 36.27                 | 28.82  | 2.93 | 37.90  | 28.33  | 2.99 | 39.53  | 29.99  | 3.05 | 40.34  | 31.91  | 3.08 | 42.79  | 30.88  | 3.16 | 43.61  | 32.76  | 3.19 |
|                                                | 77.0                        | 34.62                 | 28.04  | 3.11 | 36.25  | 27.60  | 3.17 | 37.88  | 29.31  | 3.22 | 38.70  | 31.26  | 3.25 | 41.14  | 30.30  | 3.34 | 41.96  | 32.21  | 3.37 |
|                                                | 86.0                        | 32.97                 | 27.26  | 3.30 | 34.60  | 26.87  | 3.36 | 36.23  | 28.63  | 3.42 | 37.05  | 30.61  | 3.45 | 39.49  | 29.72  | 3.53 | 40.31  | 31.66  | 3.56 |
|                                                | 89.6                        | 32.31                 | 26.95  | 3.38 | 33.94  | 26.58  | 3.44 | 35.57  | 28.36  | 3.50 | 36.39  | 30.35  | 3.53 | 38.84  | 29.50  | 3.61 | 39.65  | 31.44  | 3.64 |
|                                                | 95.0                        | 31.32                 | 26.49  | 3.51 | 32.95  | 26.15  | 3.57 | 34.58  | 27.96  | 3.62 | 35.40  | 29.96  | 3.65 | 37.85  | 29.16  | 3.74 | 38.66  | 31.12  | 3.77 |
|                                                | 104.0                       | 29.67                 | 25.73  | 3.73 | 31.31  | 25.44  | 3.79 | 32.94  | 27.30  | 3.85 | 33.75  | 29.32  | 3.88 | 36.20  | 28.59  | 3.97 | 37.01  | 30.58  | 3.99 |
|                                                | 109.4                       | 28.69                 | 25.27  | 3.85 | 30.32  | 25.01  | 3.85 | 31.93  | 26.90  | 3.85 | 32.71  | 28.93  | 3.85 | 35.03  | 28.20  | 3.85 | 35.7   |        |      |

| Combination<br>(Capacity)                      | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|------------------------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                                |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                                |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                                |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>CTXV07A +<br>FTXV12A +<br>FTXV12A | 68.0                        | 37.91                 | 30.10  | 3.07 | 39.61  | 29.59  | 3.13 | 41.32  | 31.32  | 3.19 | 42.17  | 33.33  | 3.22 | 44.73  | 32.24  | 3.31 | 45.58  | 34.21  | 3.34 |
|                                                | 77.0                        | 36.18                 | 29.28  | 3.25 | 37.89  | 28.82  | 3.31 | 39.59  | 30.61  | 3.37 | 40.45  | 32.64  | 3.40 | 43.00  | 31.64  | 3.50 | 43.85  | 33.63  | 3.53 |
|                                                | 86.0                        | 34.46                 | 28.47  | 3.45 | 36.17  | 28.06  | 3.51 | 37.87  | 29.90  | 3.58 | 38.72  | 31.96  | 3.61 | 41.28  | 31.04  | 3.70 | 42.13  | 33.06  | 3.73 |
|                                                | 89.6                        | 33.77                 | 28.15  | 3.54 | 35.48  | 27.76  | 3.60 | 37.18  | 29.62  | 3.66 | 38.03  | 31.69  | 3.69 | 40.59  | 30.80  | 3.78 | 41.44  | 32.83  | 3.81 |
|                                                | 95.0                        | 32.74                 | 27.66  | 3.67 | 34.44  | 27.31  | 3.73 | 36.15  | 29.20  | 3.79 | 37.00  | 31.29  | 3.82 | 39.56  | 30.44  | 3.92 | 40.41  | 32.49  | 3.95 |
|                                                | 104.0                       | 31.02                 | 26.87  | 3.91 | 32.72  | 26.57  | 3.97 | 34.42  | 28.51  | 4.03 | 35.28  | 30.62  | 4.06 | 37.82  | 29.85  | 4.12 | 38.64  | 31.91  | 4.12 |
|                                                | 109.4                       | 29.98                 | 26.39  | 3.85 | 31.69  | 26.12  | 3.85 | 33.35  | 28.08  | 3.85 | 34.15  | 30.18  | 3.85 | 36.49  | 29.40  | 3.85 | 37.26  | 31.46  | 3.85 |
|                                                | 114.8                       | 28.95                 | 25.92  | 3.39 | 30.44  | 25.59  | 3.39 | 31.85  | 27.49  | 3.39 | 32.55  | 29.58  | 3.39 | 34.60  | 28.77  | 3.39 | 35.27  | 30.83  | 3.39 |
| CTXV07A +<br>CTXV07A +<br>FTXV12A +<br>FTXV15A | 68.0                        | 37.91                 | 30.98  | 2.87 | 39.61  | 30.46  | 2.92 | 41.32  | 32.35  | 2.98 | 42.17  | 34.52  | 3.01 | 44.73  | 33.44  | 3.10 | 45.58  | 35.58  | 3.12 |
|                                                | 77.0                        | 36.18                 | 30.17  | 3.04 | 37.89  | 29.70  | 3.10 | 39.59  | 31.65  | 3.15 | 40.45  | 33.85  | 3.18 | 43.00  | 32.84  | 3.27 | 43.85  | 35.01  | 3.30 |
|                                                | 86.0                        | 34.46                 | 29.36  | 3.23 | 36.17  | 28.95  | 3.28 | 37.87  | 30.95  | 3.34 | 38.72  | 33.18  | 3.37 | 41.28  | 32.25  | 3.46 | 42.13  | 34.44  | 3.48 |
|                                                | 89.6                        | 33.77                 | 29.05  | 3.31 | 35.48  | 28.65  | 3.36 | 37.18  | 30.67  | 3.42 | 38.03  | 32.91  | 3.45 | 40.59  | 32.02  | 3.54 | 41.44  | 34.22  | 3.56 |
|                                                | 95.0                        | 32.74                 | 28.57  | 3.43 | 34.44  | 28.21  | 3.49 | 36.15  | 30.26  | 3.55 | 37.00  | 32.51  | 3.57 | 39.56  | 31.67  | 3.66 | 40.41  | 33.88  | 3.69 |
|                                                | 104.0                       | 31.02                 | 27.78  | 3.65 | 32.72  | 27.47  | 3.71 | 34.42  | 29.58  | 3.76 | 35.28  | 31.85  | 3.79 | 37.83  | 31.09  | 3.88 | 38.69  | 33.33  | 3.91 |
|                                                | 109.4                       | 29.98                 | 27.32  | 3.79 | 31.69  | 27.04  | 3.85 | 33.35  | 29.16  | 3.85 | 34.17  | 31.44  | 3.85 | 36.58  | 30.67  | 3.85 | 3      |        |      |

| Combination<br>(Capacity)                      | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|------------------------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                                |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                                |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                                |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| CTXV07A +<br>FTXV09A +<br>FTXV12A +<br>FTXV15A | 68.0                        | 37.91                 | 31.33  | 2.87 | 39.61  | 30.80  | 2.93 | 41.32  | 32.76  | 2.99 | 42.17  | 35.00  | 3.02 | 44.73  | 33.92  | 3.10 | 45.58  | 36.12  | 3.13 |
|                                                | 77.0                        | 36.18                 | 30.52  | 3.05 | 37.89  | 30.05  | 3.11 | 39.59  | 32.06  | 3.16 | 40.45  | 34.33  | 3.19 | 43.00  | 33.33  | 3.28 | 43.85  | 35.56  | 3.31 |
|                                                | 86.0                        | 34.46                 | 29.72  | 3.24 | 36.17  | 29.31  | 3.29 | 37.87  | 31.37  | 3.35 | 38.72  | 33.66  | 3.38 | 41.28  | 32.74  | 3.47 | 42.13  | 35.00  | 3.49 |
|                                                | 89.6                        | 33.77                 | 29.41  | 3.32 | 35.48  | 29.01  | 3.37 | 37.18  | 31.10  | 3.43 | 38.03  | 33.40  | 3.46 | 40.59  | 32.51  | 3.55 | 41.44  | 34.78  | 3.57 |
|                                                | 95.0                        | 32.74                 | 28.93  | 3.44 | 34.44  | 28.57  | 3.50 | 36.15  | 30.68  | 3.56 | 37.00  | 33.00  | 3.58 | 39.56  | 32.16  | 3.67 | 40.41  | 34.44  | 3.70 |
|                                                | 104.0                       | 31.02                 | 28.15  | 3.66 | 32.72  | 27.84  | 3.72 | 34.42  | 30.00  | 3.77 | 35.28  | 32.35  | 3.80 | 37.83  | 31.58  | 3.89 | 38.69  | 33.89  | 3.92 |
|                                                | 109.4                       | 29.98                 | 27.69  | 3.80 | 31.68  | 27.40  | 3.85 | 33.35  | 29.58  | 3.85 | 34.17  | 31.93  | 3.85 | 36.57  | 31.17  | 3.85 | 37.36  | 33.47  | 3.85 |
|                                                | 114.8                       | 28.72                 | 27.12  | 3.39 | 30.21  | 26.78  | 3.39 | 31.67  | 28.93  | 3.39 | 32.38  | 31.26  | 3.39 | 34.49  | 30.48  | 3.39 | 35.18  | 32.79  | 3.39 |
| CTXV07A +<br>FTXV09A +<br>FTXV12A +<br>FTXV18A | 68.0                        | 37.91                 | 31.47  | 2.87 | 39.61  | 30.95  | 2.93 | 41.32  | 32.93  | 2.99 | 42.17  | 35.20  | 3.02 | 44.73  | 34.12  | 3.10 | 45.58  | 36.35  | 3.13 |
|                                                | 77.0                        | 36.18                 | 30.67  | 3.05 | 37.89  | 30.20  | 3.11 | 39.59  | 32.24  | 3.16 | 40.45  | 34.53  | 3.19 | 43.00  | 33.53  | 3.28 | 43.85  | 35.79  | 3.31 |
|                                                | 86.0                        | 34.46                 | 29.87  | 3.24 | 36.17  | 29.46  | 3.29 | 37.87  | 31.55  | 3.35 | 38.72  | 33.87  | 3.38 | 41.28  | 32.94  | 3.47 | 42.13  | 35.23  | 3.49 |
|                                                | 89.6                        | 33.77                 | 29.56  | 3.32 | 35.48  | 29.16  | 3.37 | 37.18  | 31.27  | 3.43 | 38.03  | 33.60  | 3.46 | 40.59  | 32.71  | 3.55 | 41.44  | 35.01  | 3.57 |
|                                                | 95.0                        | 32.74                 | 29.09  | 3.44 | 34.44  | 28.72  | 3.50 | 36.15  | 30.86  | 3.56 | 37.00  | 33.21  | 3.58 | 39.56  | 32.36  | 3.67 | 40.41  | 34.67  | 3.70 |
|                                                | 104.0                       | 31.02                 | 28.30  | 3.66 | 32.72  | 27.99  | 3.72 | 34.42  | 30.18  | 3.77 | 35.28  | 32.55  | 3.80 | 37.83  | 31.79  | 3.89 | 38.69  | 34.13  | 3.92 |
|                                                | 109.4                       | 29.98                 | 27.84  | 3.80 | 31.68  | 27.55  | 3.85 | 33.35  | 29.76  | 3.85 | 34.17  | 32.14  | 3.85 | 36.57  | 31.37  | 3.85 |        |        |      |

| Combination<br>(Capacity)                      | Outdoor<br>air temp.<br>EDB | Indoor air temp. :EWB |        |      |        |        |      |        |        |      |        |        |      |        |        |      |        |        |      |
|------------------------------------------------|-----------------------------|-----------------------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|
|                                                |                             | 57.2                  |        |      | 60.8   |        |      | 64.4   |        |      | 67.0   |        |      | 71.6   |        |      | 73.4   |        |      |
|                                                |                             | TC                    | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   | TC     | SHC    | PI   |
|                                                |                             | kBtu/h                | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   | kBtu/h | kBtu/h | kW   |
| FTXV09A +<br>FTXV09A +<br>FTXV12A +<br>FTXV15A | 68.0                        | 37.91                 | 31.68  | 2.87 | 39.61  | 31.15  | 2.93 | 41.32  | 33.18  | 2.99 | 42.17  | 35.48  | 3.02 | 44.73  | 34.40  | 3.10 | 45.58  | 36.67  | 3.13 |
|                                                | 77.0                        | 36.18                 | 30.88  | 3.05 | 37.89  | 30.41  | 3.11 | 39.59  | 32.48  | 3.16 | 40.45  | 34.81  | 3.19 | 43.00  | 33.81  | 3.28 | 43.85  | 36.11  | 3.31 |
|                                                | 86.0                        | 34.46                 | 30.09  | 3.24 | 36.17  | 29.67  | 3.29 | 37.87  | 31.79  | 3.35 | 38.72  | 34.15  | 3.38 | 41.28  | 33.23  | 3.47 | 42.13  | 35.55  | 3.49 |
|                                                | 89.6                        | 33.77                 | 29.77  | 3.32 | 35.48  | 29.37  | 3.37 | 37.18  | 31.52  | 3.43 | 38.03  | 33.89  | 3.46 | 40.59  | 33.00  | 3.55 | 41.44  | 35.33  | 3.57 |
|                                                | 95.0                        | 32.74                 | 29.30  | 3.44 | 34.44  | 28.93  | 3.50 | 36.15  | 31.11  | 3.56 | 37.00  | 33.50  | 3.58 | 39.56  | 32.65  | 3.67 | 40.41  | 35.00  | 3.70 |
|                                                | 104.0                       | 31.02                 | 28.52  | 3.66 | 32.72  | 28.20  | 3.72 | 34.42  | 30.43  | 3.77 | 35.28  | 32.85  | 3.80 | 37.83  | 32.08  | 3.89 | 38.69  | 34.45  | 3.92 |
|                                                | 109.4                       | 29.98                 | 28.06  | 3.80 | 31.68  | 27.77  | 3.85 | 33.35  | 30.02  | 3.85 | 34.17  | 32.43  | 3.85 | 36.57  | 31.66  | 3.85 | 37.36  | 34.04  | 3.85 |
| FTXV09A +<br>FTXV09A +<br>FTXV12A +<br>FTXV18A | 114.8                       | 28.72                 | 27.50  | 3.39 | 30.21  | 27.15  | 3.39 | 31.67  | 29.36  | 3.39 | 32.38  | 31.76  | 3.39 | 34.49  | 30.98  | 3.39 | 35.18  | 33.35  | 3.39 |
|                                                | 68.0                        | 37.91                 | 31.83  | 2.82 | 39.61  | 31.30  | 2.87 | 41.32  | 33.35  | 2.93 | 42.17  | 35.68  | 2.96 | 44.73  | 34.60  | 3.04 | 45.58  | 36.90  | 3.07 |
|                                                | 77.0                        | 36.18                 | 31.03  | 2.99 | 37.89  | 30.55  | 3.04 | 39.59  | 32.66  | 3.10 | 40.45  | 35.02  | 3.13 | 43.00  | 34.02  | 3.21 | 43.85  | 36.34  | 3.24 |
|                                                | 86.0                        | 34.46                 | 30.24  | 3.17 | 36.17  | 29.81  | 3.23 | 37.87  | 31.97  | 3.29 | 38.72  | 34.36  | 3.31 | 41.28  | 33.43  | 3.40 | 42.13  | 35.79  | 3.43 |
|                                                | 89.6                        | 33.77                 | 29.92  | 3.25 | 35.48  | 29.52  | 3.31 | 37.18  | 31.70  | 3.36 | 38.03  | 34.09  | 3.39 | 40.59  | 33.20  | 3.48 | 41.44  | 35.57  | 3.50 |
|                                                | 95.0                        | 32.74                 | 29.45  | 3.37 | 34.44  | 29.08  | 3.43 | 36.15  | 31.29  | 3.49 | 37.00  | 33.70  | 3.51 | 39.56  | 32.86  | 3.60 | 40.41  | 35.24  | 3.63 |
|                                                | 104.0                       | 31.02                 | 28.67  | 3.59 | 32.72  | 28.36  | 3.65 | 34.42  | 30.61  | 3.70 | 35.28  | 33.05  | 3.73 | 37.83  | 32.29  | 3.81 | 38.69  | 34.69  | 3.84 |
| FTXV09A +<br>FTXV09A +<br>FTXV15A +<br>FTXV15A | 109.4                       | 29.98                 | 28.21  | 3.73 | 31.69  | 27.92  | 3.78 | 33.39  | 30.21  | 3.84 | 34.23  | 32.66  | 3.85 | 36.66  | 31.90  | 3.85 | 37.45  | 34.30  | 3.85 |
|                                                | 114.8                       | 28.69                 | 27.63  | 3.39 | 30.19  | 27.30  | 3.39 | 31.65  | 29.54  | 3.39 | 32.38  | 31.97  | 3.39 | 34.50  | 31.19  | 3.39 | 35.20  | 33.60  | 3.39 |
|                                                | 68.0                        | 37.91                 | 32.58  | 2.67 | 39.61  | 32.05  | 2.73 | 41.32  | 34.23  | 2.78 | 42.17  | 36.71  | 2.81 | 44.73  | 35.63  | 2.89 | 45.58  | 38.07  | 2.91 |
|                                                | 77.0                        | 36.18                 | 31.79  | 2.83 | 37.89  | 31.31  | 2.89 | 39.59  | 33.55  | 2.94 | 40.45  | 36.05  | 2.97 | 43.00  | 35.05  | 3.05 | 43.85  | 37.52  | 3.07 |
|                                                | 86.0                        | 34.46                 | 31.00  | 3.01 | 36.17  | 30.58  | 3.06 | 37.87  | 32.87  | 3.12 | 38.72  | 35.39  | 3.14 | 41.28  | 34.47  | 3.22 | 42.13  | 36.96  | 3.25 |
|                                                | 89.6                        | 33.77                 | 30.69  | 3.08 | 35.48  | 30.29  | 3.14 | 37.18  | 32.60  | 3.19 | 38.03  | 35.13  | 3.22 | 40.59  | 34.24  | 3.30 | 41.44  | 36.75  | 3.32 |
|                                                | 95.0                        | 32.74                 | 30.23  | 3.20 | 34.44  | 29.85  | 3.25 | 36.15  | 32.19  | 3.31 | 37.00  | 34.74  | 3.33 | 39.56  | 33.90  | 3.41 | 40.41  | 36.42  | 3.44 |
| FTXV09A +<br>FTXV12A +<br>FTXV12A +<br>FTXV12A | 104.0                       | 31.02                 | 29.45  | 3.40 | 32.72  | 29.13  | 3.46 | 34.42  | 31.52  | 3.51 | 35.28  | 34.10  | 3.54 | 37.83  | 33.33  | 3.62 | 38.69  | 35.88  | 3.64 |
|                                                | 109.4                       | 29.98                 | 29.00  | 3.53 | 31.69  | 28.70  | 3.59 | 33.39  | 31.13  | 3.64 | 34.24  | 33.72  | 3.67 | 36.80  | 33.00  | 3.75 | 37.65  | 35.56  | 3.77 |
|                                                | 114.8                       | 28.68                 | 28.42  | 3.39 | 30.22  | 28.10  | 3.39 | 31.73  | 30.49  | 3.39 | 32.47  | 32.47  | 3.39 | 34.65  | 32.30  | 3.39 | 35.36  | 34.85  | 3.39 |
|                                                | 68.0                        | 37.91                 | 30.95  | 3.01 | 39.61  | 30.43  | 3.07 | 41.32  | 32.32  | 3.13 | 42.17  | 34.49  | 3.16 | 44.73  | 33.41  | 3.25 | 45.58  | 35.54  | 3.28 |
|                                                | 77.0                        | 36.18                 | 30.14  | 3.19 | 37.89  | 29.67  | 3.25 | 39.59  | 31.62  | 3.31 | 40.45  | 33.81  | 3.34 | 43.00  | 32.81  | 3.43 | 43.85  | 34.97  | 3.46 |
|                                                | 86.0                        | 34.46                 | 29.34  | 3.39 | 36.17  | 28.93  | 3.45 | 37.87  | 30.92  | 3.51 | 38.72  | 33.14  | 3.54 | 41.28  | 32.22  | 3.63 | 42.13  | 34.41  | 3.66 |
|                                                | 89.6                        | 33.77                 | 29.02  | 3.47 | 35.48  | 28.63  | 3.53 | 37.18  | 30.64  | 3.59 | 38.03  | 32.88  | 3.62 | 40.59  | 31.99  | 3.71 | 41.44  | 34.18  | 3.74 |
| FTXV09A +<br>FTXV12A +<br>FTXV12A +<br>FTXV15A | 95.0                        | 32.74                 | 28.55  | 3.60 | 34.44  | 28.18  | 3.66 | 36.15  | 30.23  | 3.72 | 37.00  | 32.48  | 3.75 | 39.56  | 31.64  | 3.84 | 40.41  | 33.85  | 3.87 |
|                                                | 104.0                       | 31.02                 | 27.76  | 3.83 | 32.72  | 27.45  | 3.89 | 34.42  | 29.55  | 3.95 | 35.28  | 31.82  | 3.98 | 37.83  | 31.06  | 4.07 | 38.69  | 33.29  | 4.10 |
|                                                | 109.4                       | 29.98                 | 27.29  | 3.85 | 31.69  | 27.01  | 3.85 | 33.32  | 29.11  | 3.85 | 34.13  | 31.38  | 3.85 | 36.49  | 30.61  | 3.85 | 37.26  | 32.84  | 3.85 |
|                                                | 114.8                       | 28.89                 | 26.80  | 3.39 | 30.35  | 26.45  | 3.39 | 31.78  | 28.51  | 3.39 | 32.48  | 30.77  | 3.39 | 34.54  | 29.97  | 3.39 | 35.22  | 32.19  | 3.39 |
|                                                | 68.0                        | 37.91                 | 31.84  | 2.88 | 39.61  | 31.31  | 2.94 | 41.32  | 33.36  | 3.00 | 42.17  | 35.70  | 3.03 | 44.73  | 34.62  | 3.11 | 45.58  | 36.92  | 3.14 |
|                                                | 77.0                        | 36.18                 | 31.04  | 3.06 | 37.89  | 30.57  | 3.11 | 39.59  | 32.67  | 3.17 | 40.45  | 35.03  | 3.20 | 43.00  | 34.03  | 3.29 | 43.85  | 36.36  | 3.31 |
|                                                | 86.0                        | 34.46                 | 30.25  | 3.25 | 36.17  | 29.03  | 3.30 | 37.87  | 31.98  | 3.36 | 38.72  | 34.37  | 3.39 | 41.28  | 33.45  | 3.48 | 42.13  | 35.81  | 3.50 |
| FTXV12A +<br>FTXV12A +<br>FTXV12A +<br>FTXV12A | 89.6                        | 33.77                 | 29.93  | 3.33 | 35.48  | 29.53  | 3.38 | 37.18  | 31.71  | 3.44 | 38.03  | 34.11  | 3.47 | 40.59  | 33.22  | 3.56 | 41.44  | 35.58  | 3.58 |
|                                                | 95.0                        | 32.74                 | 29.46  | 3.45 | 34.44  | 29.09  | 3.51 | 36.15  | 31.30  | 3.57 | 37.00  | 33.72  | 3.59 | 39.56  | 32.87  | 3.68 | 40.41  | 35.25  | 3.71 |
|                                                | 104.0                       | 31.02                 | 28.69  | 3.67 | 32.72  | 28.37  | 3.73 | 34.42  | 30.63  | 3.79 | 35.28  | 33.07  | 3.81 | 37.83  | 32.30  | 3.90 | 38.69  | 34.71  | 3.93 |
|                                                | 109.4                       | 29.98                 | 28.22  | 3.81 | 31.68  | 27.93  | 3.85 | 33.34  | 30.21  | 3.85 | 34.16  | 32.65  | 3.85 | 36.56  | 31.88  | 3.85 | 37.35  | 34.29  | 3.85 |
|                                                | 114.8                       | 28.73                 | 27.67  | 3.39 | 30.22  | 27.32  | 3.39 | 31.67  | 29.56  | 3.39 | 32.38  | 31.99  | 3.39 | 34.49  | 31.21  | 3.39 | 35.18  | 33.61  | 3.39 |
|                                                | 68.0                        | 37.91                 | 31.11  | 3.02 | 39.61  | 30.59  | 3.08 | 41.32  | 32.51  | 3.14 | 42.17  | 34.70  | 3.17 | 44.73  | 33.62  | 3.26 | 45.58  | 35.78  | 3.29 |
|                                                | 77.0                        | 36.18                 | 30.30  | 3.20 | 37.89  | 29.83  | 3.26 | 39.59  | 31.80  | 3.32 | 40.45  | 34.03  | 3.35 | 43.00  | 33.03  | 3.44 | 43.85  | 35.22  | 3.47 |
| FTXV12A +<br>FTXV12A +<br>FTXV12A +<br>FTXV12A | 86.0                        | 34.46                 | 29.50  | 3.40 | 36.17  | 29.09  | 3.46 | 37.87  | 31.11  | 3.52 | 38.72  | 33.36  | 3.55 | 41.28  | 32.44  | 3.64 | 42.13  | 34.65  | 3.67 |
|                                                | 89.6                        | 33.77                 | 29.18  | 3.48 | 35.48  | 28.79  | 3.54 | 37.18  | 30.83  | 3.60 | 38.03  | 33.09  | 3.63 | 40.59  | 32.21  | 3.72 | 41.44  | 34.43  | 3.75 |
|                                                | 95.0                        | 32.74                 | 28.71  | 3.61 | 34.44  | 28.34  | 3.67 | 36.15  | 30.42  | 3.73 | 37.00  | 32.70  | 3.76 | 39.56  | 31.86  | 3.85 | 40.41  | 34.10  | 3.88 |
|                                                | 104.0                       | 31.02                 | 27.92  | 3.84 | 32.72  | 27.61  | 3.90 | 34.42  | 29.74  | 3.96 | 35.28  | 32.04  | 3.99 | 37.83  | 31.28  | 4.09 | 38.69  | 33.54  | 4.12 |
|                                                | 109.4                       | 29.98                 | 27.46  | 3.85 | 31.69  | 27.17  | 3.85 | 33.33  | 29.31  | 3.85 | 34.13  | 31.61  | 3.85 | 36.48  | 30.83  | 3.85 | 37.26  | 33.09  | 3.85 |
|                                                | 114.8                       | 28.91                 | 26.97  | 3.39 | 30.36  | 26.62  | 3.39 | 31.79  | 28.71  | 3.39 | 32.49  | 30.99  | 3.39 | 34.55  | 30.19  | 3.39 | 35.23  | 32.45  | 3.39 |

**Symbols:**

EDB : Entering dry bulb temp. (°F)

EWB : Entering wet bulb temp. (°F)

TC : Total capacity (kBtu/h)

SHC : Sensible heat capacity (kBtu/h)

PI : Power input (kW)

**Notes:**

1. Ratings shown are net capacities which include a deduction for indoor fan motor heat.

2. ■ shows max capacities and power input.

3. TC, SHC and PI must be calculated by interpolation using the figures in the above tables.  
(Figures out of the tables should not be used for calculation.)

4. Capacities are based on the following conditions.

5. Corresponding refrigerant piping length : 25 ft

3D153125

3D153126

3D153127

3D153128

3D153129

3D153130

3D153131

3D153132

3D153133

3D153134

3D153135

### 3.6 4MXM36AVJU9 Heating

#### Heating [60 Hz, 208 - 230 V]

| Combination<br>(Capacity) | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|---------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                           |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                           |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                           |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| CTXV07A                   | 60.8                       | 7.85                   | 1.10 | 9.44   | 1.16 | 11.02  | 1.21 | 12.60  | 1.27 | 14.49  | 1.34 | 15.76  | 1.38 | 17.34  | 1.44 |
|                           | 64.4                       | 7.66                   | 1.11 | 9.24   | 1.17 | 10.82  | 1.23 | 12.40  | 1.28 | 14.30  | 1.35 | 15.57  | 1.40 | 17.15  | 1.45 |
|                           | 68.0                       | 7.47                   | 1.13 | 9.05   | 1.18 | 10.63  | 1.24 | 12.21  | 1.30 | 14.11  | 1.36 | 15.37  | 1.41 | 16.95  | 1.46 |
|                           | 70.0                       | 7.36                   | 1.13 | 8.94   | 1.19 | 10.52  | 1.25 | 12.10  | 1.30 | 14.00  | 1.37 | 15.26  | 1.42 | 16.85  | 1.47 |
|                           | 71.6                       | 7.27                   | 1.14 | 8.86   | 1.19 | 10.44  | 1.25 | 12.02  | 1.31 | 13.91  | 1.38 | 15.18  | 1.42 | 16.76  | 1.48 |
|                           | 75.2                       | 7.08                   | 1.15 | 8.66   | 1.21 | 10.24  | 1.26 | 11.82  | 1.32 | 13.72  | 1.39 | 14.99  | 1.43 | 16.57  | 1.49 |
| FTXV09A                   | 60.8                       | 10.10                  | 1.46 | 12.13  | 1.54 | 14.16  | 1.61 | 16.20  | 1.69 | 18.64  | 1.78 | 20.26  | 1.84 | 22.29  | 1.91 |
|                           | 64.4                       | 9.85                   | 1.48 | 11.88  | 1.55 | 13.92  | 1.63 | 15.95  | 1.70 | 18.39  | 1.79 | 20.01  | 1.85 | 22.05  | 1.93 |
|                           | 68.0                       | 9.60                   | 1.50 | 11.63  | 1.57 | 13.67  | 1.65 | 15.70  | 1.72 | 18.14  | 1.81 | 19.76  | 1.87 | 21.80  | 1.95 |
|                           | 70.0                       | 9.46                   | 1.51 | 11.50  | 1.58 | 13.53  | 1.66 | 15.56  | 1.73 | 18.00  | 1.82 | 19.63  | 1.88 | 21.66  | 1.95 |
|                           | 71.6                       | 9.35                   | 1.51 | 11.39  | 1.59 | 13.42  | 1.66 | 15.45  | 1.74 | 17.89  | 1.83 | 19.52  | 1.89 | 21.55  | 1.96 |
|                           | 75.2                       | 9.10                   | 1.53 | 11.14  | 1.60 | 13.17  | 1.68 | 15.20  | 1.75 | 17.64  | 1.84 | 19.27  | 1.90 | 21.30  | 1.98 |
| FTXV12A                   | 60.8                       | 13.46                  | 2.02 | 16.17  | 2.12 | 18.88  | 2.22 | 21.59  | 2.33 | 24.85  | 2.45 | 27.01  | 2.53 | 29.72  | 2.64 |
|                           | 64.4                       | 13.13                  | 2.04 | 15.84  | 2.14 | 18.55  | 2.25 | 21.26  | 2.35 | 24.52  | 2.47 | 26.68  | 2.56 | 28.89  | 2.57 |
|                           | 68.0                       | 12.80                  | 2.06 | 15.51  | 2.17 | 18.22  | 2.27 | 20.93  | 2.37 | 24.18  | 2.50 | 26.35  | 2.58 | 27.33  | 2.38 |
|                           | 70.0                       | 12.62                  | 2.08 | 15.33  | 2.18 | 18.04  | 2.28 | 20.75  | 2.39 | 24.00  | 2.51 | 26.17  | 2.59 | 26.46  | 2.27 |
|                           | 71.6                       | 12.47                  | 2.09 | 15.18  | 2.19 | 17.89  | 2.29 | 20.60  | 2.40 | 23.85  | 2.52 | 25.77  | 2.55 | 25.77  | 2.19 |
|                           | 75.2                       | 12.14                  | 2.11 | 14.85  | 2.21 | 17.56  | 2.32 | 20.27  | 2.42 | 23.52  | 2.54 | 24.21  | 2.34 | 24.21  | 2.01 |
| FTXV15A                   | 60.8                       | 16.83                  | 2.41 | 20.22  | 2.54 | 23.61  | 2.66 | 26.99  | 2.78 | 31.06  | 2.93 | 33.77  | 3.03 | 37.16  | 3.15 |
|                           | 64.4                       | 16.42                  | 2.44 | 19.80  | 2.56 | 23.19  | 2.69 | 26.58  | 2.81 | 30.64  | 2.96 | 33.35  | 3.06 | 36.74  | 3.18 |
|                           | 68.0                       | 16.00                  | 2.47 | 19.39  | 2.59 | 22.78  | 2.71 | 26.17  | 2.84 | 30.23  | 2.98 | 32.94  | 3.08 | 36.33  | 3.21 |
|                           | 70.0                       | 15.77                  | 2.48 | 19.16  | 2.60 | 22.55  | 2.73 | 25.93  | 2.85 | 30.00  | 3.00 | 32.71  | 3.10 | 36.10  | 3.22 |
|                           | 71.6                       | 15.59                  | 2.49 | 18.98  | 2.62 | 22.36  | 2.74 | 25.75  | 2.86 | 29.82  | 3.01 | 32.53  | 3.11 | 35.91  | 3.23 |
|                           | 75.2                       | 15.17                  | 2.52 | 18.56  | 2.64 | 21.95  | 2.77 | 25.34  | 2.89 | 29.40  | 3.04 | 32.11  | 3.14 | 35.50  | 3.26 |
| FTXV18A                   | 60.8                       | 20.20                  | 3.06 | 24.26  | 3.21 | 28.33  | 3.37 | 32.39  | 3.52 | 37.27  | 3.71 | 40.52  | 3.84 | 44.59  | 3.99 |
|                           | 64.4                       | 19.70                  | 3.09 | 23.77  | 3.25 | 27.83  | 3.40 | 31.90  | 3.56 | 36.77  | 3.75 | 40.03  | 3.87 | 44.09  | 4.03 |
|                           | 68.0                       | 19.20                  | 3.12 | 23.27  | 3.28 | 27.33  | 3.44 | 31.40  | 3.59 | 36.28  | 3.78 | 39.53  | 3.91 | 43.59  | 4.06 |
|                           | 70.0                       | 18.93                  | 3.14 | 22.99  | 3.30 | 27.06  | 3.46 | 31.12  | 3.61 | 36.00  | 3.80 | 39.25  | 3.93 | 42.67  | 3.93 |
|                           | 71.6                       | 18.71                  | 3.16 | 22.77  | 3.31 | 26.84  | 3.47 | 30.90  | 3.63 | 35.78  | 3.82 | 39.03  | 3.94 | 41.55  | 3.74 |
|                           | 75.2                       | 18.21                  | 3.19 | 22.27  | 3.35 | 26.34  | 3.51 | 30.40  | 3.66 | 35.28  | 3.85 | 38.53  | 3.97 | 39.03  | 3.34 |
| FTXV24A                   | 60.8                       | 21.49                  | 3.35 | 25.81  | 3.52 | 30.14  | 3.70 | 34.46  | 3.87 | 39.65  | 4.07 | 43.11  | 4.21 | 47.35  | 4.35 |
|                           | 64.4                       | 20.96                  | 3.39 | 25.28  | 3.56 | 29.61  | 3.73 | 33.93  | 3.91 | 39.12  | 4.11 | 42.58  | 4.25 | 46.43  | 4.30 |
|                           | 68.0                       | 20.43                  | 3.43 | 24.75  | 3.60 | 29.08  | 3.77 | 33.40  | 3.94 | 38.59  | 4.15 | 42.05  | 4.29 | 43.92  | 3.87 |
|                           | 70.0                       | 20.14                  | 3.45 | 24.46  | 3.62 | 28.79  | 3.79 | 33.11  | 3.96 | 38.30  | 4.17 | 41.76  | 4.31 | 42.52  | 3.65 |
|                           | 71.6                       | 19.90                  | 3.47 | 24.23  | 3.64 | 28.55  | 3.81 | 32.88  | 3.98 | 38.06  | 4.19 | 41.41  | 4.29 | 41.41  | 3.48 |
|                           | 75.2                       | 19.37                  | 3.50 | 23.70  | 3.67 | 28.02  | 3.85 | 32.35  | 4.02 | 37.54  | 4.22 | 38.90  | 3.81 | 38.90  | 3.12 |
| CTXV07A +<br>CTXV07A      | 60.8                       | 15.71                  | 2.15 | 18.87  | 2.27 | 22.03  | 2.38 | 25.19  | 2.49 | 28.99  | 2.62 | 31.52  | 2.71 | 34.68  | 2.82 |
|                           | 64.4                       | 15.32                  | 2.18 | 18.48  | 2.29 | 21.65  | 2.40 | 24.81  | 2.51 | 28.60  | 2.64 | 31.13  | 2.73 | 34.29  | 2.84 |
|                           | 68.0                       | 14.94                  | 2.20 | 18.10  | 2.31 | 21.26  | 2.42 | 24.42  | 2.53 | 28.21  | 2.67 | 30.74  | 2.75 | 33.91  | 2.87 |
|                           | 70.0                       | 14.72                  | 2.22 | 17.88  | 2.33 | 21.04  | 2.44 | 24.21  | 2.55 | 28.00  | 2.68 | 30.53  | 2.77 | 33.69  | 2.88 |
|                           | 71.6                       | 14.55                  | 2.23 | 17.71  | 2.34 | 20.87  | 2.45 | 24.03  | 2.56 | 27.83  | 2.69 | 30.36  | 2.78 | 33.52  | 2.89 |
|                           | 75.2                       | 14.16                  | 2.25 | 17.32  | 2.36 | 20.49  | 2.47 | 23.65  | 2.58 | 27.44  | 2.71 | 29.97  | 2.80 | 33.13  | 2.91 |
| CTXV07A +<br>FTXV09A      | 60.8                       | 17.95                  | 2.55 | 21.57  | 2.68 | 25.18  | 2.81 | 28.79  | 2.94 | 33.13  | 3.10 | 36.02  | 3.20 | 39.63  | 3.33 |
|                           | 64.4                       | 17.51                  | 2.58 | 21.12  | 2.71 | 24.74  | 2.84 | 28.35  | 2.97 | 32.69  | 3.13 | 35.58  | 3.23 | 39.19  | 3.36 |
|                           | 68.0                       | 17.07                  | 2.61 | 20.68  | 2.74 | 24.30  | 2.87 | 27.91  | 3.00 | 32.25  | 3.15 | 35.14  | 3.26 | 38.75  | 3.39 |
|                           | 70.0                       | 16.82                  | 2.62 | 20.44  | 2.75 | 24.05  | 2.88 | 27.66  | 3.01 | 32.00  | 3.17 | 34.89  | 3.27 | 38.50  | 3.40 |
|                           | 71.6                       | 16.63                  | 2.63 | 20.24  | 2.76 | 23.85  | 2.90 | 27.47  | 3.03 | 31.80  | 3.18 | 34.69  | 3.29 | 38.31  | 3.42 |
|                           | 75.2                       | 16.19                  | 2.66 | 19.80  | 2.79 | 23.41  | 2.92 | 27.03  | 3.05 | 31.36  | 3.21 | 34.25  | 3.32 | 37.87  | 3.45 |
| CTXV07A +<br>FTXV12A      | 60.8                       | 20.42                  | 3.06 | 24.53  | 3.21 | 28.64  | 3.37 | 32.75  | 3.52 | 37.68  | 3.71 | 40.97  | 3.84 | 45.08  | 3.99 |
|                           | 64.4                       | 19.92                  | 3.09 | 24.03  | 3.25 | 28.14  | 3.40 | 32.25  | 3.56 | 37.18  | 3.75 | 40.47  | 3.87 | 44.58  | 4.03 |
|                           | 68.0                       | 19.42                  | 3.12 | 23.53  | 3.28 | 27.64  | 3.44 | 31.75  | 3.59 | 36.68  | 3.78 | 39.97  | 3.91 | 44.08  | 4.06 |
|                           | 70.0                       | 19.14                  | 3.14 | 23.25  | 3.30 | 27.36  | 3.46 | 31.47  | 3.61 | 36.40  | 3.80 | 39.69  | 3.93 | 43.80  | 4.08 |
|                           | 71.6                       | 18.91                  | 3.16 | 23.02  | 3.31 | 27.13  | 3.47 | 31.24  | 3.63 | 36.18  | 3.82 | 39.46  | 3.94 | 43.58  | 4.10 |
|                           | 75.2                       | 18.41                  | 3.19 | 22.52  | 3.35 | 26.63  | 3.51 | 30.74  | 3.66 | 35.67  | 3.85 | 38.96  | 3.97 | 42.66  | 4.03 |
| CTXV07A +<br>FTXV15A      | 60.8                       | 21.09                  | 2.93 | 25.34  | 3.08 | 29.59  | 3.24 | 33.83  | 3.39 | 38.93  | 3.57 | 42.32  | 3.69 | 46.57  | 3.84 |
|                           | 64.4                       | 20.58                  | 2.97 | 24.82  | 3.12 | 29.07  | 3.27 | 33.31  | 3.42 | 38.41  | 3.60 | 41.80  | 3.72 | 46.05  | 3.87 |
|                           | 68.0                       | 20.06                  | 3.00 | 24.30  | 3.15 | 28.55  | 3.30 | 32.79  | 3.45 | 37.89  | 3.63 | 41.28  | 3.75 | 45.53  | 3.90 |
|                           | 70.0                       | 19.77                  | 3.02 | 24.01  | 3.17 | 28.26  | 3.32 | 32.51  | 3.47 | 37.60  | 3.65 | 41.00  | 3.77 | 45.24  | 3.92 |
|                           | 71.6                       | 19.54                  | 3.03 | 23.78  | 3.18 | 28.03  | 3.33 | 32.27  | 3.48 | 37.37  | 3.66 | 40.77  | 3.78 | 45.01  | 3.94 |
|                           | 75.2                       | 19.02                  | 3.07 | 23.26  | 3.22 | 27.51  | 3.37 | 31.76  | 3.52 | 36.85  | 3.70 | 40.25  | 3.82 | 44.49  | 3.97 |
| CTXV07A +<br>FTXV18A      | 60.8                       | 21.71                  | 3.06 | 26.08  | 3.21 | 30.45  | 3.37 | 34.82  | 3.52 | 40.07  | 3.71 | 43.56  | 3.84 | 47.93  | 3.99 |
|                           | 64.4                       | 21.18                  | 3.09 | 25.55  | 3.25 | 29.92  | 3.40 | 34.29  | 3.56 | 39.53  | 3.75 | 43.03  | 3.87 | 47.40  | 4.03 |
|                           | 68.0                       | 20.64                  | 3.12 | 25.01  | 3.28 | 29.38  | 3.44 | 33.75  | 3.59 | 39.00  | 3.78 | 42.49  | 3.91 | 46.86  | 4.06 |
|                           | 70.0                       | 20.35                  | 3.14 | 24.72  | 3.30 | 29.09  | 3.46 | 33.46  | 3.61 | 38.70  | 3.80 | 42.20  | 3.93 | 46.57  | 4.08 |
|                           | 71.6                       | 20.11                  | 3.16 | 24.48  | 3.31 | 28.85  | 3.47 | 33.22  | 3.63 | 38.46  | 3.82 | 41.96  | 3.94 | 46.33  | 4.10 |
|                           | 75.2                       | 19.57                  | 3.19 | 23.94  | 3.35 | 28.31  | 3.51 | 32.68  | 3.66 | 37.93  | 3.85 | 41.42  | 3.97 | 45.79  | 4.13 |
| CTXV07A +<br>FTXV24A      | 60.8                       | 23.06                  | 3.40 | 27.70  | 3.58 | 32.34  | 3.75 | 36.98  | 3.92 | 42.55  | 4.13 | 46.26  | 4.27 | 50.60  | 4.35 |
|                           | 64.4                       | 22.49                  | 3.44 | 27.13  | 3.61 | 31.77  | 3.79 | 36.41  | 3.96 | 41.98  | 4.17 | 45.70  | 4.31 | 49.95  | 4.35 |
|                           | 68.0                       | 21.92                  | 3.48 | 26.56  | 3.65 | 31.21  | 3.83 | 35.85  | 4.00 | 41.42  | 4.21 | 45.13  | 4.35 | 49.31  | 4.35 |
|                           | 70.0                       | 21.61                  | 3.50 | 26.25  | 3.67 | 30.89  | 3.85 | 35.53  | 4.02 | 41.10  | 4.23 | 44.78  | 4.35 | 48.96  | 4.35 |
|                           | 71.6                       | 21.36                  | 3.52 | 26.00  | 3.69 | 30.64  | 3.86 | 35.28  | 4.04 | 40.85  | 4.25 | 44.49  | 4.35 | 48.68  | 4.35 |
|                           | 75.2                       | 20.79                  | 3.55 | 25.43  | 3.73 | 30.07  | 3.90 | 34.71  | 4.08 | 40.28  | 4.29 | 43.87  | 4.35 | 48.07  | 4.35 |

| Combination<br>(Capacity) | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|---------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                           |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                           |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                           |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| FTXV09A +<br>FTXV09A      | 60.8                       | 20.20                  | 3.01 | 24.26  | 3.16 | 28.33  | 3.32 | 32.39  | 3.47 | 37.27  | 3.65 | 40.52  | 3.78 | 44.59  | 3.93 |
|                           | 64.4                       | 19.70                  | 3.04 | 23.77  | 3.19 | 27.83  | 3.35 | 31.90  | 3.50 | 36.77  | 3.69 | 40.03  | 3.81 | 44.09  | 3.96 |
|                           | 68.0                       | 19.20                  | 3.07 | 23.27  | 3.23 | 27.33  | 3.38 | 31.40  | 3.54 | 36.28  | 3.72 | 39.53  | 3.84 | 43.59  | 4.00 |
|                           | 70.0                       | 18.93                  | 3.09 | 22.99  | 3.25 | 27.06  | 3.40 | 31.12  | 3.56 | 36.00  | 3.74 | 39.25  | 3.86 | 43.32  | 4.02 |
|                           | 71.6                       | 18.71                  | 3.11 | 22.77  | 3.26 | 26.84  | 3.42 | 30.90  | 3.57 | 35.78  | 3.75 | 39.03  | 3.88 | 43.10  | 4.03 |
|                           | 75.2                       | 18.21                  | 3.14 | 22.27  | 3.30 | 26.34  | 3.45 | 30.40  | 3.60 | 35.28  | 3.79 | 38.53  | 3.91 | 42.60  | 4.07 |
| FTXV09A +<br>FTXV12A      | 60.8                       | 20.87                  | 3.14 | 25.07  | 3.30 | 29.27  | 3.46 | 33.47  | 3.62 | 38.51  | 3.81 | 41.87  | 3.94 | 46.07  | 4.10 |
|                           | 64.4                       | 20.36                  | 3.17 | 24.56  | 3.33 | 28.76  | 3.49 | 32.96  | 3.65 | 38.00  | 3.85 | 41.36  | 3.97 | 45.56  | 4.13 |
|                           | 68.0                       | 19.84                  | 3.21 | 24.04  | 3.37 | 28.24  | 3.53 | 32.44  | 3.69 | 37.49  | 3.88 | 40.85  | 4.01 | 45.05  | 4.17 |
|                           | 70.0                       | 19.56                  | 3.23 | 23.76  | 3.39 | 27.96  | 3.55 | 32.16  | 3.71 | 37.20  | 3.90 | 40.56  | 4.03 | 44.76  | 4.19 |
|                           | 71.6                       | 19.33                  | 3.24 | 23.53  | 3.40 | 27.73  | 3.56 | 31.93  | 3.72 | 36.97  | 3.92 | 40.33  | 4.04 | 44.53  | 4.20 |
|                           | 75.2                       | 18.82                  | 3.28 | 23.02  | 3.44 | 27.22  | 3.60 | 31.42  | 3.76 | 36.46  | 3.95 | 39.82  | 4.08 | 44.02  | 4.24 |
| FTXV09A +<br>FTXV15A      | 60.8                       | 21.49                  | 3.02 | 25.81  | 3.17 | 30.14  | 3.32 | 34.46  | 3.48 | 39.65  | 3.66 | 43.11  | 3.79 | 47.44  | 3.94 |
|                           | 64.4                       | 20.96                  | 3.05 | 25.28  | 3.20 | 29.61  | 3.36 | 33.93  | 3.51 | 39.12  | 3.70 | 42.58  | 3.82 | 46.91  | 3.98 |
|                           | 68.0                       | 20.43                  | 3.08 | 24.75  | 3.24 | 29.08  | 3.39 | 33.40  | 3.55 | 38.59  | 3.73 | 42.05  | 3.85 | 46.38  | 4.01 |
|                           | 70.0                       | 20.14                  | 3.10 | 24.46  | 3.26 | 28.79  | 3.41 | 33.11  | 3.56 | 38.30  | 3.75 | 41.76  | 3.87 | 46.08  | 4.03 |
|                           | 71.6                       | 19.90                  | 3.12 | 24.23  | 3.27 | 28.55  | 3.43 | 32.88  | 3.58 | 38.06  | 3.77 | 41.52  | 3.89 | 45.85  | 4.04 |
|                           | 75.2                       | 19.37                  | 3.15 | 23.70  | 3.30 | 28.02  | 3.46 | 32.35  | 3.61 | 37.54  | 3.80 | 41.00  | 3.92 | 45.32  | 4.08 |
| FTXV09A +<br>FTXV18A      | 60.8                       | 22.16                  | 3.14 | 26.62  | 3.30 | 31.08  | 3.46 | 35.54  | 3.62 | 40.89  | 3.81 | 44.46  | 3.94 | 48.92  | 4.10 |
|                           | 64.4                       | 21.62                  | 3.17 | 26.08  | 3.33 | 30.54  | 3.49 | 3      |      |        |      |        |      |        |      |



| Combination<br>(Capacity)         | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|-----------------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                                   |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                   |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                   |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| FTXV18A +<br>FTXV24A              | 60.8                       | 24.12                  | 3.16 | 28.98  | 3.32 | 33.84  | 3.48 | 38.69  | 3.65 | 44.52  | 3.84 | 48.40  | 3.97 | 53.26  | 4.13 |
|                                   | 64.4                       | 23.53                  | 3.20 | 28.39  | 3.36 | 33.24  | 3.52 | 38.10  | 3.68 | 43.92  | 3.87 | 47.81  | 4.00 | 52.66  | 4.17 |
|                                   | 68.0                       | 22.94                  | 3.23 | 27.79  | 3.39 | 32.65  | 3.55 | 37.50  | 3.72 | 43.33  | 3.91 | 47.21  | 4.04 | 52.07  | 4.20 |
|                                   | 70.0                       | 22.61                  | 3.25 | 27.46  | 3.41 | 32.32  | 3.57 | 37.17  | 3.74 | 43.00  | 3.93 | 46.88  | 4.06 | 51.74  | 4.22 |
|                                   | 71.6                       | 22.34                  | 3.27 | 27.20  | 3.43 | 32.05  | 3.59 | 36.91  | 3.75 | 42.74  | 3.95 | 46.62  | 4.08 | 51.48  | 4.24 |
|                                   | 75.2                       | 21.75                  | 3.30 | 26.60  | 3.46 | 31.46  | 3.63 | 36.32  | 3.79 | 42.14  | 3.98 | 46.03  | 4.11 | 50.88  | 4.27 |
| FTXV24A +<br>FTXV24A              | 60.8                       | 24.12                  | 3.16 | 28.98  | 3.32 | 33.84  | 3.48 | 38.69  | 3.65 | 44.52  | 3.84 | 48.40  | 3.97 | 53.26  | 4.13 |
|                                   | 64.4                       | 23.53                  | 3.20 | 28.39  | 3.36 | 33.24  | 3.52 | 38.10  | 3.68 | 43.92  | 3.87 | 47.81  | 4.00 | 52.66  | 4.17 |
|                                   | 68.0                       | 22.94                  | 3.23 | 27.79  | 3.39 | 32.65  | 3.55 | 37.50  | 3.72 | 43.33  | 3.91 | 47.21  | 4.04 | 52.07  | 4.20 |
|                                   | 70.0                       | 22.61                  | 3.25 | 27.46  | 3.41 | 32.32  | 3.57 | 37.17  | 3.74 | 43.00  | 3.93 | 46.88  | 4.06 | 51.74  | 4.22 |
|                                   | 71.6                       | 22.34                  | 3.27 | 27.20  | 3.43 | 32.05  | 3.59 | 36.91  | 3.75 | 42.74  | 3.95 | 46.62  | 4.08 | 51.48  | 4.24 |
|                                   | 75.2                       | 21.75                  | 3.30 | 26.60  | 3.46 | 31.46  | 3.63 | 36.32  | 3.79 | 42.14  | 3.98 | 46.03  | 4.11 | 50.88  | 4.27 |
| CTXV07A +<br>CTXV07A +<br>CTXV07A | 60.8                       | 20.87                  | 2.85 | 25.07  | 2.99 | 29.27  | 3.14 | 33.47  | 3.28 | 38.51  | 3.46 | 41.87  | 3.58 | 46.07  | 3.72 |
|                                   | 64.4                       | 20.36                  | 2.88 | 24.56  | 3.02 | 28.76  | 3.17 | 32.96  | 3.32 | 38.00  | 3.49 | 41.36  | 3.61 | 45.56  | 3.75 |
|                                   | 68.0                       | 19.84                  | 2.91 | 24.04  | 3.06 | 28.24  | 3.20 | 32.44  | 3.35 | 37.49  | 3.52 | 40.85  | 3.64 | 45.05  | 3.78 |
|                                   | 70.0                       | 19.56                  | 2.93 | 23.76  | 3.07 | 27.96  | 3.22 | 32.16  | 3.37 | 37.20  | 3.54 | 40.56  | 3.66 | 44.76  | 3.80 |
|                                   | 71.6                       | 19.33                  | 2.94 | 23.53  | 3.09 | 27.73  | 3.23 | 31.93  | 3.38 | 36.97  | 3.55 | 40.33  | 3.67 | 44.53  | 3.82 |
|                                   | 75.2                       | 18.82                  | 2.97 | 23.02  | 3.12 | 27.22  | 3.27 | 31.42  | 3.41 | 36.46  | 3.59 | 39.82  | 3.70 | 44.02  | 3.85 |
| CTXV07A +<br>CTXV07A +<br>FTXV09A | 60.8                       | 21.26                  | 2.93 | 25.54  | 3.08 | 29.82  | 3.23 | 34.10  | 3.38 | 39.24  | 3.56 | 42.66  | 3.68 | 46.94  | 3.83 |
|                                   | 64.4                       | 20.74                  | 2.96 | 25.02  | 3.11 | 29.30  | 3.26 | 33.58  | 3.41 | 38.71  | 3.59 | 42.14  | 3.71 | 46.42  | 3.86 |
|                                   | 68.0                       | 20.22                  | 2.99 | 24.50  | 3.14 | 28.78  | 3.29 | 33.06  | 3.44 | 38.19  | 3.62 | 41.61  | 3.74 | 45.89  | 3.89 |
|                                   | 70.0                       | 19.93                  | 3.01 | 24.21  | 3.16 | 28.48  | 3.31 | 32.76  | 3.46 | 37.90  | 3.64 | 41.32  | 3.76 | 45.60  | 3.91 |
|                                   | 71.6                       | 19.69                  | 3.03 | 23.97  | 3.17 | 28.25  | 3.32 | 32.53  | 3.47 | 37.67  | 3.65 | 41.09  | 3.77 | 45.37  | 3.92 |
|                                   | 75.2                       | 19.17                  | 3.06 | 23.45  | 3.21 | 27.73  | 3.36 | 32.01  | 3.51 | 37.14  | 3.69 | 40.57  | 3.81 | 44.85  | 3.96 |
| CTXV07A +<br>CTXV07A +<br>FTXV12A | 60.8                       | 21.94                  | 3.06 | 26.35  | 3.21 | 30.77  | 3.37 | 35.18  | 3.52 | 40.48  | 3.71 | 44.01  | 3.84 | 48.43  | 3.99 |
|                                   | 64.4                       | 21.40                  | 3.09 | 25.81  | 3.25 | 30.23  | 3.40 | 34.64  | 3.56 | 39.94  | 3.75 | 43.47  | 3.87 | 47.89  | 4.03 |
|                                   | 68.0                       | 20.86                  | 3.12 | 25.27  | 3.28 | 29.69  | 3.44 | 34.10  | 3.59 | 39.40  | 3.78 | 42.93  | 3.91 | 47.35  | 4.06 |
|                                   | 70.0                       | 20.56                  | 3.14 | 24.97  | 3.30 | 29.39  | 3.46 | 33.80  | 3.61 | 39.10  | 3.80 | 42.63  | 3.93 | 47.05  | 4.08 |
|                                   | 71.6                       | 20.32                  | 3.16 | 24.73  | 3.31 | 29.15  | 3.47 | 33.56  | 3.63 | 38.86  | 3.82 | 42.39  | 3.94 | 46.81  | 4.10 |
|                                   | 75.2                       | 19.78                  | 3.19 | 24.19  | 3.35 | 28.61  | 3.51 | 33.02  | 3.66 | 38.32  | 3.85 | 41.85  | 3.97 | 46.27  | 4.13 |
| CTXV07A +<br>CTXV07A +<br>FTXV15A | 60.8                       | 22.61                  | 2.97 | 27.16  | 3.13 | 31.71  | 3.28 | 36.26  | 3.43 | 41.72  | 3.61 | 45.36  | 3.74 | 49.91  | 3.89 |
|                                   | 64.4                       | 22.05                  | 3.01 | 26.60  | 3.16 | 31.15  | 3.31 | 35.70  | 3.47 | 41.17  | 3.65 | 44.81  | 3.77 | 49.36  | 3.92 |
|                                   | 68.0                       | 21.50                  | 3.04 | 26.05  | 3.19 | 30.60  | 3.35 | 35.15  | 3.50 | 40.61  | 3.68 | 44.25  | 3.80 | 48.80  | 3.96 |
|                                   | 70.0                       | 21.19                  | 3.06 | 25.74  | 3.21 | 30.29  | 3.36 | 34.84  | 3.52 | 40.30  | 3.70 | 43.94  | 3.82 | 48.49  | 3.97 |
|                                   | 71.6                       | 20.94                  | 3.07 | 25.49  | 3.23 | 30.04  | 3.38 | 34.59  | 3.53 | 40.05  | 3.71 | 43.69  | 3.84 | 48.24  | 3.99 |
|                                   | 75.2                       | 20.38                  | 3.11 | 24.93  | 3.26 | 29.48  | 3.41 | 34.04  | 3.57 | 39.50  | 3.75 | 43.14  | 3.87 | 47.69  | 4.02 |
| CTXV07A +<br>CTXV07A +<br>FTXV18A | 60.8                       | 23.23                  | 3.14 | 27.90  | 3.30 | 32.58  | 3.47 | 37.25  | 3.63 | 42.86  | 3.82 | 46.60  | 3.95 | 51.28  | 4.11 |
|                                   | 64.4                       | 22.65                  | 3.18 | 27.33  | 3.34 | 32.00  | 3.50 | 36.68  | 3.66 | 42.29  | 3.86 | 46.03  | 3.98 | 50.70  | 4.15 |
|                                   | 68.0                       | 22.08                  | 3.21 | 26.76  | 3.38 | 31.43  | 3.54 | 36.11  | 3.70 | 41.72  | 3.89 | 45.46  | 4.02 | 50.13  | 4.18 |
|                                   | 70.0                       | 21.77                  | 3.23 | 26.44  | 3.39 | 31.12  | 3.56 | 35.79  | 3.72 | 41.40  | 3.91 | 45.14  | 4.04 | 49.81  | 4.20 |
|                                   | 71.6                       | 21.51                  | 3.25 | 26.19  | 3.41 | 30.86  | 3.57 | 35.54  | 3.73 | 41.15  | 3.93 | 44.89  | 4.05 | 49.56  | 4.22 |
|                                   | 75.2                       | 20.94                  | 3.28 | 25.61  | 3.45 | 30.29  | 3.61 | 34.96  | 3.77 | 40.57  | 3.96 | 44.31  | 4.09 | 48.99  | 4.25 |
| CTXV07A +<br>CTXV07A +<br>FTXV24A | 60.8                       | 24.12                  | 3.14 | 28.98  | 3.30 | 33.84  | 3.47 | 38.69  | 3.63 | 44.52  | 3.82 | 48.40  | 3.95 | 53.26  | 4.11 |
|                                   | 64.4                       | 23.53                  | 3.18 | 28.39  | 3.34 | 33.24  | 3.50 | 38.10  | 3.66 | 43.92  | 3.86 | 47.81  | 3.98 | 52.66  | 4.15 |
|                                   | 68.0                       | 22.94                  | 3.21 | 27.79  | 3.38 | 32.65  | 3.54 | 37.50  | 3.70 | 43.33  | 3.89 | 47.21  | 4.02 | 52.07  | 4.18 |
|                                   | 70.0                       | 22.61                  | 3.23 | 27.46  | 3.39 | 32.32  | 3.56 | 37.17  | 3.72 | 43.00  | 3.91 | 46.88  | 4.04 | 51.74  | 4.20 |
|                                   | 71.6                       | 22.34                  | 3.25 | 27.20  | 3.41 | 32.05  | 3.57 | 36.91  | 3.73 | 42.74  | 3.93 | 46.62  | 4.05 | 51.48  | 4.22 |
|                                   | 75.2                       | 21.75                  | 3.28 | 26.60  | 3.45 | 31.46  | 3.61 | 36.32  | 3.77 | 42.14  | 3.96 | 46.03  | 4.09 | 50.88  | 4.25 |
| CTXV07A +<br>FTXV09A +<br>FTXV09A | 60.8                       | 21.71                  | 3.01 | 26.08  | 3.16 | 30.45  | 3.32 | 34.82  | 3.47 | 40.07  | 3.65 | 43.56  | 3.78 | 47.93  | 3.93 |
|                                   | 64.4                       | 21.18                  | 3.04 | 25.55  | 3.19 | 29.92  | 3.35 | 34.29  | 3.50 | 39.53  | 3.69 | 43.03  | 3.81 | 47.40  | 3.96 |
|                                   | 68.0                       | 20.64                  | 3.07 | 25.01  | 3.23 | 29.38  | 3.38 | 33.75  | 3.54 | 39.00  | 3.72 | 42.49  | 3.84 | 46.86  | 4.00 |
|                                   | 70.0                       | 20.35                  | 3.09 | 24.72  | 3.25 | 29.09  | 3.40 | 33.46  | 3.56 | 38.70  | 3.74 | 42.20  | 3.86 | 46.57  | 4.02 |
|                                   | 71.6                       | 20.11                  | 3.11 | 24.48  | 3.26 | 28.85  | 3.42 | 33.22  | 3.57 | 38.46  | 3.75 | 41.96  | 3.88 | 46.33  | 4.03 |
|                                   | 75.2                       | 19.57                  | 3.14 | 23.94  | 3.30 | 28.31  | 3.45 | 32.68  | 3.60 | 37.93  | 3.79 | 41.42  | 3.91 | 45.79  | 4.07 |
| CTXV07A +<br>FTXV09A +<br>FTXV12A | 60.8                       | 22.39                  | 3.14 | 26.89  | 3.30 | 31.40  | 3.46 | 35.90  | 3.62 | 41.31  | 3.81 | 44.91  | 3.94 | 49.42  | 4.10 |
|                                   | 64.4                       | 21.83                  | 3.17 | 26.34  | 3.33 | 30.85  | 3.49 | 35.35  | 3.65 | 40.76  | 3.85 | 44.36  | 3.97 | 48.87  | 4.13 |
|                                   | 68.0                       | 21.28                  | 3.21 | 25.79  | 3.37 | 30.29  | 3.53 | 34.80  | 3.69 | 40.21  | 3.88 | 43.81  | 4.01 | 48.32  | 4.17 |
|                                   | 70.0                       | 20.98                  | 3.23 | 25.48  | 3.39 | 29.99  | 3.55 | 34.49  | 3.71 | 39.90  | 3.90 | 43.50  | 4.03 | 48.01  | 4.19 |
|                                   | 71.6                       | 20.73                  | 3.24 | 25.24  | 3.40 | 29.74  | 3.56 | 34.25  | 3.72 | 39.66  | 3.92 | 43.26  | 4.04 | 47.76  | 4.20 |
|                                   | 75.2                       | 20.18                  | 3.28 | 24.69  | 3.44 | 29.19  | 3.60 | 33.70  | 3.76 | 39.10  | 3.95 | 42.71  | 4.08 | 47.21  | 4.24 |
| CTXV07A +<br>FTXV09A +<br>FTXV15A | 60.8                       | 23.06                  | 3.10 | 27.70  | 3.25 | 32.34  | 3.41 | 36.98  | 3.57 | 42.55  | 3.76 | 46.26  | 3.89 | 50.90  | 4.05 |
|                                   | 64.4                       | 22.49                  | 3.13 | 27.13  | 3.29 | 31.77  | 3.45 | 36.41  | 3.61 | 41.98  | 3.80 | 45.70  | 3.92 | 50.34  | 4.08 |
|                                   | 68.0                       | 21.92                  | 3.16 | 26.56  | 3.32 | 31.21  | 3.48 | 35.85  | 3.64 | 41.42  | 3.83 | 45.13  | 3.96 | 49.77  | 4.12 |
|                                   | 70.0                       | 21.61                  | 3.18 | 26.25  | 3.34 | 30.89  | 3.50 | 35.53  | 3.66 | 41.10  | 3.85 | 44.81  | 3.98 | 49.45  | 4.14 |
|                                   | 71.6                       | 21.36                  | 3.20 | 26.00  | 3.36 | 30.64  | 3.52 | 35.28  | 3.68 | 40.85  | 3.87 | 44.56  | 3.99 | 49.20  | 4.15 |
|                                   | 75.2                       | 20.79                  | 3.23 | 25.43  | 3.39 | 30.07  | 3.55 | 34.71  | 3.71 | 40.28  | 3.90 | 43.99  | 4.03 | 48.63  | 4.19 |
| CTXV07A                           |                            |                        |      |        |      |        |      |        |      |        |      |        |      |        |      |

| Combination<br>(Capacity)         | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|-----------------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                                   |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                   |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                   |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| CTXV07A +<br>FTXV12A +<br>FTXV12A | 60.8                       | 23.06                  | 3.32 | 27.70  | 3.49 | 32.34  | 3.66 | 36.98  | 3.83 | 42.55  | 4.03 | 46.26  | 4.17 | 50.90  | 4.34 |
|                                   | 64.4                       | 22.49                  | 3.36 | 27.13  | 3.53 | 31.77  | 3.70 | 36.41  | 3.87 | 41.98  | 4.07 | 45.70  | 4.21 | 50.25  | 4.35 |
|                                   | 68.0                       | 21.92                  | 3.40 | 26.56  | 3.57 | 31.21  | 3.74 | 35.85  | 3.91 | 41.42  | 4.11 | 45.13  | 4.25 | 49.58  | 4.35 |
|                                   | 70.0                       | 21.61                  | 3.42 | 26.25  | 3.59 | 30.89  | 3.76 | 35.53  | 3.93 | 41.10  | 4.13 | 44.81  | 4.27 | 49.21  | 4.35 |
|                                   | 71.6                       | 21.36                  | 3.43 | 26.00  | 3.60 | 30.64  | 3.77 | 35.28  | 3.94 | 40.85  | 4.15 | 44.56  | 4.28 | 48.92  | 4.35 |
|                                   | 75.2                       | 20.79                  | 3.47 | 25.43  | 3.64 | 30.07  | 3.81 | 34.71  | 3.98 | 40.28  | 4.18 | 43.99  | 4.32 | 48.28  | 4.35 |
| CTXV07A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 23.68                  | 3.14 | 28.44  | 3.30 | 33.21  | 3.46 | 37.97  | 3.62 | 43.69  | 3.81 | 47.50  | 3.94 | 52.27  | 4.10 |
|                                   | 64.4                       | 23.09                  | 3.17 | 27.86  | 3.33 | 32.62  | 3.49 | 37.39  | 3.65 | 43.11  | 3.85 | 46.92  | 3.97 | 51.68  | 4.13 |
|                                   | 68.0                       | 22.51                  | 3.21 | 27.28  | 3.37 | 32.04  | 3.53 | 36.81  | 3.69 | 42.52  | 3.88 | 46.34  | 4.01 | 51.10  | 4.17 |
|                                   | 70.0                       | 22.19                  | 3.23 | 26.95  | 3.39 | 31.72  | 3.55 | 36.48  | 3.71 | 42.20  | 3.90 | 46.01  | 4.03 | 50.78  | 4.19 |
|                                   | 71.6                       | 21.93                  | 3.24 | 26.69  | 3.40 | 31.46  | 3.56 | 36.22  | 3.72 | 41.94  | 3.92 | 45.75  | 4.04 | 50.52  | 4.20 |
|                                   | 75.2                       | 21.34                  | 3.28 | 26.11  | 3.44 | 30.88  | 3.60 | 35.64  | 3.76 | 41.36  | 3.95 | 45.17  | 4.08 | 49.94  | 4.24 |
| CTXV07A +<br>FTXV12A +<br>FTXV18A | 60.8                       | 24.12                  | 3.11 | 28.98  | 3.27 | 33.84  | 3.43 | 38.69  | 3.59 | 44.52  | 3.78 | 48.40  | 3.91 | 53.26  | 4.07 |
|                                   | 64.4                       | 23.53                  | 3.15 | 28.39  | 3.31 | 33.24  | 3.47 | 38.10  | 3.62 | 43.92  | 3.82 | 47.81  | 3.94 | 52.66  | 4.10 |
|                                   | 68.0                       | 22.94                  | 3.18 | 27.79  | 3.34 | 32.65  | 3.50 | 37.50  | 3.66 | 43.33  | 3.85 | 47.21  | 3.98 | 52.07  | 4.14 |
|                                   | 70.0                       | 22.61                  | 3.20 | 27.46  | 3.36 | 32.32  | 3.52 | 37.17  | 3.68 | 43.00  | 3.87 | 46.88  | 4.00 | 51.74  | 4.16 |
|                                   | 71.6                       | 22.34                  | 3.22 | 27.20  | 3.38 | 32.05  | 3.53 | 36.91  | 3.69 | 42.74  | 3.89 | 46.62  | 4.01 | 51.48  | 4.17 |
|                                   | 75.2                       | 21.75                  | 3.25 | 26.60  | 3.41 | 31.46  | 3.57 | 36.32  | 3.73 | 42.14  | 3.92 | 46.03  | 4.05 | 50.88  | 4.21 |
| CTXV07A +<br>FTXV12A +<br>FTXV24A | 60.8                       | 24.12                  | 3.11 | 28.98  | 3.27 | 33.84  | 3.43 | 38.69  | 3.59 | 44.52  | 3.78 | 48.40  | 3.91 | 53.26  | 4.07 |
|                                   | 64.4                       | 23.53                  | 3.15 | 28.39  | 3.31 | 33.24  | 3.47 | 38.10  | 3.62 | 43.92  | 3.82 | 47.81  | 3.94 | 52.66  | 4.10 |
|                                   | 68.0                       | 22.94                  | 3.18 | 27.79  | 3.34 | 32.65  | 3.50 | 37.50  | 3.66 | 43.33  | 3.85 | 47.21  | 3.98 | 52.07  | 4.14 |
|                                   | 70.0                       | 22.61                  | 3.20 | 27.46  | 3.36 | 32.32  | 3.52 | 37.17  | 3.68 | 43.00  | 3.87 | 46.88  | 4.00 | 51.74  | 4.16 |
|                                   | 71.6                       | 22.34                  | 3.22 | 27.20  | 3.38 | 32.05  | 3.53 | 36.91  | 3.69 | 42.74  | 3.89 | 46.62  | 4.01 | 51.48  | 4.17 |
|                                   | 75.2                       | 21.75                  | 3.25 | 26.60  | 3.41 | 31.46  | 3.57 | 36.32  | 3.73 | 42.14  | 3.92 | 46.03  | 4.05 | 50.88  | 4.21 |
| CTXV07A +<br>FTXV15A +<br>FTXV15A | 60.8                       | 24.12                  | 2.94 | 28.98  | 3.09 | 33.84  | 3.24 | 38.69  | 3.39 | 44.52  | 3.58 | 48.40  | 3.70 | 53.26  | 3.85 |
|                                   | 64.4                       | 23.53                  | 2.98 | 28.39  | 3.13 | 33.24  | 3.28 | 38.10  | 3.43 | 43.92  | 3.61 | 47.81  | 3.73 | 52.66  | 3.88 |
|                                   | 68.0                       | 22.94                  | 3.01 | 27.79  | 3.16 | 32.65  | 3.31 | 37.50  | 3.46 | 43.33  | 3.64 | 47.21  | 3.76 | 52.07  | 3.91 |
|                                   | 70.0                       | 22.61                  | 3.03 | 27.46  | 3.18 | 32.32  | 3.33 | 37.17  | 3.48 | 43.00  | 3.66 | 46.88  | 3.78 | 51.74  | 3.93 |
|                                   | 71.6                       | 22.34                  | 3.04 | 27.20  | 3.19 | 32.05  | 3.34 | 36.91  | 3.49 | 42.74  | 3.67 | 46.62  | 3.80 | 51.48  | 3.95 |
|                                   | 75.2                       | 21.75                  | 3.07 | 26.60  | 3.23 | 31.46  | 3.38 | 36.32  | 3.53 | 42.14  | 3.71 | 46.03  | 3.83 | 50.88  | 3.98 |
| CTXV07A +<br>FTXV15A +<br>FTXV18A | 60.8                       | 24.12                  | 2.93 | 28.98  | 3.08 | 33.84  | 3.23 | 38.69  | 3.38 | 44.52  | 3.56 | 48.40  | 3.68 | 53.26  | 3.83 |
|                                   | 64.4                       | 23.53                  | 2.96 | 28.39  | 3.11 | 33.24  | 3.26 | 38.10  | 3.41 | 43.92  | 3.59 | 47.81  | 3.71 | 52.66  | 3.86 |
|                                   | 68.0                       | 22.94                  | 2.99 | 27.79  | 3.14 | 32.65  | 3.29 | 37.50  | 3.44 | 43.33  | 3.62 | 47.21  | 3.74 | 52.07  | 3.89 |
|                                   | 70.0                       | 22.61                  | 3.01 | 27.46  | 3.16 | 32.32  | 3.31 | 37.17  | 3.46 | 43.00  | 3.64 | 46.88  | 3.76 | 51.74  | 3.91 |
|                                   | 71.6                       | 22.34                  | 3.03 | 27.20  | 3.17 | 32.05  | 3.32 | 36.91  | 3.47 | 42.74  | 3.65 | 46.62  | 3.77 | 51.48  | 3.92 |
|                                   | 75.2                       | 21.75                  | 3.06 | 26.60  | 3.21 | 31.46  | 3.36 | 36.32  | 3.51 | 42.14  | 3.69 | 46.03  | 3.81 | 50.88  | 3.96 |
| CTXV07A +<br>FTXV15A +<br>FTXV24A | 60.8                       | 24.12                  | 2.93 | 28.98  | 3.08 | 33.84  | 3.23 | 38.69  | 3.38 | 44.52  | 3.56 | 48.40  | 3.68 | 53.26  | 3.83 |
|                                   | 64.4                       | 23.53                  | 2.96 | 28.39  | 3.11 | 33.24  | 3.26 | 38.10  | 3.41 | 43.92  | 3.59 | 47.81  | 3.71 | 52.66  | 3.86 |
|                                   | 68.0                       | 22.94                  | 2.99 | 27.79  | 3.14 | 32.65  | 3.29 | 37.50  | 3.44 | 43.33  | 3.62 | 47.21  | 3.74 | 52.07  | 3.89 |
|                                   | 70.0                       | 22.61                  | 3.01 | 27.46  | 3.16 | 32.32  | 3.31 | 37.17  | 3.46 | 43.00  | 3.64 | 46.88  | 3.76 | 51.74  | 3.91 |
|                                   | 71.6                       | 22.34                  | 3.03 | 27.20  | 3.17 | 32.05  | 3.32 | 36.91  | 3.47 | 42.74  | 3.65 | 46.62  | 3.77 | 51.48  | 3.92 |
|                                   | 75.2                       | 21.75                  | 3.06 | 26.60  | 3.21 | 31.46  | 3.36 | 36.32  | 3.51 | 42.14  | 3.69 | 46.03  | 3.81 | 50.88  | 3.96 |
| CTXV07A +<br>FTXV18A +<br>FTXV18A | 60.8                       | 24.12                  | 2.91 | 28.98  | 3.06 | 33.84  | 3.21 | 38.69  | 3.36 | 44.52  | 3.54 | 48.40  | 3.66 | 53.26  | 3.80 |
|                                   | 64.4                       | 23.53                  | 2.94 | 28.39  | 3.09 | 33.24  | 3.24 | 38.10  | 3.39 | 43.92  | 3.57 | 47.81  | 3.69 | 52.66  | 3.84 |
|                                   | 68.0                       | 22.94                  | 2.98 | 27.79  | 3.12 | 32.65  | 3.27 | 37.50  | 3.42 | 43.33  | 3.60 | 47.21  | 3.72 | 52.07  | 3.87 |
|                                   | 70.0                       | 22.61                  | 2.99 | 27.46  | 3.14 | 32.32  | 3.29 | 37.17  | 3.44 | 43.00  | 3.62 | 46.88  | 3.74 | 51.74  | 3.89 |
|                                   | 71.6                       | 22.34                  | 3.01 | 27.20  | 3.16 | 32.05  | 3.31 | 36.91  | 3.46 | 42.74  | 3.63 | 46.62  | 3.75 | 51.48  | 3.90 |
|                                   | 75.2                       | 21.75                  | 3.04 | 26.60  | 3.19 | 31.46  | 3.34 | 36.32  | 3.49 | 42.14  | 3.67 | 46.03  | 3.79 | 50.88  | 3.94 |
| FTXV09A +<br>FTXV09A +<br>FTXV09A | 60.8                       | 22.16                  | 3.09 | 26.62  | 3.25 | 31.08  | 3.40 | 35.54  | 3.56 | 40.89  | 3.75 | 44.46  | 3.88 | 48.92  | 4.04 |
|                                   | 64.4                       | 21.62                  | 3.12 | 26.08  | 3.28 | 30.54  | 3.44 | 35.00  | 3.60 | 40.35  | 3.79 | 43.92  | 3.91 | 48.38  | 4.07 |
|                                   | 68.0                       | 21.07                  | 3.16 | 25.53  | 3.31 | 29.99  | 3.47 | 34.45  | 3.63 | 39.80  | 3.82 | 43.37  | 3.95 | 47.83  | 4.11 |
|                                   | 70.0                       | 20.77                  | 3.18 | 25.23  | 3.33 | 29.69  | 3.49 | 34.15  | 3.65 | 39.50  | 3.84 | 43.07  | 3.97 | 47.53  | 4.12 |
|                                   | 71.6                       | 20.52                  | 3.19 | 24.98  | 3.35 | 29.45  | 3.51 | 33.91  | 3.67 | 39.26  | 3.86 | 42.83  | 3.98 | 47.29  | 4.14 |
|                                   | 75.2                       | 19.98                  | 3.23 | 24.44  | 3.38 | 28.90  | 3.54 | 33.36  | 3.70 | 38.71  | 3.89 | 42.28  | 4.02 | 46.74  | 4.17 |
| FTXV09A +<br>FTXV09A +<br>FTXV12A | 60.8                       | 22.83                  | 3.26 | 27.43  | 3.43 | 32.03  | 3.60 | 36.62  | 3.77 | 42.14  | 3.97 | 45.81  | 4.10 | 50.41  | 4.27 |
|                                   | 64.4                       | 22.27                  | 3.30 | 26.87  | 3.47 | 31.46  | 3.64 | 36.06  | 3.80 | 41.57  | 4.00 | 45.25  | 4.14 | 49.85  | 4.30 |
|                                   | 68.0                       | 21.71                  | 3.34 | 26.31  | 3.50 | 30.90  | 3.67 | 35.50  | 3.84 | 41.01  | 4.04 | 44.69  | 4.17 | 49.28  | 4.34 |
|                                   | 70.0                       | 21.40                  | 3.36 | 25.99  | 3.52 | 30.59  | 3.69 | 35.19  | 3.86 | 40.70  | 4.06 | 44.38  | 4.19 | 48.94  | 4.35 |
|                                   | 71.6                       | 21.15                  | 3.37 | 25.74  | 3.54 | 30.34  | 3.71 | 34.94  | 3.88 | 40.45  | 4.08 | 44.13  | 4.21 | 48.65  | 4.35 |
|                                   | 75.2                       | 20.59                  | 3.41 | 25.18  | 3.58 | 29.78  | 3.75 | 34.37  | 3.91 | 39.89  | 4.11 | 43.56  | 4.25 | 48.00  | 4.35 |
| FTXV09A +<br>FTXV09A +<br>FTXV15A | 60.8                       | 23.45                  | 3.13 | 28.17  | 3.29 | 32.89  | 3.45 | 37.61  | 3.61 | 43.27  | 3.80 | 47.05  | 3.93 | 51.77  | 4.09 |
|                                   | 64.4                       | 22.87                  | 3.16 | 27.59  | 3.32 | 32.31  | 3.48 | 37.03  | 3.64 | 42.70  | 3.84 | 46.47  | 3.96 | 51.19  | 4.12 |
|                                   | 68.0                       | 22.30                  | 3.20 | 27.02  | 3.36 | 31.74  | 3.52 | 36.46  | 3.68 | 42.12  | 3.87 | 45.90  | 4.00 | 50.62  | 4.16 |
|                                   | 70.0                       | 21.98                  | 3.22 | 26.70  | 3.38 | 31.42  | 3.54 | 36.14  | 3.70 | 41.80  | 3.89 | 45.58  | 4.02 | 50.30  | 4.18 |
|                                   | 71.6                       | 21.72                  | 3.23 | 26.44  | 3.39 | 31.16  | 3.55 | 35.88  | 3.71 | 41.54  | 3.91 | 45.32  | 4.03 | 50.04  | 4.19 |
|                                   | 75.2                       | 21.14                  | 3.27 | 25.86  | 3.43 | 30.58  | 3.59 | 35.30  | 3.75 | 40.97  | 3.94 | 44.74  | 4.07 |        |      |

| Combination<br>(Capacity)         | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|-----------------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                                   |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                   |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                   |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| FTXV09A +<br>FTXV12A +<br>FTXV12A | 60.8                       | 23.45                  | 3.30 | 28.17  | 3.47 | 32.89  | 3.64 | 37.61  | 3.81 | 43.27  | 4.02 | 47.05  | 4.15 | 51.77  | 4.32 |
|                                   | 64.4                       | 22.87                  | 3.34 | 27.59  | 3.51 | 32.31  | 3.68 | 37.03  | 3.85 | 42.70  | 4.05 | 46.47  | 4.19 | 51.17  | 4.35 |
|                                   | 68.0                       | 22.30                  | 3.38 | 27.02  | 3.55 | 31.74  | 3.72 | 36.46  | 3.89 | 42.12  | 4.09 | 45.90  | 4.22 | 50.48  | 4.35 |
|                                   | 70.0                       | 21.98                  | 3.40 | 26.70  | 3.57 | 31.42  | 3.74 | 36.14  | 3.91 | 41.80  | 4.11 | 45.58  | 4.25 | 50.10  | 4.35 |
|                                   | 71.6                       | 21.72                  | 3.42 | 26.44  | 3.58 | 31.16  | 3.75 | 35.88  | 3.92 | 41.54  | 4.13 | 45.32  | 4.26 | 49.80  | 4.35 |
|                                   | 75.2                       | 21.14                  | 3.45 | 25.86  | 3.62 | 30.58  | 3.79 | 35.30  | 3.96 | 40.97  | 4.16 | 44.74  | 4.30 | 49.14  | 4.35 |
| FTXV09A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 24.12                  | 3.12 | 28.98  | 3.28 | 33.84  | 3.44 | 38.69  | 3.60 | 44.52  | 3.79 | 48.40  | 3.92 | 53.26  | 4.08 |
|                                   | 64.4                       | 23.53                  | 3.15 | 28.39  | 3.31 | 33.24  | 3.47 | 38.10  | 3.63 | 43.92  | 3.83 | 47.81  | 3.95 | 52.66  | 4.11 |
|                                   | 68.0                       | 22.94                  | 3.19 | 27.79  | 3.35 | 32.65  | 3.51 | 37.50  | 3.67 | 43.33  | 3.86 | 47.21  | 3.99 | 52.07  | 4.15 |
|                                   | 70.0                       | 22.61                  | 3.21 | 27.46  | 3.37 | 32.32  | 3.53 | 37.17  | 3.69 | 43.00  | 3.88 | 46.88  | 4.01 | 51.74  | 4.17 |
|                                   | 71.6                       | 22.34                  | 3.22 | 27.20  | 3.38 | 32.05  | 3.54 | 36.91  | 3.70 | 42.74  | 3.90 | 46.62  | 4.02 | 51.48  | 4.18 |
|                                   | 75.2                       | 21.75                  | 3.26 | 26.60  | 3.42 | 31.46  | 3.58 | 36.32  | 3.74 | 42.14  | 3.93 | 46.03  | 4.06 | 50.88  | 4.22 |
| FTXV09A +<br>FTXV12A +<br>FTXV18A | 60.8                       | 24.12                  | 3.10 | 28.98  | 3.25 | 33.84  | 3.41 | 38.69  | 3.57 | 44.52  | 3.76 | 48.40  | 3.89 | 53.26  | 4.05 |
|                                   | 64.4                       | 23.53                  | 3.13 | 28.39  | 3.29 | 33.24  | 3.45 | 38.10  | 3.61 | 43.92  | 3.80 | 47.81  | 3.92 | 52.66  | 4.08 |
|                                   | 68.0                       | 22.94                  | 3.16 | 27.79  | 3.32 | 32.65  | 3.48 | 37.50  | 3.64 | 43.33  | 3.83 | 47.21  | 3.96 | 52.07  | 4.12 |
|                                   | 70.0                       | 22.61                  | 3.18 | 27.46  | 3.34 | 32.32  | 3.50 | 37.17  | 3.66 | 43.00  | 3.85 | 46.88  | 3.98 | 51.74  | 4.14 |
|                                   | 71.6                       | 22.34                  | 3.20 | 27.20  | 3.36 | 32.05  | 3.52 | 36.91  | 3.68 | 42.74  | 3.87 | 46.62  | 3.99 | 51.48  | 4.15 |
|                                   | 75.2                       | 21.75                  | 3.23 | 26.60  | 3.39 | 31.46  | 3.55 | 36.32  | 3.71 | 42.14  | 3.90 | 46.03  | 4.03 | 50.88  | 4.19 |
| FTXV09A +<br>FTXV12A +<br>FTXV24A | 60.8                       | 24.12                  | 3.10 | 28.98  | 3.25 | 33.84  | 3.41 | 38.69  | 3.57 | 44.52  | 3.76 | 48.40  | 3.89 | 53.26  | 4.05 |
|                                   | 64.4                       | 23.53                  | 3.13 | 28.39  | 3.29 | 33.24  | 3.45 | 38.10  | 3.61 | 43.92  | 3.80 | 47.81  | 3.92 | 52.66  | 4.08 |
|                                   | 68.0                       | 22.94                  | 3.16 | 27.79  | 3.32 | 32.65  | 3.48 | 37.50  | 3.64 | 43.33  | 3.83 | 47.21  | 3.96 | 52.07  | 4.12 |
|                                   | 70.0                       | 22.61                  | 3.18 | 27.46  | 3.34 | 32.32  | 3.50 | 37.17  | 3.66 | 43.00  | 3.85 | 46.88  | 3.98 | 51.74  | 4.14 |
|                                   | 71.6                       | 22.34                  | 3.20 | 27.20  | 3.36 | 32.05  | 3.52 | 36.91  | 3.68 | 42.74  | 3.87 | 46.62  | 3.99 | 51.48  | 4.15 |
|                                   | 75.2                       | 21.75                  | 3.23 | 26.60  | 3.39 | 31.46  | 3.55 | 36.32  | 3.71 | 42.14  | 3.90 | 46.03  | 4.03 | 50.88  | 4.19 |
| FTXV09A +<br>FTXV15A +<br>FTXV15A | 60.8                       | 24.12                  | 2.93 | 28.98  | 3.08 | 33.84  | 3.23 | 38.69  | 3.38 | 44.52  | 3.56 | 48.40  | 3.68 | 53.26  | 3.83 |
|                                   | 64.4                       | 23.53                  | 2.96 | 28.39  | 3.11 | 33.24  | 3.26 | 38.10  | 3.41 | 43.92  | 3.59 | 47.81  | 3.71 | 52.66  | 3.86 |
|                                   | 68.0                       | 22.94                  | 2.99 | 27.79  | 3.14 | 32.65  | 3.29 | 37.50  | 3.44 | 43.33  | 3.62 | 47.21  | 3.74 | 52.07  | 3.89 |
|                                   | 70.0                       | 22.61                  | 3.01 | 27.46  | 3.16 | 32.32  | 3.31 | 37.17  | 3.46 | 43.00  | 3.64 | 46.88  | 3.76 | 51.74  | 3.91 |
|                                   | 71.6                       | 22.34                  | 3.03 | 27.20  | 3.17 | 32.05  | 3.32 | 36.91  | 3.47 | 42.74  | 3.65 | 46.62  | 3.77 | 51.48  | 3.92 |
|                                   | 75.2                       | 21.75                  | 3.06 | 26.60  | 3.21 | 31.46  | 3.36 | 36.32  | 3.51 | 42.14  | 3.69 | 46.03  | 3.81 | 50.88  | 3.96 |
| FTXV09A +<br>FTXV15A +<br>FTXV18A | 60.8                       | 24.12                  | 2.91 | 28.98  | 3.06 | 33.84  | 3.21 | 38.69  | 3.36 | 44.52  | 3.54 | 48.40  | 3.66 | 53.26  | 3.80 |
|                                   | 64.4                       | 23.53                  | 2.94 | 28.39  | 3.09 | 33.24  | 3.24 | 38.10  | 3.39 | 43.92  | 3.57 | 47.81  | 3.69 | 52.66  | 3.84 |
|                                   | 68.0                       | 22.94                  | 2.98 | 27.79  | 3.12 | 32.65  | 3.27 | 37.50  | 3.42 | 43.33  | 3.60 | 47.21  | 3.72 | 52.07  | 3.87 |
|                                   | 70.0                       | 22.61                  | 2.99 | 27.46  | 3.14 | 32.32  | 3.29 | 37.17  | 3.44 | 43.00  | 3.62 | 46.88  | 3.74 | 51.74  | 3.89 |
|                                   | 71.6                       | 22.34                  | 3.01 | 27.20  | 3.16 | 32.05  | 3.31 | 36.91  | 3.46 | 42.74  | 3.63 | 46.62  | 3.75 | 51.48  | 3.90 |
|                                   | 75.2                       | 21.75                  | 3.04 | 26.60  | 3.19 | 31.46  | 3.34 | 36.32  | 3.49 | 42.14  | 3.67 | 46.03  | 3.79 | 50.88  | 3.94 |
| FTXV09A +<br>FTXV15A +<br>FTXV24A | 60.8                       | 24.12                  | 2.91 | 28.98  | 3.06 | 33.84  | 3.21 | 38.69  | 3.36 | 44.52  | 3.54 | 48.40  | 3.66 | 53.26  | 3.80 |
|                                   | 64.4                       | 23.53                  | 2.94 | 28.39  | 3.09 | 33.24  | 3.24 | 38.10  | 3.39 | 43.92  | 3.57 | 47.81  | 3.69 | 52.66  | 3.84 |
|                                   | 68.0                       | 22.94                  | 2.98 | 27.79  | 3.12 | 32.65  | 3.27 | 37.50  | 3.42 | 43.33  | 3.60 | 47.21  | 3.72 | 52.07  | 3.87 |
|                                   | 70.0                       | 22.61                  | 2.99 | 27.46  | 3.14 | 32.32  | 3.29 | 37.17  | 3.44 | 43.00  | 3.62 | 46.88  | 3.74 | 51.74  | 3.89 |
|                                   | 71.6                       | 22.34                  | 3.01 | 27.20  | 3.16 | 32.05  | 3.31 | 36.91  | 3.46 | 42.74  | 3.63 | 46.62  | 3.75 | 51.48  | 3.90 |
|                                   | 75.2                       | 21.75                  | 3.04 | 26.60  | 3.19 | 31.46  | 3.34 | 36.32  | 3.49 | 42.14  | 3.67 | 46.03  | 3.79 | 50.88  | 3.94 |
| FTXV09A +<br>FTXV18A +<br>FTXV18A | 60.8                       | 24.12                  | 2.89 | 28.98  | 3.04 | 33.84  | 3.19 | 38.69  | 3.34 | 44.52  | 3.52 | 48.40  | 3.64 | 53.26  | 3.78 |
|                                   | 64.4                       | 23.53                  | 2.93 | 28.39  | 3.08 | 33.24  | 3.22 | 38.10  | 3.37 | 43.92  | 3.55 | 47.81  | 3.67 | 52.66  | 3.82 |
|                                   | 68.0                       | 22.94                  | 2.96 | 27.79  | 3.11 | 32.65  | 3.26 | 37.50  | 3.40 | 43.33  | 3.58 | 47.21  | 3.70 | 52.07  | 3.85 |
|                                   | 70.0                       | 22.61                  | 2.98 | 27.46  | 3.13 | 32.32  | 3.27 | 37.17  | 3.42 | 43.00  | 3.60 | 46.88  | 3.72 | 51.74  | 3.87 |
|                                   | 71.6                       | 22.34                  | 2.99 | 27.20  | 3.14 | 32.05  | 3.29 | 36.91  | 3.44 | 42.74  | 3.61 | 46.62  | 3.73 | 51.48  | 3.88 |
|                                   | 75.2                       | 21.75                  | 3.02 | 26.60  | 3.17 | 31.46  | 3.32 | 36.32  | 3.47 | 42.14  | 3.65 | 46.03  | 3.77 | 50.88  | 3.91 |
| FTXV12A +<br>FTXV12A +<br>FTXV12A | 60.8                       | 24.12                  | 3.29 | 28.98  | 3.46 | 33.84  | 3.63 | 38.69  | 3.79 | 44.52  | 4.00 | 48.40  | 4.13 | 53.26  | 4.30 |
|                                   | 64.4                       | 23.53                  | 3.33 | 28.39  | 3.49 | 33.24  | 3.66 | 38.10  | 3.83 | 43.92  | 4.03 | 47.81  | 4.17 | 52.66  | 4.34 |
|                                   | 68.0                       | 22.94                  | 3.36 | 27.79  | 3.53 | 32.65  | 3.70 | 37.50  | 3.87 | 43.33  | 4.07 | 47.21  | 4.20 | 51.99  | 4.35 |
|                                   | 70.0                       | 22.61                  | 3.38 | 27.46  | 3.55 | 32.32  | 3.72 | 37.17  | 3.89 | 43.00  | 4.09 | 46.88  | 4.22 | 51.59  | 4.35 |
|                                   | 71.6                       | 22.34                  | 3.40 | 27.20  | 3.57 | 32.05  | 3.74 | 36.91  | 3.90 | 42.74  | 4.11 | 46.62  | 4.24 | 51.28  | 4.35 |
|                                   | 75.2                       | 21.75                  | 3.44 | 26.60  | 3.60 | 31.46  | 3.77 | 36.32  | 3.94 | 42.14  | 4.14 | 46.03  | 4.28 | 50.58  | 4.35 |
| FTXV12A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 24.12                  | 3.10 | 28.98  | 3.26 | 33.84  | 3.42 | 38.69  | 3.58 | 44.52  | 3.77 | 48.40  | 3.90 | 53.26  | 4.06 |
|                                   | 64.4                       | 23.53                  | 3.14 | 28.39  | 3.30 | 33.24  | 3.46 | 38.10  | 3.62 | 43.92  | 3.81 | 47.81  | 3.93 | 52.66  | 4.09 |
|                                   | 68.0                       | 22.94                  | 3.17 | 27.79  | 3.33 | 32.65  | 3.49 | 37.50  | 3.65 | 43.33  | 3.84 | 47.21  | 3.97 | 52.07  | 4.13 |
|                                   | 70.0                       | 22.61                  | 3.19 | 27.46  | 3.35 | 32.32  | 3.51 | 37.17  | 3.67 | 43.00  | 3.86 | 46.88  | 3.99 | 51.74  | 4.15 |
|                                   | 71.6                       | 22.34                  | 3.21 | 27.20  | 3.37 | 32.05  | 3.53 | 36.91  | 3.68 | 42.74  | 3.88 | 46.62  | 4.00 | 51.48  | 4.16 |
|                                   | 75.2                       | 21.75                  | 3.24 | 26.60  | 3.40 | 31.46  | 3.56 | 36.32  | 3.72 | 42.14  | 3.91 | 46.03  | 4.04 | 50.88  | 4.20 |
| FTXV12A +<br>FTXV12A +<br>FTXV18A | 60.8                       | 24.12                  | 3.09 | 28.98  | 3.25 | 33.84  | 3.40 | 38.69  | 3.56 | 44.52  | 3.75 | 48.40  | 3.88 | 53.26  | 4.04 |
|                                   | 64.4                       | 23.53                  | 3.12 | 28.39  | 3.28 | 33.24  | 3.44 | 38.10  | 3.60 | 43.92  | 3.79 | 47.81  | 3.91 | 52.66  | 4.07 |
|                                   | 68.0                       | 22.94                  | 3.16 | 27.79  | 3.31 | 32.65  | 3.47 | 37.50  | 3.63 | 43.33  | 3.82 | 47.21  | 3.95 | 52.07  | 4.11 |
|                                   | 70.0                       | 22.61                  | 3.18 | 27.46  | 3.33 | 32.32  | 3.49 | 37.17  | 3.65 | 43.00  | 3.84 | 46.88  | 3.97 | 51.74  | 4.12 |
|                                   | 71.6                       | 22.34                  | 3.19 | 27.20  | 3.35 | 32.05  | 3.51 | 36.91  | 3.67 | 42.74  | 3.86 | 46.62  | 3.98 | 51.48  | 4.14 |
|                                   | 75.2                       | 21.75                  | 3.23 | 26.60  | 3.38 | 31.46  | 3.54 | 36.32  | 3.70 | 42.14  | 3.89 | 46.03. |      |        |      |

| Combination<br>(Capacity)         | Indoor air<br>temp.<br>EDB                     | Outdoor air temp.: EWB |       |        |       |        |       |        |       |        |       |        |       |        |       |      |
|-----------------------------------|------------------------------------------------|------------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|------|
|                                   |                                                | 5.0                    |       | 14.0   |       | 23.0   |       | 32.0   |       | 43.0   |       | 50.0   |       | 59.0   |       |      |
|                                   |                                                | TC                     | PI    | TC     | PI    | TC     | PI    | TC     | PI    | TC     | PI    | TC     | PI    | TC     | PI    |      |
|                                   |                                                | kBtu/h                 | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    |      |
| FTXV12A +<br>FTXV15A +<br>FTXV18A | 60.8                                           | 24.12                  | 2.89  | 28.98  | 3.04  | 33.84  | 3.19  | 38.69  | 3.34  | 44.52  | 3.52  | 48.40  | 3.64  | 53.26  | 3.78  |      |
|                                   | 64.4                                           | 23.53                  | 2.93  | 28.39  | 3.08  | 33.24  | 3.22  | 38.10  | 3.37  | 43.92  | 3.55  | 47.81  | 3.67  | 52.66  | 3.82  |      |
|                                   | 68.0                                           | 22.94                  | 2.96  | 27.79  | 3.11  | 32.65  | 3.26  | 37.50  | 3.40  | 43.33  | 3.58  | 47.21  | 3.70  | 52.07  | 3.85  |      |
|                                   | 70.0                                           | 22.61                  | 2.98  | 27.46  | 3.13  | 32.32  | 3.27  | 37.17  | 3.42  | 43.00  | 3.60  | 46.88  | 3.72  | 51.74  | 3.87  |      |
|                                   | 71.6                                           | 22.34                  | 2.99  | 27.20  | 3.14  | 32.05  | 3.29  | 36.91  | 3.44  | 42.74  | 3.61  | 46.62  | 3.73  | 51.48  | 3.88  |      |
|                                   | 75.2                                           | 21.75                  | 3.02  | 26.60  | 3.17  | 31.46  | 3.32  | 36.32  | 3.47  | 42.14  | 3.65  | 46.03  | 3.77  | 50.88  | 3.91  |      |
|                                   | FTXV12A +<br>FTXV18A +<br>FTXV18A              | 60.8                   | 24.12 | 2.88   | 28.98 | 3.03   | 33.84 | 3.17   | 38.69 | 3.32   | 44.52 | 3.50   | 48.40 | 3.62   | 53.26 | 3.76 |
|                                   |                                                | 64.4                   | 23.53 | 2.91   | 28.39 | 3.06   | 33.24 | 3.21   | 38.10 | 3.35   | 43.92 | 3.53   | 47.81 | 3.65   | 52.66 | 3.80 |
|                                   |                                                | 68.0                   | 22.94 | 2.94   | 27.79 | 3.09   | 32.65 | 3.24   | 37.50 | 3.39   | 43.33 | 3.56   | 47.21 | 3.68   | 52.07 | 3.83 |
|                                   |                                                | 70.0                   | 22.61 | 2.96   | 27.46 | 3.11   | 32.32 | 3.26   | 37.17 | 3.40   | 43.00 | 3.58   | 46.88 | 3.70   | 51.74 | 3.85 |
| 71.6                              |                                                | 22.34                  | 2.98  | 27.20  | 3.12  | 32.05  | 3.27  | 36.91  | 3.42  | 42.74  | 3.59  | 46.62  | 3.71  | 51.48  | 3.86  |      |
|                                   | 75.2                                           | 21.75                  | 3.01  | 26.60  | 3.15  | 31.46  | 3.30  | 36.32  | 3.45  | 42.14  | 3.63  | 46.03  | 3.74  | 50.88  | 3.89  |      |
|                                   | FTXV15A +<br>FTXV15A +<br>FTXV15A              | 60.8                   | 24.12 | 2.73   | 28.98 | 2.87   | 33.84 | 3.01   | 38.69 | 3.15   | 44.52 | 3.32   | 48.40 | 3.43   | 53.26 | 3.57 |
|                                   |                                                | 64.4                   | 23.53 | 2.76   | 28.39 | 2.90   | 33.24 | 3.04   | 38.10 | 3.18   | 43.92 | 3.35   | 47.81 | 3.46   | 52.66 | 3.60 |
|                                   |                                                | 68.0                   | 22.94 | 2.79   | 27.79 | 2.93   | 32.65 | 3.07   | 37.50 | 3.21   | 43.33 | 3.38   | 47.21 | 3.49   | 52.07 | 3.64 |
|                                   |                                                | 70.0                   | 22.61 | 2.81   | 27.46 | 2.95   | 32.32 | 3.09   | 37.17 | 3.23   | 43.00 | 3.40   | 46.88 | 3.51   | 51.74 | 3.65 |
| 71.6                              |                                                | 22.34                  | 2.83  | 27.20  | 2.97  | 32.05  | 3.11  | 36.91  | 3.25  | 42.74  | 3.41  | 46.62  | 3.53  | 51.48  | 3.67  |      |
|                                   | 75.2                                           | 21.75                  | 2.86  | 26.60  | 3.00  | 31.46  | 3.14  | 36.32  | 3.28  | 42.14  | 3.44  | 46.03  | 3.56  | 50.88  | 3.70  |      |
|                                   | FTXV15A +<br>FTXV15A +<br>FTXV18A              | 60.8                   | 24.12 | 2.71   | 28.98 | 2.85   | 33.84 | 2.99   | 38.69 | 3.13   | 44.52 | 3.29   | 48.40 | 3.40   | 53.26 | 3.54 |
|                                   |                                                | 64.4                   | 23.53 | 2.74   | 28.39 | 2.88   | 33.24 | 3.02   | 38.10 | 3.16   | 43.92 | 3.32   | 47.81 | 3.43   | 52.66 | 3.57 |
|                                   |                                                | 68.0                   | 22.94 | 2.77   | 27.79 | 2.91   | 32.65 | 3.05   | 37.50 | 3.19   | 43.33 | 3.35   | 47.21 | 3.46   | 52.07 | 3.60 |
|                                   |                                                | 70.0                   | 22.61 | 2.79   | 27.46 | 2.93   | 32.32 | 3.06   | 37.17 | 3.20   | 43.00 | 3.37   | 46.88 | 3.48   | 51.74 | 3.62 |
| 71.6                              |                                                | 22.34                  | 2.80  | 27.20  | 2.94  | 32.05  | 3.08  | 36.91  | 3.22  | 42.74  | 3.38  | 46.62  | 3.49  | 51.48  | 3.63  |      |
|                                   | 75.2                                           | 21.75                  | 2.83  | 26.60  | 2.97  | 31.46  | 3.11  | 36.32  | 3.25  | 42.14  | 3.41  | 46.03  | 3.52  | 50.88  | 3.66  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>CTXV07A              | 60.8                   | 22.39 | 2.89   | 26.89 | 3.03   | 31.40 | 3.18   | 35.90 | 3.33   | 41.31 | 3.51   | 44.91 | 3.63   | 49.42 | 3.77 |
|                                   |                                                | 64.4                   | 21.83 | 2.92   | 26.34 | 3.07   | 30.85 | 3.21   | 35.35 | 3.36   | 40.76 | 3.54   | 44.36 | 3.66   | 48.87 | 3.81 |
|                                   |                                                | 68.0                   | 21.28 | 2.95   | 25.79 | 3.10   | 30.29 | 3.25   | 34.80 | 3.39   | 40.21 | 3.57   | 43.81 | 3.69   | 48.32 | 3.84 |
|                                   |                                                | 70.0                   | 20.98 | 2.97   | 25.48 | 3.12   | 29.99 | 3.26   | 34.49 | 3.41   | 39.90 | 3.59   | 43.50 | 3.71   | 48.01 | 3.86 |
| 71.6                              |                                                | 20.73                  | 2.98  | 25.24  | 3.13  | 29.74  | 3.28  | 34.25  | 3.43  | 39.66  | 3.60  | 43.26  | 3.72  | 47.76  | 3.87  |      |
|                                   | 75.2                                           | 20.18                  | 3.02  | 24.69  | 3.16  | 29.19  | 3.31  | 33.70  | 3.46  | 39.10  | 3.64  | 42.71  | 3.75  | 47.21  | 3.90  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV09A | 60.8                   | 22.83 | 2.97   | 27.43 | 3.12   | 32.03 | 3.27   | 36.62 | 3.42   | 42.14 | 3.61   | 45.81 | 3.73   | 50.41 | 3.88 |
|                                   |                                                | 64.4                   | 22.27 | 3.00   | 26.87 | 3.15   | 31.46 | 3.30   | 36.06 | 3.46   | 41.57 | 3.64   | 45.25 | 3.76   | 49.85 | 3.91 |
|                                   |                                                | 68.0                   | 21.71 | 3.03   | 26.31 | 3.19   | 30.90 | 3.34   | 35.50 | 3.49   | 41.01 | 3.67   | 44.69 | 3.79   | 49.28 | 3.95 |
|                                   |                                                | 70.0                   | 21.40 | 3.05   | 25.99 | 3.20   | 30.59 | 3.36   | 35.19 | 3.51   | 40.70 | 3.69   | 44.38 | 3.81   | 48.97 | 3.96 |
| 71.6                              |                                                | 21.15                  | 3.07  | 25.74  | 3.22  | 30.34  | 3.37  | 34.94  | 3.52  | 40.45  | 3.70  | 44.13  | 3.83  | 48.72  | 3.98  |      |
|                                   | 75.2                                           | 20.59                  | 3.10  | 25.18  | 3.25  | 29.78  | 3.40  | 34.37  | 3.56  | 39.89  | 3.74  | 43.56  | 3.86  | 48.16  | 4.01  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV12A | 60.8                   | 23.45 | 3.10   | 28.17 | 3.25   | 32.89 | 3.41   | 37.61 | 3.57   | 43.27 | 3.76   | 47.05 | 3.89   | 51.77 | 4.05 |
|                                   |                                                | 64.4                   | 22.87 | 3.13   | 27.59 | 3.29   | 32.31 | 3.45   | 37.03 | 3.61   | 42.70 | 3.80   | 46.47 | 3.92   | 51.19 | 4.08 |
|                                   |                                                | 68.0                   | 22.30 | 3.16   | 27.02 | 3.32   | 31.74 | 3.48   | 36.46 | 3.64   | 42.12 | 3.83   | 45.90 | 3.96   | 50.62 | 4.12 |
|                                   |                                                | 70.0                   | 21.98 | 3.18   | 26.70 | 3.34   | 31.42 | 3.50   | 36.14 | 3.66   | 41.80 | 3.85   | 45.58 | 3.98   | 50.30 | 4.14 |
| 71.6                              |                                                | 21.72                  | 3.20  | 26.44  | 3.36  | 31.16  | 3.52  | 35.88  | 3.68  | 41.54  | 3.87  | 45.32  | 3.99  | 50.04  | 4.15  |      |
|                                   | 75.2                                           | 21.14                  | 3.23  | 25.86  | 3.39  | 30.58  | 3.55  | 35.30  | 3.71  | 40.97  | 3.90  | 44.74  | 4.03  | 49.46  | 4.19  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV15A | 60.8                   | 24.12 | 2.91   | 28.98 | 3.06   | 33.84 | 3.21   | 38.69 | 3.36   | 44.52 | 3.54   | 48.40 | 3.66   | 53.26 | 3.80 |
|                                   |                                                | 64.4                   | 23.53 | 2.94   | 28.39 | 3.09   | 33.24 | 3.24   | 38.10 | 3.39   | 43.92 | 3.57   | 47.81 | 3.69   | 52.66 | 3.84 |
|                                   |                                                | 68.0                   | 22.94 | 2.98   | 27.79 | 3.12   | 32.65 | 3.27   | 37.50 | 3.42   | 43.33 | 3.60   | 47.21 | 3.72   | 52.07 | 3.87 |
|                                   |                                                | 70.0                   | 22.61 | 2.99   | 27.46 | 3.14   | 32.32 | 3.29   | 37.17 | 3.44   | 43.00 | 3.62   | 46.88 | 3.74   | 51.74 | 3.89 |
| 71.6                              |                                                | 22.34                  | 3.01  | 27.20  | 3.16  | 32.05  | 3.31  | 36.91  | 3.46  | 42.74  | 3.63  | 46.62  | 3.75  | 51.48  | 3.90  |      |
|                                   | 75.2                                           | 21.75                  | 3.04  | 26.60  | 3.19  | 31.46  | 3.34  | 36.32  | 3.49  | 42.14  | 3.67  | 46.03  | 3.79  | 50.88  | 3.94  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV18A | 60.8                   | 24.12 | 2.89   | 28.98 | 3.03   | 33.84 | 3.18   | 38.69 | 3.33   | 44.52 | 3.51   | 48.40 | 3.63   | 53.26 | 3.77 |
|                                   |                                                | 64.4                   | 23.53 | 2.92   | 28.39 | 3.07   | 33.24 | 3.21   | 38.10 | 3.36   | 43.92 | 3.54   | 47.81 | 3.66   | 52.66 | 3.81 |
|                                   |                                                | 68.0                   | 22.94 | 2.95   | 27.79 | 3.10   | 32.65 | 3.25   | 37.50 | 3.39   | 43.33 | 3.57   | 47.21 | 3.69   | 52.07 | 3.84 |
|                                   |                                                | 70.0                   | 22.61 | 2.97   | 27.46 | 3.12   | 32.32 | 3.26   | 37.17 | 3.41   | 43.00 | 3.59   | 46.88 | 3.71   | 51.74 | 3.86 |
| 71.6                              |                                                | 22.34                  | 2.98  | 27.20  | 3.13  | 32.05  | 3.28  | 36.91  | 3.43  | 42.74  | 3.60  | 46.62  | 3.72  | 51.48  | 3.87  |      |
|                                   | 75.2                                           | 21.75                  | 3.02  | 26.60  | 3.16  | 31.46  | 3.31  | 36.32  | 3.46  | 42.14  | 3.64  | 46.03  | 3.75  | 50.88  | 3.90  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>CTXV07A +<br>FTXV24A | 60.8                   | 24.12 | 2.89   | 28.98 | 3.03   | 33.84 | 3.18   | 38.69 | 3.33   | 44.52 | 3.51   | 48.40 | 3.63   | 53.26 | 3.77 |
|                                   |                                                | 64.4                   | 23.53 | 2.92   | 28.39 | 3.07   | 33.24 | 3.21   | 38.10 | 3.36   | 43.92 | 3.54   | 47.81 | 3.66   | 52.66 | 3.81 |
|                                   |                                                | 68.0                   | 22.94 | 2.95   | 27.79 | 3.10   | 32.65 | 3.25   | 37.50 | 3.39   | 43.33 | 3.57   | 47.21 | 3.69   | 52.07 | 3.84 |
|                                   |                                                | 70.0                   | 22.61 | 2.97   | 27.46 | 3.12   | 32.32 | 3.26   | 37.17 | 3.41   | 43.00 | 3.59   | 46.88 | 3.71   | 51.74 | 3.86 |
| 71.6                              |                                                | 22.34                  | 2.98  | 27.20  | 3.13  | 32.05  | 3.28  | 36.91  | 3.43  | 42.74  | 3.60  | 46.62  | 3.72  | 51.48  | 3.87  |      |
|                                   | 75.2                                           | 21.75                  | 3.02  | 26.60  | 3.16  | 31.46  | 3.31  | 36.32  | 3.46  | 42.14  | 3.64  | 46.03  | 3.75  | 50.88  | 3.90  |      |
|                                   | CTXV07A +<br>CTXV07A +<br>FTXV09A +<br>FTXV09A | 60.8                   | 23.23 | 3.10   | 27.90 | 3.25   | 32.58 | 3.41   | 37.25 | 3.57   | 42.86 | 3.76   | 46.60 | 3.89   | 51.28 | 4.05 |
|                                   |                                                | 64.4                   | 22.65 | 3.13   | 27.33 | 3.29   | 32.00 | 3.45   | 36.68 | 3.61   | 42.29 | 3.80   | 46.03 | 3.92   | 50.70 | 4.08 |
|                                   |                                                | 68.0                   | 22.08 | 3.16   | 26.76 | 3.32   | 31.43 | 3.48   | 36.11 | 3.64   | 41.72 | 3.83   | 45.46 | 3.96   | 50.13 | 4.12 |
|                                   |                                                | 70.0                   | 21.77 | 3.18   | 26.44 | 3.34   | 31.12 | 3.50   | 35.79 | 3.66   | 41.40 | 3.85   | 45.14 | 3.98   | 49.81 | 4.14 |
| 71.6                              |                                                | 21.51                  | 3.20  | 26.19  | 3.36  | 30.86  | 3.52  | 35.54  | 3.68  | 41.15  | 3.87  | 44.89  | 3.99  | 49.56  | 4.15  |      |

| Combination<br>(Capacity)                      | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|------------------------------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                                                |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                                |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                                |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| CTXV07A +<br>CTXV07A +<br>FTXV09A +<br>FTXV18A | 60.8                       | 24.12                  | 2.87 | 28.98  | 3.02 | 33.84  | 3.16 | 38.69  | 3.31 | 44.52  | 3.49 | 48.40  | 3.61 | 53.26  | 3.75 |
|                                                | 64.4                       | 23.53                  | 2.90 | 28.39  | 3.05 | 33.24  | 3.20 | 38.10  | 3.34 | 43.92  | 3.52 | 47.81  | 3.64 | 52.66  | 3.78 |
|                                                | 68.0                       | 22.94                  | 2.93 | 27.79  | 3.08 | 32.65  | 3.23 | 37.50  | 3.38 | 43.33  | 3.55 | 47.21  | 3.67 | 52.07  | 3.82 |
|                                                | 70.0                       | 22.61                  | 2.95 | 27.46  | 3.10 | 32.32  | 3.25 | 37.17  | 3.39 | 43.00  | 3.57 | 46.88  | 3.69 | 51.74  | 3.83 |
|                                                | 71.6                       | 22.34                  | 2.97 | 27.20  | 3.11 | 32.05  | 3.26 | 36.91  | 3.41 | 42.74  | 3.58 | 46.62  | 3.70 | 51.48  | 3.85 |
|                                                | 75.2                       | 21.75                  | 3.00 | 26.60  | 3.15 | 31.46  | 3.29 | 36.32  | 3.44 | 42.14  | 3.62 | 46.03  | 3.73 | 50.88  | 3.88 |
| CTXV07A +<br>CTXV07A +<br>FTXV09A +<br>FTXV24A | 60.8                       | 24.12                  | 2.87 | 28.98  | 3.02 | 33.84  | 3.16 | 38.69  | 3.31 | 44.52  | 3.49 | 48.40  | 3.61 | 53.26  | 3.75 |
|                                                | 64.4                       | 23.53                  | 2.90 | 28.39  | 3.05 | 33.24  | 3.20 | 38.10  | 3.34 | 43.92  | 3.52 | 47.81  | 3.64 | 52.66  | 3.78 |
|                                                | 68.0                       | 22.94                  | 2.93 | 27.79  | 3.08 | 32.65  | 3.23 | 37.50  | 3.38 | 43.33  | 3.55 | 47.21  | 3.67 | 52.07  | 3.82 |
|                                                | 70.0                       | 22.61                  | 2.95 | 27.46  | 3.10 | 32.32  | 3.25 | 37.17  | 3.39 | 43.00  | 3.57 | 46.88  | 3.69 | 51.74  | 3.83 |
|                                                | 71.6                       | 22.34                  | 2.97 | 27.20  | 3.11 | 32.05  | 3.26 | 36.91  | 3.41 | 42.74  | 3.58 | 46.62  | 3.70 | 51.48  | 3.85 |
|                                                | 75.2                       | 21.75                  | 3.00 | 26.60  | 3.15 | 31.46  | 3.29 | 36.32  | 3.44 | 42.14  | 3.62 | 46.03  | 3.73 | 50.88  | 3.88 |
| CTXV07A +<br>CTXV07A +<br>FTXV12A +<br>FTXV12A | 60.8                       | 24.12                  | 3.06 | 28.98  | 3.22 | 33.84  | 3.38 | 38.69  | 3.53 | 44.52  | 3.72 | 48.40  | 3.85 | 53.26  | 4.00 |
|                                                | 64.4                       | 23.53                  | 3.10 | 28.39  | 3.25 | 33.24  | 3.41 | 38.10  | 3.57 | 43.92  | 3.76 | 47.81  | 3.88 | 52.66  | 4.04 |
|                                                | 68.0                       | 22.94                  | 3.13 | 27.79  | 3.29 | 32.65  | 3.45 | 37.50  | 3.60 | 43.33  | 3.79 | 47.21  | 3.92 | 52.07  | 4.07 |
|                                                | 70.0                       | 22.61                  | 3.15 | 27.46  | 3.31 | 32.32  | 3.46 | 37.17  | 3.62 | 43.00  | 3.81 | 46.88  | 3.94 | 51.74  | 4.09 |
|                                                | 71.6                       | 22.34                  | 3.17 | 27.20  | 3.32 | 32.05  | 3.48 | 36.91  | 3.64 | 42.74  | 3.83 | 46.62  | 3.95 | 51.48  | 4.11 |
|                                                | 75.2                       | 21.75                  | 3.20 | 26.60  | 3.36 | 31.46  | 3.51 | 36.32  | 3.67 | 42.14  | 3.86 | 46.03  | 3.99 | 50.88  | 4.14 |
| CTXV07A +<br>CTXV07A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 24.12                  | 2.88 | 28.98  | 3.03 | 33.84  | 3.17 | 38.69  | 3.32 | 44.52  | 3.50 | 48.40  | 3.62 | 53.26  | 3.76 |
|                                                | 64.4                       | 23.53                  | 2.91 | 28.39  | 3.06 | 33.24  | 3.21 | 38.10  | 3.35 | 43.92  | 3.53 | 47.81  | 3.65 | 52.66  | 3.80 |
|                                                | 68.0                       | 22.94                  | 2.94 | 27.79  | 3.09 | 32.65  | 3.24 | 37.50  | 3.39 | 43.33  | 3.56 | 47.21  | 3.68 | 52.07  | 3.83 |
|                                                | 70.0                       | 22.61                  | 2.96 | 27.46  | 3.11 | 32.32  | 3.26 | 37.17  | 3.40 | 43.00  | 3.58 | 46.88  | 3.70 | 51.74  | 3.85 |
|                                                | 71.6                       | 22.34                  | 2.98 | 27.20  | 3.12 | 32.05  | 3.27 | 36.91  | 3.42 | 42.74  | 3.59 | 46.62  | 3.71 | 51.48  | 3.86 |
|                                                | 75.2                       | 21.75                  | 3.01 | 26.60  | 3.15 | 31.46  | 3.30 | 36.32  | 3.45 | 42.14  | 3.63 | 46.03  | 3.74 | 50.88  | 3.89 |
| CTXV07A +<br>CTXV07A +<br>FTXV12A +<br>FTXV18A | 60.8                       | 24.12                  | 2.86 | 28.98  | 3.01 | 33.84  | 3.16 | 38.69  | 3.30 | 44.52  | 3.48 | 48.40  | 3.60 | 53.26  | 3.74 |
|                                                | 64.4                       | 23.53                  | 2.89 | 28.39  | 3.04 | 33.24  | 3.19 | 38.10  | 3.33 | 43.92  | 3.51 | 47.81  | 3.63 | 52.66  | 3.77 |
|                                                | 68.0                       | 22.94                  | 2.93 | 27.79  | 3.07 | 32.65  | 3.22 | 37.50  | 3.37 | 43.33  | 3.54 | 47.21  | 3.66 | 52.07  | 3.81 |
|                                                | 70.0                       | 22.61                  | 2.94 | 27.46  | 3.09 | 32.32  | 3.24 | 37.17  | 3.38 | 43.00  | 3.56 | 46.88  | 3.68 | 51.74  | 3.82 |
|                                                | 71.6                       | 22.34                  | 2.96 | 27.20  | 3.11 | 32.05  | 3.25 | 36.91  | 3.40 | 42.74  | 3.57 | 46.62  | 3.69 | 51.48  | 3.84 |
|                                                | 75.2                       | 21.75                  | 2.99 | 26.60  | 3.14 | 31.46  | 3.28 | 36.32  | 3.43 | 42.14  | 3.61 | 46.03  | 3.72 | 50.88  | 3.87 |
| CTXV07A +<br>CTXV07A +<br>FTXV15A +<br>FTXV15A | 60.8                       | 24.12                  | 2.69 | 28.98  | 2.83 | 33.84  | 2.97 | 38.69  | 3.11 | 44.52  | 3.27 | 48.40  | 3.38 | 53.26  | 3.52 |
|                                                | 64.4                       | 23.53                  | 2.72 | 28.39  | 2.86 | 33.24  | 3.00 | 38.10  | 3.14 | 43.92  | 3.30 | 47.81  | 3.41 | 52.66  | 3.55 |
|                                                | 68.0                       | 22.94                  | 2.75 | 27.79  | 2.89 | 32.65  | 3.03 | 37.50  | 3.17 | 43.33  | 3.33 | 47.21  | 3.44 | 52.07  | 3.58 |
|                                                | 70.0                       | 22.61                  | 2.77 | 27.46  | 2.91 | 32.32  | 3.05 | 37.17  | 3.18 | 43.00  | 3.35 | 46.88  | 3.46 | 51.74  | 3.60 |
|                                                | 71.6                       | 22.34                  | 2.78 | 27.20  | 2.92 | 32.05  | 3.06 | 36.91  | 3.20 | 42.74  | 3.36 | 46.62  | 3.47 | 51.48  | 3.61 |
|                                                | 75.2                       | 21.75                  | 2.81 | 26.60  | 2.95 | 31.46  | 3.09 | 36.32  | 3.23 | 42.14  | 3.39 | 46.03  | 3.50 | 50.88  | 3.64 |
| CTXV07A +<br>CTXV07A +<br>FTXV15A +<br>FTXV18A | 60.8                       | 24.12                  | 2.67 | 28.98  | 2.81 | 33.84  | 2.94 | 38.69  | 3.08 | 44.52  | 3.24 | 48.40  | 3.35 | 53.26  | 3.49 |
|                                                | 64.4                       | 23.53                  | 2.70 | 28.39  | 2.84 | 33.24  | 2.97 | 38.10  | 3.11 | 43.92  | 3.27 | 47.81  | 3.38 | 52.66  | 3.52 |
|                                                | 68.0                       | 22.94                  | 2.73 | 27.79  | 2.87 | 32.65  | 3.00 | 37.50  | 3.14 | 43.33  | 3.30 | 47.21  | 3.41 | 52.07  | 3.55 |
|                                                | 70.0                       | 22.61                  | 2.75 | 27.46  | 2.88 | 32.32  | 3.02 | 37.17  | 3.16 | 43.00  | 3.32 | 46.88  | 3.43 | 51.74  | 3.57 |
|                                                | 71.6                       | 22.34                  | 2.76 | 27.20  | 2.90 | 32.05  | 3.03 | 36.91  | 3.17 | 42.74  | 3.33 | 46.62  | 3.44 | 51.48  | 3.58 |
|                                                | 75.2                       | 21.75                  | 2.79 | 26.60  | 2.93 | 31.46  | 3.06 | 36.32  | 3.20 | 42.14  | 3.36 | 46.03  | 3.47 | 50.88  | 3.61 |
| CTXV07A +<br>FTXV09A +<br>FTXV09A +<br>FTXV09A | 60.8                       | 23.68                  | 3.08 | 28.44  | 3.24 | 33.21  | 3.39 | 37.97  | 3.55 | 43.69  | 3.74 | 47.50  | 3.87 | 52.27  | 4.03 |
|                                                | 64.4                       | 23.09                  | 3.11 | 27.86  | 3.27 | 32.62  | 3.43 | 37.39  | 3.59 | 43.11  | 3.78 | 46.92  | 3.90 | 51.68  | 4.06 |
|                                                | 68.0                       | 22.51                  | 3.15 | 27.28  | 3.31 | 32.04  | 3.46 | 36.81  | 3.62 | 42.52  | 3.81 | 46.34  | 3.94 | 51.10  | 4.09 |
|                                                | 70.0                       | 22.19                  | 3.17 | 26.95  | 3.33 | 31.72  | 3.48 | 36.48  | 3.64 | 42.20  | 3.83 | 46.01  | 3.96 | 50.78  | 4.11 |
|                                                | 71.6                       | 21.93                  | 3.18 | 26.69  | 3.34 | 31.46  | 3.50 | 36.22  | 3.66 | 41.94  | 3.85 | 45.75  | 3.97 | 50.52  | 4.13 |
|                                                | 75.2                       | 21.34                  | 3.22 | 26.11  | 3.38 | 30.88  | 3.53 | 35.64  | 3.69 | 41.36  | 3.88 | 45.17  | 4.01 | 49.94  | 4.16 |
| CTXV07A +<br>FTXV09A +<br>FTXV09A +<br>FTXV12A | 60.8                       | 24.12                  | 3.06 | 28.98  | 3.22 | 33.84  | 3.38 | 38.69  | 3.53 | 44.52  | 3.72 | 48.40  | 3.85 | 53.26  | 4.00 |
|                                                | 64.4                       | 23.53                  | 3.10 | 28.39  | 3.25 | 33.24  | 3.41 | 38.10  | 3.57 | 43.92  | 3.76 | 47.81  | 3.88 | 52.66  | 4.04 |
|                                                | 68.0                       | 22.94                  | 3.13 | 27.79  | 3.29 | 32.65  | 3.45 | 37.50  | 3.60 | 43.33  | 3.79 | 47.21  | 3.92 | 52.07  | 4.07 |
|                                                | 70.0                       | 22.61                  | 3.15 | 27.46  | 3.31 | 32.32  | 3.46 | 37.17  | 3.62 | 43.00  | 3.81 | 46.88  | 3.94 | 51.74  | 4.09 |
|                                                | 71.6                       | 22.34                  | 3.17 | 27.20  | 3.32 | 32.05  | 3.48 | 36.91  | 3.64 | 42.74  | 3.83 | 46.62  | 3.95 | 51.48  | 4.11 |
|                                                | 75.2                       | 21.75                  | 3.20 | 26.60  | 3.36 | 31.46  | 3.51 | 36.32  | 3.67 | 42.14  | 3.86 | 46.03  | 3.99 | 50.88  | 4.14 |
| CTXV07A +<br>FTXV09A +<br>FTXV09A +<br>FTXV15A | 60.8                       | 24.12                  | 2.88 | 28.98  | 3.03 | 33.84  | 3.17 | 38.69  | 3.32 | 44.52  | 3.50 | 48.40  | 3.62 | 53.26  | 3.76 |
|                                                | 64.4                       | 23.53                  | 2.91 | 28.39  | 3.06 | 33.24  | 3.21 | 38.10  | 3.35 | 43.92  | 3.53 | 47.81  | 3.65 | 52.66  | 3.80 |
|                                                | 68.0                       | 22.94                  | 2.94 | 27.79  | 3.09 | 32.65  | 3.24 | 37.50  | 3.39 | 43.33  | 3.56 | 47.21  | 3.68 | 52.07  | 3.83 |
|                                                | 70.0                       | 22.61                  | 2.96 | 27.46  | 3.11 | 32.32  | 3.26 | 37.17  | 3.40 | 43.00  | 3.58 | 46.88  | 3.70 | 51.74  | 3.85 |
|                                                | 71.6                       | 22.34                  | 2.98 | 27.20  | 3.12 | 32.05  | 3.27 | 36.91  | 3.42 | 42.74  | 3.59 | 46.62  | 3.71 | 51.48  | 3.86 |
|                                                | 75.2                       | 21.75                  | 3.01 | 26.60  | 3.15 | 31.46  | 3.30 | 36.32  | 3.45 | 42.14  | 3.63 | 46.03  | 3.74 | 50.88  | 3.89 |
| CTXV07A +<br>FTXV09A +<br>FTXV09A +<br>FTXV18A | 60.8                       | 24.12                  | 2.85 | 28.98  | 3.00 | 33.84  | 3.15 | 38.69  | 3.29 | 44.52  | 3.47 | 48.40  | 3.59 | 53.26  | 3.73 |
|                                                | 64.4                       | 23.53                  | 2.89 | 28.39  | 3.03 | 33.24  | 3.18 | 38.10  | 3.32 | 43.92  | 3.50 | 47.81  | 3.62 | 52.66  | 3.76 |
|                                                | 68.0                       | 22.94                  | 2.92 | 27.79  | 3.06 | 32.65  | 3.21 | 37.50  | 3.36 | 43.33  | 3.53 | 47.21  | 3.65 | 52.07  | 3.80 |
|                                                | 70.0                       | 22.61                  | 2.94 | 27.46  | 3.08 | 32.32  | 3.23 | 37.17  | 3.37 | 43.00  | 3.55 | 46.88  | 3.67 | 51.74  | 3.81 |
|                                                | 71.6                       | 22.34                  | 2.95 | 27.20  | 3.10 | 32.05  | 3.24 | 36.91  | 3.39 | 42.74  | 3.56 | 46.62  | 3.68 | 51.48  | 3.83 |
|                                                | 75.2                       | 21.75                  |      |        |      |        |      |        |      |        |      |        |      |        |      |

| Combination<br>(Capacity)                      | Indoor air<br>temp.<br>EDB                     | Outdoor air temp.: EWB |       |        |       |        |       |        |       |        |       |        |       |        |       |      |
|------------------------------------------------|------------------------------------------------|------------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|------|
|                                                |                                                | 5.0                    |       | 14.0   |       | 23.0   |       | 32.0   |       | 43.0   |       | 50.0   |       | 59.0   |       |      |
|                                                |                                                | TC                     | PI    | TC     | PI    | TC     | PI    | TC     | PI    | TC     | PI    | TC     | PI    | TC     | PI    |      |
|                                                |                                                | kBtu/h                 | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    | kBtu/h | kW    |      |
| CTXV07A +<br>FTXV09A +<br>FTXV12A +<br>FTXV18A | 60.8                                           | 24.12                  | 2.85  | 28.98  | 2.99  | 33.84  | 3.14  | 38.69  | 3.28  | 44.52  | 3.46  | 48.40  | 3.58  | 53.26  | 3.72  |      |
|                                                | 64.4                                           | 23.53                  | 2.88  | 28.39  | 3.02  | 33.24  | 3.17  | 38.10  | 3.32  | 43.92  | 3.49  | 47.81  | 3.61  | 52.66  | 3.75  |      |
|                                                | 68.0                                           | 22.94                  | 2.91  | 27.79  | 3.06  | 32.65  | 3.20  | 37.50  | 3.35  | 43.33  | 3.52  | 47.21  | 3.64  | 52.07  | 3.78  |      |
|                                                | 70.0                                           | 22.61                  | 2.93  | 27.46  | 3.07  | 32.32  | 3.22  | 37.17  | 3.37  | 43.00  | 3.54  | 46.88  | 3.66  | 51.74  | 3.80  |      |
|                                                | 71.6                                           | 22.34                  | 2.94  | 27.20  | 3.09  | 32.05  | 3.23  | 36.91  | 3.38  | 42.74  | 3.55  | 46.62  | 3.67  | 51.48  | 3.82  |      |
|                                                | 75.2                                           | 21.75                  | 2.97  | 26.60  | 3.12  | 31.46  | 3.27  | 36.32  | 3.41  | 42.14  | 3.59  | 46.03  | 3.70  | 50.88  | 3.85  |      |
|                                                | CTXV07A +<br>FTXV09A +<br>FTXV15A +<br>FTXV15A | 60.8                   | 24.12 | 2.68   | 28.98 | 2.81   | 33.84 | 2.95   | 38.69 | 3.09   | 44.52 | 3.25   | 48.40 | 3.36   | 53.26 | 3.50 |
|                                                |                                                | 64.4                   | 23.53 | 2.71   | 28.39 | 2.84   | 33.24 | 2.98   | 38.10 | 3.12   | 43.92 | 3.28   | 47.81 | 3.39   | 52.66 | 3.53 |
|                                                |                                                | 68.0                   | 22.94 | 2.74   | 27.79 | 2.87   | 32.65 | 3.01   | 37.50 | 3.15   | 43.33 | 3.31   | 47.21 | 3.42   | 52.07 | 3.56 |
|                                                |                                                | 70.0                   | 22.61 | 2.75   | 27.46 | 2.89   | 32.32 | 3.03   | 37.17 | 3.17   | 43.00 | 3.33   | 46.88 | 3.44   | 51.74 | 3.58 |
| 71.6                                           |                                                | 22.34                  | 2.77  | 27.20  | 2.90  | 32.05  | 3.04  | 36.91  | 3.18  | 42.74  | 3.34  | 46.62  | 3.45  | 51.48  | 3.59  |      |
|                                                | 75.2                                           | 21.75                  | 2.80  | 26.60  | 2.93  | 31.46  | 3.07  | 36.32  | 3.21  | 42.14  | 3.37  | 46.03  | 3.48  | 50.88  | 3.62  |      |
|                                                | CTXV07A +<br>FTXV12A +<br>FTXV12A +<br>FTXV12A | 60.8                   | 24.12 | 3.04   | 28.98 | 3.19   | 33.84 | 3.35   | 38.69 | 3.51   | 44.52 | 3.69   | 48.40 | 3.82   | 53.26 | 3.97 |
|                                                |                                                | 64.4                   | 23.53 | 3.07   | 28.39 | 3.23   | 33.24 | 3.38   | 38.10 | 3.54   | 43.92 | 3.73   | 47.81 | 3.85   | 52.66 | 4.01 |
|                                                |                                                | 68.0                   | 22.94 | 3.11   | 27.79 | 3.26   | 32.65 | 3.42   | 37.50 | 3.57   | 43.33 | 3.76   | 47.21 | 3.89   | 52.07 | 4.04 |
|                                                |                                                | 70.0                   | 22.61 | 3.13   | 27.46 | 3.28   | 32.32 | 3.44   | 37.17 | 3.59   | 43.00 | 3.78   | 46.88 | 3.90   | 51.74 | 4.06 |
| 71.6                                           |                                                | 22.34                  | 3.14  | 27.20  | 3.30  | 32.05  | 3.45  | 36.91  | 3.61  | 42.74  | 3.80  | 46.62  | 3.92  | 51.48  | 4.08  |      |
|                                                | 75.2                                           | 21.75                  | 3.18  | 26.60  | 3.33  | 31.46  | 3.49  | 36.32  | 3.64  | 42.14  | 3.83  | 46.03  | 3.95  | 50.88  | 4.11  |      |
|                                                | CTXV07A +<br>FTXV12A +<br>FTXV12A +<br>FTXV15A | 60.8                   | 24.12 | 2.85   | 28.98 | 2.99   | 33.84 | 3.14   | 38.69 | 3.28   | 44.52 | 3.46   | 48.40 | 3.58   | 53.26 | 3.72 |
|                                                |                                                | 64.4                   | 23.53 | 2.88   | 28.39 | 3.02   | 33.24 | 3.17   | 38.10 | 3.32   | 43.92 | 3.49   | 47.81 | 3.61   | 52.66 | 3.75 |
|                                                |                                                | 68.0                   | 22.94 | 2.91   | 27.79 | 3.06   | 32.65 | 3.20   | 37.50 | 3.35   | 43.33 | 3.52   | 47.21 | 3.64   | 52.07 | 3.78 |
|                                                |                                                | 70.0                   | 22.61 | 2.93   | 27.46 | 3.07   | 32.32 | 3.22   | 37.17 | 3.37   | 43.00 | 3.54   | 46.88 | 3.66   | 51.74 | 3.80 |
| 71.6                                           |                                                | 22.34                  | 2.94  | 27.20  | 3.09  | 32.05  | 3.23  | 36.91  | 3.38  | 42.74  | 3.55  | 46.62  | 3.67  | 51.48  | 3.82  |      |
|                                                | 75.2                                           | 21.75                  | 2.97  | 26.60  | 3.12  | 31.46  | 3.27  | 36.32  | 3.41  | 42.14  | 3.59  | 46.03  | 3.70  | 50.88  | 3.85  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV09A +<br>FTXV09A | 60.8                   | 24.12 | 3.06   | 28.98 | 3.22   | 33.84 | 3.38   | 38.69 | 3.53   | 44.52 | 3.72   | 48.40 | 3.85   | 53.26 | 4.00 |
|                                                |                                                | 64.4                   | 23.53 | 3.10   | 28.39 | 3.25   | 33.24 | 3.41   | 38.10 | 3.57   | 43.92 | 3.76   | 47.81 | 3.88   | 52.66 | 4.04 |
|                                                |                                                | 68.0                   | 22.94 | 3.13   | 27.79 | 3.29   | 32.65 | 3.45   | 37.50 | 3.60   | 43.33 | 3.79   | 47.21 | 3.92   | 52.07 | 4.07 |
|                                                |                                                | 70.0                   | 22.61 | 3.15   | 27.46 | 3.31   | 32.32 | 3.46   | 37.17 | 3.62   | 43.00 | 3.81   | 46.88 | 3.94   | 51.74 | 4.09 |
| 71.6                                           |                                                | 22.34                  | 3.17  | 27.20  | 3.32  | 32.05  | 3.48  | 36.91  | 3.64  | 42.74  | 3.83  | 46.62  | 3.95  | 51.48  | 4.11  |      |
|                                                | 75.2                                           | 21.75                  | 3.20  | 26.60  | 3.36  | 31.46  | 3.51  | 36.32  | 3.67  | 42.14  | 3.86  | 46.03  | 3.99  | 50.88  | 4.14  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV09A +<br>FTXV12A | 60.8                   | 24.12 | 3.05   | 28.98 | 3.20   | 33.84 | 3.36   | 38.69 | 3.52   | 44.52 | 3.70   | 48.40 | 3.83   | 53.26 | 3.98 |
|                                                |                                                | 64.4                   | 23.53 | 3.08   | 28.39 | 3.24   | 33.24 | 3.39   | 38.10 | 3.55   | 43.92 | 3.74   | 47.81 | 3.86   | 52.66 | 4.02 |
|                                                |                                                | 68.0                   | 22.94 | 3.12   | 27.79 | 3.27   | 32.65 | 3.43   | 37.50 | 3.58   | 43.33 | 3.77   | 47.21 | 3.90   | 52.07 | 4.05 |
|                                                |                                                | 70.0                   | 22.61 | 3.13   | 27.46 | 3.29   | 32.32 | 3.45   | 37.17 | 3.60   | 43.00 | 3.79   | 46.88 | 3.91   | 51.74 | 4.07 |
| 71.6                                           |                                                | 22.34                  | 3.15  | 27.20  | 3.31  | 32.05  | 3.46  | 36.91  | 3.62  | 42.74  | 3.81  | 46.62  | 3.93  | 51.48  | 4.09  |      |
|                                                | 75.2                                           | 21.75                  | 3.18  | 26.60  | 3.34  | 31.46  | 3.50  | 36.32  | 3.65  | 42.14  | 3.84  | 46.03  | 3.96  | 50.88  | 4.12  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV09A +<br>FTXV15A | 60.8                   | 24.12 | 2.86   | 28.98 | 3.01   | 33.84 | 3.16   | 38.69 | 3.30   | 44.52 | 3.48   | 48.40 | 3.60   | 53.26 | 3.74 |
|                                                |                                                | 64.4                   | 23.53 | 2.89   | 28.39 | 3.04   | 33.24 | 3.19   | 38.10 | 3.33   | 43.92 | 3.51   | 47.81 | 3.63   | 52.66 | 3.77 |
|                                                |                                                | 68.0                   | 22.94 | 2.93   | 27.79 | 3.07   | 32.65 | 3.22   | 37.50 | 3.37   | 43.33 | 3.54   | 47.21 | 3.66   | 52.07 | 3.81 |
|                                                |                                                | 70.0                   | 22.61 | 2.94   | 27.46 | 3.09   | 32.32 | 3.24   | 37.17 | 3.38   | 43.00 | 3.56   | 46.88 | 3.68   | 51.74 | 3.82 |
| 71.6                                           |                                                | 22.34                  | 2.96  | 27.20  | 3.11  | 32.05  | 3.25  | 36.91  | 3.40  | 42.74  | 3.57  | 46.62  | 3.69  | 51.48  | 3.84  |      |
|                                                | 75.2                                           | 21.75                  | 2.99  | 26.60  | 3.14  | 31.46  | 3.28  | 36.32  | 3.43  | 42.14  | 3.61  | 46.03  | 3.72  | 50.88  | 3.87  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV09A +<br>FTXV18A | 60.8                   | 24.12 | 2.84   | 28.98 | 2.98   | 33.84 | 3.13   | 38.69 | 3.27   | 44.52 | 3.45   | 48.40 | 3.57   | 53.26 | 3.71 |
|                                                |                                                | 64.4                   | 23.53 | 2.87   | 28.39 | 3.02   | 33.24 | 3.16   | 38.10 | 3.31   | 43.92 | 3.48   | 47.81 | 3.60   | 52.66 | 3.74 |
|                                                |                                                | 68.0                   | 22.94 | 2.90   | 27.79 | 3.05   | 32.65 | 3.19   | 37.50 | 3.34   | 43.33 | 3.51   | 47.21 | 3.63   | 52.07 | 3.77 |
|                                                |                                                | 70.0                   | 22.61 | 2.92   | 27.46 | 3.06   | 32.32 | 3.21   | 37.17 | 3.36   | 43.00 | 3.53   | 46.88 | 3.65   | 51.74 | 3.79 |
| 71.6                                           |                                                | 22.34                  | 2.93  | 27.20  | 3.08  | 32.05  | 3.22  | 36.91  | 3.37  | 42.74  | 3.54  | 46.62  | 3.66  | 51.48  | 3.81  |      |
|                                                | 75.2                                           | 21.75                  | 2.97  | 26.60  | 3.11  | 31.46  | 3.26  | 36.32  | 3.40  | 42.14  | 3.58  | 46.03  | 3.69  | 50.88  | 3.84  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV12A +<br>FTXV12A | 60.8                   | 24.12 | 3.03   | 28.98 | 3.19   | 33.84 | 3.34   | 38.69 | 3.50   | 44.52 | 3.68   | 48.40 | 3.81   | 53.26 | 3.96 |
|                                                |                                                | 64.4                   | 23.53 | 3.07   | 28.39 | 3.22   | 33.24 | 3.38   | 38.10 | 3.53   | 43.92 | 3.72   | 47.81 | 3.84   | 52.66 | 4.00 |
|                                                |                                                | 68.0                   | 22.94 | 3.10   | 27.79 | 3.25   | 32.65 | 3.41   | 37.50 | 3.56   | 43.33 | 3.75   | 47.21 | 3.88   | 52.07 | 4.03 |
|                                                |                                                | 70.0                   | 22.61 | 3.12   | 27.46 | 3.27   | 32.32 | 3.43   | 37.17 | 3.58   | 43.00 | 3.77   | 46.88 | 3.89   | 51.74 | 4.05 |
| 71.6                                           |                                                | 22.34                  | 3.13  | 27.20  | 3.29  | 32.05  | 3.44  | 36.91  | 3.60  | 42.74  | 3.79  | 46.62  | 3.91  | 51.48  | 4.06  |      |
|                                                | 75.2                                           | 21.75                  | 3.17  | 26.60  | 3.32  | 31.46  | 3.48  | 36.32  | 3.63  | 42.14  | 3.82  | 46.03  | 3.94  | 50.88  | 4.10  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV12A +<br>FTXV15A | 60.8                   | 24.12 | 2.85   | 28.98 | 2.99   | 33.84 | 3.14   | 38.69 | 3.28   | 44.52 | 3.46   | 48.40 | 3.58   | 53.26 | 3.72 |
|                                                |                                                | 64.4                   | 23.53 | 2.88   | 28.39 | 3.02   | 33.24 | 3.17   | 38.10 | 3.32   | 43.92 | 3.49   | 47.81 | 3.61   | 52.66 | 3.75 |
|                                                |                                                | 68.0                   | 22.94 | 2.91   | 27.79 | 3.06   | 32.65 | 3.20   | 37.50 | 3.35   | 43.33 | 3.52   | 47.21 | 3.64   | 52.07 | 3.78 |
|                                                |                                                | 70.0                   | 22.61 | 2.93   | 27.46 | 3.07   | 32.32 | 3.22   | 37.17 | 3.37   | 43.00 | 3.54   | 46.88 | 3.66   | 51.74 | 3.80 |
| 71.6                                           |                                                | 22.34                  | 2.94  | 27.20  | 3.09  | 32.05  | 3.23  | 36.91  | 3.38  | 42.74  | 3.55  | 46.62  | 3.67  | 51.48  | 3.82  |      |
|                                                | 75.2                                           | 21.75                  | 2.97  | 26.60  | 3.12  | 31.46  | 3.27  | 36.32  | 3.41  | 42.14  | 3.59  | 46.03  | 3.70  | 50.88  | 3.85  |      |
|                                                | FTXV09A +<br>FTXV09A +<br>FTXV12A +<br>FTXV18A | 60.8                   | 24.12 | 2.83   | 28.98 | 2.98   | 33.84 | 3.12   | 38.69 | 3.27   | 44.52 | 3.44   | 48.40 | 3.55   | 53.26 | 3.70 |
|                                                |                                                | 64.4                   | 23.53 | 2.86   | 28.39 | 3.01   | 33.24 | 3.15   | 38.10 | 3.30   | 43.92 | 3.47   | 47.81 | 3.59   | 52.66 | 3.73 |
|                                                |                                                | 68.0                   | 22.94 | 2.89   | 27.79 | 3.04   | 32.65 | 3.18   | 37.50 | 3.33   | 43.33 | 3.50   | 47.21 | 3.62   | 52.07 | 3.76 |
|                                                |                                                | 70.0                   | 22.61 | 2.91   | 27.46 | 3.06   | 32.32 | 3.20   | 37.17 | 3.35   | 43.00 | 3.52   | 46.88 | 3.64   | 51.74 | 3.78 |
| 71.6                                           |                                                | 22.34                  | 2.93  | 27.20  | 3.07  | 32.05  | 3.22  | 36.91  | 3.3   |        |       |        |       |        |       |      |

| Combination<br>(Capacity)                      | Indoor air<br>temp.<br>EDB | Outdoor air temp.: EWB |      |        |      |        |      |        |      |        |      |        |      |        |      |
|------------------------------------------------|----------------------------|------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                                                |                            | 5.0                    |      | 14.0   |      | 23.0   |      | 32.0   |      | 43.0   |      | 50.0   |      | 59.0   |      |
|                                                |                            | TC                     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   | TC     | PI   |
|                                                |                            | kBtu/h                 | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   | kBtu/h | kW   |
| FTXV09A +<br>FTXV12A +<br>FTXV12A +<br>FTXV15A | 60.8                       | 24.12                  | 2.83 | 28.98  | 2.98 | 33.84  | 3.12 | 38.69  | 3.27 | 44.52  | 3.44 | 48.40  | 3.55 | 53.26  | 3.70 |
|                                                | 64.4                       | 23.53                  | 2.86 | 28.39  | 3.01 | 33.24  | 3.15 | 38.10  | 3.30 | 43.92  | 3.47 | 47.81  | 3.59 | 52.66  | 3.73 |
|                                                | 68.0                       | 22.94                  | 2.89 | 27.79  | 3.04 | 32.65  | 3.18 | 37.50  | 3.33 | 43.33  | 3.50 | 47.21  | 3.62 | 52.07  | 3.76 |
|                                                | 70.0                       | 22.61                  | 2.91 | 27.46  | 3.06 | 32.32  | 3.20 | 37.17  | 3.35 | 43.00  | 3.52 | 46.88  | 3.64 | 51.74  | 3.78 |
|                                                | 71.6                       | 22.34                  | 2.93 | 27.20  | 3.07 | 32.05  | 3.22 | 36.91  | 3.36 | 42.74  | 3.53 | 46.62  | 3.65 | 51.48  | 3.80 |
|                                                | 75.2                       | 21.75                  | 2.96 | 26.60  | 3.10 | 31.46  | 3.25 | 36.32  | 3.39 | 42.14  | 3.57 | 46.03  | 3.68 | 50.88  | 3.83 |
| FTXV12A +<br>FTXV12A +<br>FTXV12A +<br>FTXV12A | 60.8                       | 24.12                  | 3.01 | 28.98  | 3.16 | 33.84  | 3.32 | 38.69  | 3.47 | 44.52  | 3.65 | 48.40  | 3.78 | 53.26  | 3.93 |
|                                                | 64.4                       | 23.53                  | 3.04 | 28.39  | 3.19 | 33.24  | 3.35 | 38.10  | 3.50 | 43.92  | 3.69 | 47.81  | 3.81 | 52.66  | 3.96 |
|                                                | 68.0                       | 22.94                  | 3.07 | 27.79  | 3.23 | 32.65  | 3.38 | 37.50  | 3.54 | 43.33  | 3.72 | 47.21  | 3.84 | 52.07  | 4.00 |
|                                                | 70.0                       | 22.61                  | 3.09 | 27.46  | 3.25 | 32.32  | 3.40 | 37.17  | 3.56 | 43.00  | 3.74 | 46.88  | 3.86 | 51.74  | 4.02 |
|                                                | 71.6                       | 22.34                  | 3.11 | 27.20  | 3.26 | 32.05  | 3.42 | 36.91  | 3.57 | 42.74  | 3.75 | 46.62  | 3.88 | 51.48  | 4.03 |
|                                                | 75.2                       | 21.75                  | 3.14 | 26.60  | 3.30 | 31.46  | 3.45 | 36.32  | 3.60 | 42.14  | 3.79 | 46.03  | 3.91 | 50.88  | 4.07 |

**Symbols:**

EDB : Entering dry bulb temp. (°F)  
 EWB : Entering wet bulb temp. (°F)  
 TC : Total capacity (kBtu/h)  
 PI : Power input (kW)

**Notes:**

1. Ratings shown are net capacities which include a deduction for indoor fan motor heat.
2. ■ shows max capacities and power input.
3. TC and PI must be calculated by interpolation using the figures in the above tables. (Figures out of the tables should not be used for calculation.)
4. Capacities are based on the following conditions.
5. Corresponding refrigerant piping length : 25 ft

3D153110

3D153111

3D153112

3D153113

3D153115

3D153116

3D153117


3D153118

3D153122


### 3.7 Capacity Correction Factor by the Length of Refrigerant Piping (Reference)

The cooling capacity and the heating capacity of the unit have to be corrected in accordance with the length of refrigerant piping — the distance between the indoor unit and the outdoor unit.

#### 3.7.1 07/09/12/15/18 Class



#### 3.7.2 24 Class



- Notes:**
1. The graphs show the factor when additional refrigerant of the proper quantity is charged.
  2. The variation of the capacity will be smaller when only one indoor unit is in operation.









**Warning**

- Ask a qualified installer or contractor to install this product. Do not try to install the product yourself. Improper installation can result in water or refrigerant leakage, electrical shock, fire or explosion.
- Use only those parts and accessories supplied or specified by Daikin. Ask a qualified installer or contractor to install those parts and accessories. Use of unauthorized parts and accessories or improper installation of parts and accessories can result in water or refrigerant leakage, electrical shock, fire or explosion.
- Read the user's manual carefully before using this product. The user's manual provides important safety instructions and warnings. Be sure to follow these instructions and warnings.

If you have any inquiries, please contact your local importer, distributor and/or retailer.

**Cautions on product corrosion**

1. Air conditioners should not be installed in areas where corrosive gases, such as acid gas or alkaline gas, are produced.
2. If the outdoor unit is to be installed close to the sea shore, direct exposure to the sea breeze should be avoided. If you need to install the outdoor unit close to the sea shore, contact your local distributor.