


Hyper & Standard Multi Zone Systems

UP TO **25**
SEER2

KMHR & KMIR Series



Our newest outdoor units deliver expanded compatibility with KlimaIRE multi-zone systems, providing versatile solutions for virtually any project layout.



CONNECT UP TO **6** INDOOR UNITS!



MULTI
ZONE
UP
TO 6

Inverter-Driven Technology

Klimaire Inverter-driven technology eliminates the traditional start-stop cycle by allowing the compressor to run only as fast as needed to reach and maintain the desired temperature. Much like cruise control in a car, the system adjusts output smoothly and efficiently, using only the energy required to heat or cool your space. This greatly reduces energy waste, lowers utility bills, and keeps operation whisper-quiet.

Because the compressor modulates instead of shutting off and restarting, the system responds faster, maintains more stable temperatures, and delivers reliable performance—even in extreme outdoor conditions.

Homeowners benefit with:



More heat at lower outdoor temperatures



Lower RPMs for quieter operation



Desired temperature reached in half the time



Inverter-Driven Compressor



Consistently stable, comfortable temperature



Up to 30% greater efficiency

Klimaire Multi-Zone Solution

True Comfort for Every Space



Homeowners can fine-tune temperatures and modes in each room, creating personalized comfort throughout the home. By selecting settings that match how different spaces are typically used—such as living areas, bedrooms, or home offices—users can enjoy enhanced comfort while improving energy efficiency.

**MULTI
ZONE
UP
TO 6**



Klimaire Multi-Zone Solution

Comfort in any Climate

Klimaire Advanced Technology ensures extreme cooling and heating all in one superior Heating at -13°F and 100% Heating Output at 5°F for hyper heat models and superior Heating at 110°F



Sustainable Lifestyle



Zoning Operation

Multi-zone systems support a more sustainable lifestyle by allowing homeowners to customize comfort in every room. Heat or cool only the spaces that are in use—and simply turn off the units in unoccupied areas. This targeted approach reduces energy waste while delivering personalized comfort exactly where it's needed.



True Comfort Quietly

Our outdoor units operate at sound levels as low as 60 dB(A)—about as quiet as a normal conversation. Indoors, enjoy whisper-quiet comfort with noise levels starting at just 26 dB(A).



Power Up to 6 Zones

A single multi-zone outdoor unit can support up to six indoor units, delivering personalized comfort throughout your home or workspace. Cool or heat multiple rooms at once, with each indoor unit individually controlled, scheduled, and set to the perfect temperature.

ADVANTAGE

Advantages of Klimaire Multi-Zone Systems

1.5-5
Tons Available



UP TO 25
SEER2

Wide Selection of Indoor Units

Provide an extensive selection of indoor unit capacities and styles tailored to fit different room dimensions and interior aesthetics.

Space Saving and Low Noise

Connect multiple indoor units to a single outdoor unit, minimizing installation space while significantly reducing outdoor noise.



More Flexibility- Power Up to 6 Zones & Control Individually

A single multi-zone outdoor unit can support up to six indoor units, delivering personalized comfort throughout your home or workspace. Cool or heat multiple rooms at once, with each indoor unit individually controlled, scheduled, and set to the perfect temperature.

**MULTI
ZONE
UP
TO 6**

DUCTED & DUCTLESS **The Best of Both Worlds**

Multi-zone systems let you combine ducted and ductless indoor units for maximum flexibility and comfort. Ducted units are ideal for larger or hidden installations where a seamless look is desired, while ductless units offer precise temperature control and easy placement in individual rooms. Together, they create a perfectly customized solution—balancing aesthetics, performance, and efficiency throughout the entire home.




LOWER SYSTEM ELECTRIC POWER

Engineered to reduce overall system power consumption—ideal for applications where air conditioners must operate within strict power or current limits.

INDIVIDUAL CONTROL

Take full control of your comfort. Each indoor unit operates independently, so you can warm or cool only the rooms you need—maximizing comfort and minimizing energy use.



**CONNECT
UP TO 6 INDOOR
UNITS!**

**MULTI
ZONE
UP
TO 6**

HYPER- Extra Low Temperature Heating (2 - 6 Zones)

Features:

- Individual zoning
- Inverter technology
- Extra low Temperature Heating
- 6 indoor unit styles to choose from wall mount, cassette, slim duct, central ducted, floor/ceiling
- Energy star rating
- Built-In Cold Climate Protection
- Customizable comfort for every room designed


KMHR319-H221-4	2-3 ZONE
KMHR427-H225-4	2-4 ZONE
KMHR536-H224-4	2-5 ZONE
KMHR648-H224-4	2-6 ZONE
KMHR660-H218-4	2-6 ZONE

STANDARD Multi Zone (2 - 6 Zones)

Features:

- Individual zoning
- Inverter technology
- 6 indoor unit styles to choose from wall mount, cassette, slim duct, central ducted, floor/ceiling
- Energy star rating
- Customizable comfort for every room designed

KMIR319-H221-4	2-3 ZONE
KMIR427-H225-4	2-4 ZONE
KMIR536-H224-4	2-5 ZONE
KMIR648-H224-4	2-6 ZONE
KMIR660-H218-4	2-6 ZONE




**CONNECT
UP TO 6 INDOOR
UNITS!**


Multi-Zone Outdoor Unit Regular Heat

Technical Specifications KMIR

Klima Outdoor Unit Model Number			KMIR319-H221-4	KMIR427-H225-4	KMIR536-H224-4	KMIR648-H224-4	KMIR660-H224-4
AHRI Reference Number			217489268	217489271	217489274	217489277	217489280
Power Supply	Voltage	V-ph-Hz	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60
	Voltage Range	V	187-253	187-253	187-253	187-253	187-253
Cooling	Nominal Capacity	Btu/h	18000	26000	35000	45000	60000
	Capacity Range	Btu/h	5400~21600	7200~32000	9000~40000	12000~49000	19000~62000
	SEER2	Btu/W	23	23	23,1	21,3	19,2
	EER2	Btu/W	12,5	12,2	12	11,7	10
Heating @ 47°F	Nominal Capacity	Btu/h	19000	27000	37000	48000	60000
	Capacity Range	Btu/h - Btu/h	5700~21600	8400~29200	10000~40000	13000~55000	20000~60000
	HSPF4	Btu/h/W	10	9,5	10	10	9,6
	HSPF5	Btu/h/W	7,7	7,1	7,5	7,7	7,3
	COP	W/W	3,8	3,6	3,5	3,6	3,5
Heating @ 5°F	Rated Capacity	Btu/h	13500	19000	26000	36000	36000
Minimum Circuit Ampacity - MCA		A	16	23	30,5	40	40
Maximum Fuse Size		A	20	25	35	45	45
Compressor	Type		Twin-Rotary	Rotary	Rotary	Rotary	Rotary
	Capacity	Btu/h	16139	16310 / 25932	34156	46746	46746
	Power Input	W	1250	805 / 2045	2765	3700	3700
	Rated Load Amps (RLA)	A	8,1	4.2 / 9.3	5,4	7	7
	Locked Rotor Amps (LRA)	A	8,2	12,1	17	24	25
Fan Motor	Quatity	n					
	Rated load amps (RLA)	A	1	1,2	1,3	2,5	2,5
	Power Input	W	80	120	120	85	85
	Speed (Hi/Mi/Lo)	rpm	750/600/500	800/700/650	900/750/600	800/700/650	800/700/650
Outdoor Air Flow		cfm	1766	2131	2184	4503	4503
Outdoor Noise Level		dB(A)	60	61	63	65	65
Dimensions	Outdoor Unit (W*D*H)	in	35.04 x 13.46 x 26.50	37.24 x 16.14 x 31.89	37.24 x 16.14 x 31.89	37.48 x 16.34 x 52.48	37.48 x 16.34 x 52.48
	Packing (W*D*H)	in	40.55 x 17.24 x 29.53	42.91 x 19.68 x 34.84	42.91 x 19.68 x 34.84	43.11 x 19.49 x 58.27	43.11 x 19.49 x 58.27
Weight	Net / Gross	lb	100.5/109.4	138.9/149.7	168.9/180.1	222.0/254.2	237.9/270.3
	Type	Type	R-454B	R-454B	R-454B	R-454B	R-454B
Refrigerant	Pre-charge	oz	61,73	84,66	120,63	148,15	151,68
	Additional charge 1/4" pipe	oz/ft	0,16	0,16	0,16	0,16	0,16
	Additional charge 3/8" pipe	oz/ft	0,32	0,32	0,32	0,32	0,32
Design pressure		psig	550 / 340	550 / 340	550 / 340	550 / 340	550 / 340
Refrigerant piping	Liquid pipe	in	3 x 1/4"	4 x 1/4"	5 x 1/4"	6 x 1/4"	6 x 1/4"
	Gas pipe	in	3 x 3/8"	3 x 3/8" + 1 x 1/2"	4 x 3/8" + 1 x 1/2"	4 x 3/8" + 2 x 1/2"	4 x 3/8" + 2 x 1/2"
	Max length	ft	196,8	262,4	262,4	262,4	262,4
	Max length for one I.U.	ft	98,4	114,8	114,8	114,8	114,8
	Max height difference	ft	49,2	49,2	49,2	49,2	49,2
Refrigerant valve adaptors	Liquid valve	n x Size	—	—	1 x (1/4"x3/8")	2 x (1/4"x3/8")	2 x (1/4"x3/8")
		n x Size	1 x (3/8"x1/2")	1 x (3/8"x1/2")	1 x (1/2"x5/8")	2 x (1/2"x5/8")	2 x (1/2"x5/8")
	Gas valve	n x Size	—	1 x (1/2"x3/8")	1 x (3/8"x1/2")	1 x (3/8"x1/2")	1 x (3/8"x1/2")
		n x Size	—	—	1 x (1/2"x3/8")	2 x (1/2"x3/8")	2 x (1/2"x3/8")
Inter-Connection Wiring Stranded / Unshielded		AWG	16AWG x 4	16AWG x 4	16AWG x 4	16AWG x 4	16AWG x 4
Indoor Temperature Setting Range			60~90	60~90	60~90	60~90	60~90
Ambient Temperature	Cooling (Range)	°F	-13 - 122	-13 - 122	-13 - 122	-13 - 122	-13 - 122
	Heating (Range)	°F	-13 - 75	-13 - 75	-13 - 75	-13 - 75	-13 - 75
Certifications	AHRI		Ö	Ö	Ö	Ö	Ö
	ETL		Ö	Ö	Ö	Ö	Ö
	Energy Star		Ö	Ö	Ö	Ö	—
	NEEP		Ö	Ö	Ö	Ö	Ö



2 - 3 - 4 - 5 - 6
Zones




**CONNECT
UP TO 6 INDOOR
UNITS!**


Multi-Zone Outdoor Unit Hyper Heat

Technical Specifications KMHR

Klimaïre Outdoor Unit Model Number			KMHR319-H221-4	KMHR427-H225-4	KMHR536-H224-4	KMHR648-H224-4	KMHR660-H218-4
AHRI Reference Number			217489283	217489286	217489289	217489292	217489295
Power Supply	Voltage	V-ph-Hz	208-230V / 1ph / 60Hz	208-230V / 1ph / 60Hz	208-230V / 1ph / 60Hz	208-230V / 1ph / 60Hz	208-230V / 1ph / 60Hz
	Voltage Range	V	187-253	187-253	187-253	187-253	187-253
Cooling	Nominal Capacity	Btu/h	19000	27000	36000	45000	51000
	Capacity Range	Btu/h	5400-27600	7200-33000	9000-42000	12000-55000	19000-58000
	SEER2	Btu/W	21	21	21,5	21,2	21,4
	EER2	Btu/W	13	12	12,2	12	12
	Nominal Capacity	Btu/h	20000	27000	36000	49000	55000
Heating @ 47°F	Capacity Range	Btu/h - Btu/h	5700-25400	8400-32000	10000-44000	13000-55000	20000-56000
	HSPF4	Btu/h/W	10	10	11,3	10,2	10,6
	HSPF5	Btu/h/W	7,5	8,1	9,2	8,4	8,5
	COP	W/W	3,9	3,6	3,9	3,6	3,4
Heating @ 5°F	Rated Capacity	Btu/h	18000	27000	37000	48000	48000
Minimum Circuit Ampacity - MCA		A	17,5	30	37	43	43
Maximum Fuse Size		A	20	35	40	45	45
Compressor	Type		Rotary	Rotary	Twin-Rotary	Twin-Rotary	Twin-Rotary
	Capacity	Btu/h	25932	34156	40946	42788	42788
	Power Input	W	2045	2765	3265	3430	3430
	Rated Load Amps (RLA)	A	8,1	5,4	6,6	7,3	7,3
	Locked Rotor Amps (LRA)	A	9,2	17	20,5	27	28
Fan Motor	Quatity	n	1	1	2	2	2
	Rated load amps (RLA)	A	1	1,2	1,3	2,5	2,5
	Power Input	W	80	120	120	85	85
	Speed (Hi/Mi/Lo)	rpm	750/600/500	800/700/650	900/750/600	800/700/650	800/700/650
Outdoor Air Flow		cfm	1766	2131	2148	4503	4503
Outdoor Noise Level		dB(A)	60	61	63	65	65
Dimensions	Outdoor Unit (W*D*H)	in	35.04 x 13.46 x 26.50	37.24 x 16.14 x 31.89	37.24 x 16.14 x 31.89	37.48 x 16.34 x 52.48	37.48 x 16.34 x 52.48
	Packing (W*D*H)	in	40.55 x 17.24 x 29.53	42.91 x 19.68 x 34.84	42.91 x 19.68 x 34.84	43.11 x 19.49 x 58.27	43.11 x 19.49 x 58.27
Weight	Net / Gross	lb	137.4/148.2	168.4/179.7	211.9/244.7	246.5/276.7	246.5/276.7
	Type	Type	R-454B	R-454B	R-454B	R-454B	R-454B
Refrigerant	Pre-charge	oz	61,73	84,66	120,63	148,15	151,68
	Additional charge 1/4" pipe	oz/ft	0,16	0,16	0,16	0,16	0,16
	Additional charge 3/8" pipe	oz/ft	0,32	0,32	0,32	0,32	0,32
Design pressure		psig	550 / 340	550 / 340	550 / 340	550 / 340	550 / 340
Refrigernt piping	Liquid pipe	in	3 x 1/4"	4 x 1/4"	5 x 1/4"	6 x 1/4"	6 x 1/4"
	Gas pipe	in	3 x 3/8"	3 x 3/8" + 1 x 1/2"	4 x 3/8" + 1 x 1/2"	4 x 3/8" + 2 x 1/2"	4 x 3/8" + 2 x 1/2"
	Max length	ft	196,8	262,4	262,4	262,4	262,4
	Max length for one I.U.	ft	98,4	114,8	114,8	114,8	114,8
	Max height difference	ft	49,2	49,2	49,2	49,2	49,2
Refrigerant valve adaptors	Liquid valve	n x Size	—	1 x (1/4"x3/8")	2 x (1/4"x3/8")	2 x (1/4"x3/8")	2 x (1/4"x3/8")
		n x Size	2 x (3/8"x1/2")	1 x (1/2"x5/8")	2 x (1/2"x5/8")	2 x (1/2"x5/8")	2 x (1/2"x5/8")
	Gas valve	n x Size	—	1 x (3/8"x1/2")	1 x (3/8"x1/2")	1 x (3/8"x1/2")	1 x (3/8"x1/2")
		n x Size	—	1 x (1/2"x3/8")	2 x (1/2"x3/8")	2 x (1/2"x3/8")	2 x (1/2"x3/8")
Inter-Connection Wiring Stranded / Unshielded		AWG	16AWG x 4	16AWG x 4	16AWG x 4	16AWG x 4	16AWG x 4
Indoor Temperature Setting Range			60~90	60~90	60~90	60~90	60~90
Ambient Temperature	Cooling (Range)	°F	-22~-122	-22~-122	-22~-122	-22~-122	-22~-122
	Heating (Range)	°F	-22~-75	-22~-75	-22~-75	-22~-75	-22~-75
Certifications	AHRI		Ö	Ö	Ö	Ö	Ö
	ETL		Ö	Ö	Ö	Ö	Ö
	Energy Star		Ö	Ö	Ö	Ö	Ö
	NEEP		Ö	Ö	Ö	Ö	Ö




2 - 3 - 4 - 5 - 6 Zones



**CONNECT
UP TO 6 INDOOR
UNITS!**


Outdoor Unit Product Codes




More Flexibility

Power up to 6 Zones One more connection port Is added to the Multi Zone Condensers Of All Capacities

Flexile Indoor Unit Options



Connection to only 1 indoor unit



Connection to 6K indoor units

Nominal Capacity	18K	27K	36K	48K	60K
Port	3 ports available	4 ports available	5 ports available	6 ports available	6 ports available
Zone	1 zone to 3 zone	1 zone to 4 zone	1 zone to 5 zone	1 zone to 6 zone	1 zone to 6 zone

Multi-Zone Combination Rule - KMIR

Units	NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMIR319-H221-4	18K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
12	1-Zone	12000	-	-	-	-	-	12000	-	-	-	-	-
18		18000	-	-	-	-	-	18000	-	-	-	-	-
6+6	2-Zone	6000	6000	-	-	-	-	6000	6000	-	-	-	-
6+9		6000	9000	-	-	-	-	6000	9000	-	-	-	-
6+12		6000	12000	-	-	-	-	6000	12000	-	-	-	-
6+18		4500	13500	-	-	-	-	4500	13500	-	-	-	-
9+9		9000	9000	-	-	-	-	9000	9000	-	-	-	-
9+12		7714	10286	-	-	-	-	7714	10286	-	-	-	-
12+12		9000	9000	-	-	-	-	9000	9000	-	-	-	-
6+6+6	3-Zone	6000	6000	6000	-	-	-	6000	6000	6000	-	-	-
6+6+9		5143	5143	7714	-	-	-	5143	5143	7714	-	-	-
6+9+9		4500	6750	6750	-	-	-	4500	6750	6750	-	-	-
KMIR427-H225-4	27K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
18	1-Zone	18000	-	-	-	-	-	18000	-	-	-	-	-
24		24000	-	-	-	-	-	24000	-	-	-	-	-
6+6	2-Zone	6000	6000	-	-	-	-	6000	6000	-	-	-	-
6+9		6000	9000	-	-	-	-	6000	9000	-	-	-	-
6+12		6000	12000	-	-	-	-	6000	12000	-	-	-	-
6+18		6000	18000	-	-	-	-	6000	18000	-	-	-	-
6+24		5400	21600	-	-	-	-	5400	21600	-	-	-	-
9+9		9000	9000	-	-	-	-	9000	9000	-	-	-	-
9+12		9000	12000	-	-	-	-	9000	12000	-	-	-	-
9+18		9000	18000	-	-	-	-	9000	18000	-	-	-	-
9+24		7364	19636	-	-	-	-	7364	19636	-	-	-	-
12+12		12000	12000	-	-	-	-	12000	12000	-	-	-	-
12+18		10800	16200	-	-	-	-	10800	16200	-	-	-	-
12+24		9000	18000	-	-	-	-	9000	18000	-	-	-	-
18+18		13500	13500	-	-	-	-	13500	13500	-	-	-	-
6+6+6	3-Zone	6000	6000	6000	-	-	-	6000	6000	6000	-	-	-
6+6+9		6000	6000	9000	-	-	-	6000	6000	9000	-	-	-
6+6+12		6000	6000	12000	-	-	-	6000	6000	12000	-	-	-
6+6+18		5400	5400	16200	-	-	-	5400	5400	16200	-	-	-
6+6+24		4500	4500	18000	-	-	-	4500	4500	18000	-	-	-
6+9+9		6000	9000	9000	-	-	-	6000	9000	9000	-	-	-
6+9+12		6000	9000	12000	-	-	-	6000	9000	12000	-	-	-
6+9+18		4909	7364	14727	-	-	-	4909	7364	14727	-	-	-
6+12+12		5400	10800	10800	-	-	-	5400	10800	10800	-	-	-
6+12+18		4500	9000	13500	-	-	-	4500	9000	13500	-	-	-
9+9+9		9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
9+9+12		8100	8100	10800	-	-	-	8100	8100	10800	-	-	-
9+9+18		6750	6750	13500	-	-	-	6750	6750	13500	-	-	-
9+12+12		7364	9818	9818	-	-	-	7364	9818	9818	-	-	-
12+12+12		9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
6+6+6+6	4-Zone	6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9		6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+12		5400	5400	5400	10800	-	-	5400	5400	5400	10800	-	-
6+6+9+9		5400	5400	8100	8100	-	-	5400	5400	8100	8100	-	-
6+6+9+12		4909	4909	7364	9818	-	-	4909	4909	7364	9818	-	-
6+9+9+9		4909	7364	7364	7364	-	-	4909	7364	7364	7364	-	-
6+9+9+12		4500	6750	6750	9000	-	-	4500	6750	6750	9000	-	-
9+9+9+9		6750	6750	6750	6750	-	-	6750	6750	6750	6750	-	-

CONNECT
UP TO **6** INDOOR
UNITS!

Multi-Zone Combination Rule - KMIR

Units		NO. OF ZONES & CAPACITY		COOLING CAPACITY (BTU/H)				HEATING CAPACITY (BTU/H)					
KMIR536-H224-4	36K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
24	1-Zone	24000	-	-	-	-	-	24000	-	-	-	-	-
30		30000	-	-	-	-	-	30000	-	-	-	-	-
6+18		6000	18000	-	-	-	-	6000	18000	-	-	-	-
6+24	2-Zone	6000	24000	-	-	-	-	6000	24000	-	-	-	-
9+9		9000	9000	-	-	-	-	9000	9000	-	-	-	-
9+12		9000	12000	-	-	-	-	9000	12000	-	-	-	-
9+18		9000	18000	-	-	-	-	9000	18000	-	-	-	-
9+24		9000	24000	-	-	-	-	9000	24000	-	-	-	-
12+12		12000	12000	-	-	-	-	12000	12000	-	-	-	-
12+18		12000	18000	-	-	-	-	12000	18000	-	-	-	-
12+24		12000	24000	-	-	-	-	12000	24000	-	-	-	-
18+18		18000	18000	-	-	-	-	18000	18000	-	-	-	-
6+6+6	3-Zone	6000	6000	6000	-	-	-	6000	6000	6000	-	-	-
6+6+9		6000	6000	9000	-	-	-	6000	6000	9000	-	-	-
6+6+12		6000	6000	12000	-	-	-	6000	6000	12000	-	-	-
6+6+18		6000	6000	18000	-	-	-	6000	6000	18000	-	-	-
6+6+24		6000	6000	24000	-	-	-	6000	6000	24000	-	-	-
6+9+9		6000	9000	9000	-	-	-	6000	9000	9000	-	-	-
6+9+12		6000	9000	12000	-	-	-	6000	9000	12000	-	-	-
6+9+18		6000	9000	18000	-	-	-	6000	9000	18000	-	-	-
6+9+24		5538	8308	22154	-	-	-	5538	8308	22154	-	-	-
6+12+12		6000	12000	12000	-	-	-	6000	12000	12000	-	-	-
6+12+18		6000	12000	18000	-	-	-	6000	12000	18000	-	-	-
6+12+24		5143	10286	20571	-	-	-	5143	10286	20571	-	-	-
6+18+18		5143	15429	15429	-	-	-	5143	15429	15429	-	-	-
9+9+9		9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
9+9+12		9000	9000	12000	-	-	-	9000	9000	12000	-	-	-
9+9+18		9000	9000	18000	-	-	-	9000	9000	18000	-	-	-
9+9+24		7714	7714	20571	-	-	-	7714	7714	20571	-	-	-
9+12+12		9000	12000	12000	-	-	-	9000	12000	12000	-	-	-
9+12+18		8308	11077	16615	-	-	-	8308	11077	16615	-	-	-
9+12+24		7200	9600	19200	-	-	-	7200	9600	19200	-	-	-
9+18+18		7200	14400	14400	-	-	-	7200	14400	14400	-	-	-
12+12+12		12000	12000	12000	-	-	-	12000	12000	12000	-	-	-
12+12+18		10286	10286	15429	-	-	-	10286	10286	15429	-	-	-
12+12+24		9000	9000	18000	-	-	-	9000	9000	18000	-	-	-
12+18+18		9000	13500	13500	-	-	-	9000	13500	13500	-	-	-
6+6+6+6	4-Zone	6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9		6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+12		6000	6000	6000	12000	-	-	6000	6000	6000	12000	-	-
6+6+6+18		6000	6000	6000	18000	-	-	6000	6000	6000	18000	-	-
6+6+6+24		5143	5143	5143	20571	-	-	5143	5143	5143	20571	-	-
6+6+9+9		6000	6000	9000	9000	-	-	6000	6000	9000	9000	-	-
6+6+9+12		6000	6000	9000	12000	-	-	6000	6000	9000	12000	-	-
6+6+9+18		5538	5538	8308	16615	-	-	5538	5538	8308	16615	-	-
6+6+9+24		4800	4800	7200	19200	-	-	4800	4800	7200	19200	-	-
6+6+12+12		6000	6000	12000	12000	-	-	6000	6000	12000	12000	-	-
6+6+12+18		5143	5143	10286	15429	-	-	5143	5143	10286	15429	-	-
6+6+12+24		4500	4500	9000	18000	-	-	4500	4500	9000	18000	-	-
6+6+18+18		4500	4500	13500	13500	-	-	4500	4500	13500	13500	-	-
6+9+9+9		6000	9000	9000	9000	-	-	6000	9000	9000	9000	-	-
6+9+9+12		6000	9000	9000	12000	-	-	6000	9000	9000	12000	-	-
6+9+9+18		5143	7714	7714	15429	-	-	5143	7714	7714	15429	-	-
6+9+9+24		4500	6750	6750	18000	-	-	4500	6750	6750	18000	-	-
6+9+12+12		5538	8308	11077	11077	-	-	5538	8308	11077	11077	-	-
6+9+12+18		4800	7200	9600	14400	-	-	4800	7200	9600	14400	-	-
6+12+12+12		5143	10286	10286	10286	-	-	5143	10286	10286	10286	-	-
6+12+12+18		4500	9000	9000	13500	-	-	4500	9000	9000	13500	-	-
9+9+9+9		9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
9+9+9+12		8308	8308	8308	11077	-	-	8308	8308	8308	11077	-	-
9+9+9+18		7200	7200	7200	14400	-	-	7200	7200	7200	14400	-	-
9+9+12+12		7714	7714	10286	10286	-	-	7714	7714	10286	10286	-	-
9+9+12+18		6750	6750	9000	13500	-	-	6750	6750	9000	13500	-	-
9+12+12+12		7200	9600	9600	9600	-	-	7200	9600	9600	9600	-	-
12+12+12+12		9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
6+6+6+6+6	5-Zone	6000	6000	6000	6000	6000	-	6000	6000	6000	6000	6000	-
6+6+6+6+9		6000	6000	6000	6000	9000	-	6000	6000	6000	6000	9000	-
6+6+6+6+12		6000	6000	6000	6000	12000	-	6000	6000	6000	6000	12000	-
6+6+6+6+18		5143	5143	5143	5143	15429	-	5143	5143	5143	5143	15429	-
6+6+6+9+9		6000	6000	6000	9000	9000	-	6000	6000	6000	9000	9000	-
6+6+6+9+12		5538	5538	5538	8308	11077	-	5538	5538	5538	8308	11077	-
6+6+6+9+18		4800	4800	4800	7200	14400	-	4800	4800	4800	7200	14400	-
6+6+9+9+9		5538	5538	8308	8308	8308	-	5538	5538	8308	8308	8308	-
6+6+9+9+12		5143	5143	7714	7714	10286	-	5143	5143	7714	7714	10286	-
6+6+9+9+18		4500	4500	6750	6750	13500	-	4500	4500	6750	6750	13500	-
6+9+9+9+9		5143	7714	7714	7714	7714	-	5143	7714	7714	7714	7714	-
6+9+9+9+12		4800	7200	7200	7200	9600	-	4800	7200	7200	7200	9600	-
6+9+9+9+18		4235	6353	6353	6353	12706	-	4235	6353	6353	6353	12706	-
9+9+9+9+9		7200	7200	7200	7200	7200	-	7200	7200	7200	7200	7200	-
9+9+9+9+12		6750	6750	6750	6750	9000	-	6750	6750	6750	6750	9000	-

Multi-Zone Combination Rule - KMIR

Units		NO. OF ZONES & CAPACITY		COOLING CAPACITY (BTU/H)				HEATING CAPACITY (BTU/H)					
KMIR648-H224-4	48K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
30	1-Zone	30000	-	-	-	-	-	30000	-	-	-	-	-
36		36000	-	-	-	-	-	36000	-	-	-	-	-
6+24	2-Zone	6000	24000	-	-	-	-	6000	24000	-	-	-	-
6+30		6000	30000	-	-	-	-	6000	30000	-	-	-	-
6+36		6000	36000	-	-	-	-	6000	36000	-	-	-	-
9+18		9000	18000	-	-	-	-	9000	18000	-	-	-	-
9+24		9000	24000	-	-	-	-	9000	24000	-	-	-	-
9+30		9000	30000	-	-	-	-	9000	30000	-	-	-	-
9+36		9000	36000	-	-	-	-	9000	36000	-	-	-	-
12+12		12000	12000	-	-	-	-	12000	12000	-	-	-	-
12+18		12000	18000	-	-	-	-	12000	18000	-	-	-	-
12+24		12000	24000	-	-	-	-	12000	24000	-	-	-	-
12+30		12000	30000	-	-	-	-	12000	30000	-	-	-	-
12+36		12000	36000	-	-	-	-	12000	36000	-	-	-	-
18+18		18000	18000	-	-	-	-	18000	18000	-	-	-	-
18+24		18000	24000	-	-	-	-	18000	24000	-	-	-	-
18+30		18000	30000	-	-	-	-	18000	30000	-	-	-	-
18+36		16000	32000	-	-	-	-	16000	32000	-	-	-	-
24+24		24000	24000	-	-	-	-	24000	24000	-	-	-	-
24+30		21333	26667	-	-	-	-	21333	26667	-	-	-	-
24+36		19200	28800	-	-	-	-	19200	28800	-	-	-	-
6+6+18	3-Zone	6000	6000	18000	-	-	-	6000	6000	18000	-	-	-
6+6+24		6000	6000	24000	-	-	-	6000	6000	24000	-	-	-
6+6+30		6000	6000	30000	-	-	-	6000	6000	30000	-	-	-
6+6+36		6000	6000	36000	-	-	-	6000	6000	36000	-	-	-
6+9+12		6000	9000	12000	-	-	-	6000	9000	12000	-	-	-
6+9+18		6000	9000	18000	-	-	-	6000	9000	18000	-	-	-
6+9+24		6000	9000	24000	-	-	-	6000	9000	24000	-	-	-
6+9+30		6000	9000	30000	-	-	-	6000	9000	30000	-	-	-
6+9+36		5647	8471	33882	-	-	-	5647	8471	33882	-	-	-
6+12+18		6000	12000	18000	-	-	-	6000	12000	18000	-	-	-
6+12+24		6000	12000	24000	-	-	-	6000	12000	24000	-	-	-
6+12+30		6000	12000	30000	-	-	-	6000	12000	30000	-	-	-
6+12+36		5333	10667	32000	-	-	-	5333	10667	32000	-	-	-
6+18+18		6000	18000	18000	-	-	-	6000	18000	18000	-	-	-
6+18+24		6000	18000	24000	-	-	-	6000	18000	24000	-	-	-
6+18+30		5333	16000	26667	-	-	-	5333	16000	26667	-	-	-
6+18+36		4800	14400	28800	-	-	-	4800	14400	28800	-	-	-
9+9+9		9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
9+9+12		9000	9000	12000	-	-	-	9000	9000	12000	-	-	-
9+9+18		9000	9000	18000	-	-	-	9000	9000	18000	-	-	-
9+9+24		9000	9000	24000	-	-	-	9000	9000	24000	-	-	-
9+9+30		9000	9000	30000	-	-	-	9000	9000	30000	-	-	-
9+9+36		8000	8000	32000	-	-	-	8000	8000	32000	-	-	-
9+12+12		9000	12000	12000	-	-	-	9000	12000	12000	-	-	-
9+12+18		9000	12000	18000	-	-	-	9000	12000	18000	-	-	-
9+12+24		9000	12000	24000	-	-	-	9000	12000	24000	-	-	-
9+12+30		8471	11294	28235	-	-	-	8471	11294	28235	-	-	-
9+12+36		7579	10105	30316	-	-	-	7579	10105	30316	-	-	-
9+18+18		9000	18000	18000	-	-	-	9000	18000	18000	-	-	-
9+18+24		8471	16941	22588	-	-	-	8471	16941	22588	-	-	-
9+18+30		7579	15158	25263	-	-	-	7579	15158	25263	-	-	-
9+18+36		6857	13714	27429	-	-	-	6857	13714	27429	-	-	-
12+12+12		12000	12000	12000	-	-	-	12000	12000	12000	-	-	-
12+12+18		12000	12000	18000	-	-	-	12000	12000	18000	-	-	-
12+12+24		12000	12000	24000	-	-	-	12000	12000	24000	-	-	-
12+12+30		10667	10667	26667	-	-	-	10667	10667	26667	-	-	-
12+12+36		9600	9600	28800	-	-	-	9600	9600	28800	-	-	-
12+18+18		12000	18000	18000	-	-	-	12000	18000	18000	-	-	-
12+18+24		10667	16000	21333	-	-	-	10667	16000	21333	-	-	-
12+18+30		9600	14400	24000	-	-	-	9600	14400	24000	-	-	-
18+18+18		16000	16000	16000	-	-	-	16000	16000	16000	-	-	-

Multi-Zone Combination Rule - KMIR

Units	NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMIR648-H224-4	48K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+6	4-Zone	6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9		6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+18		6000	6000	6000	18000	-	-	6000	6000	6000	18000	-	-
6+6+6+24		6000	6000	6000	24000	-	-	6000	6000	6000	24000	-	-
6+6+9+9		6000	6000	9000	9000	-	-	6000	6000	9000	9000	-	-
6+6+9+12		6000	6000	9000	12000	-	-	6000	6000	9000	12000	-	-
6+6+9+18		6000	6000	9000	18000	-	-	6000	6000	9000	18000	-	-
6+6+9+24		6000	6000	9000	24000	-	-	6000	6000	9000	24000	-	-
6+6+12+12		6000	6000	12000	12000	-	-	6000	6000	12000	12000	-	-
6+6+12+18		6000	6000	12000	18000	-	-	6000	6000	12000	18000	-	-
6+6+12+24		6000	6000	12000	24000	-	-	6000	6000	12000	24000	-	-
6+6+18+18		6000	6000	18000	18000	-	-	6000	6000	18000	18000	-	-
6+6+18+24		5333	5333	16000	21333	-	-	5333	5333	16000	21333	-	-
6+9+9+9		6000	9000	9000	9000	-	-	6000	9000	9000	9000	-	-
6+9+9+12		6000	9000	9000	12000	-	-	6000	9000	9000	12000	-	-
6+9+9+18		6000	9000	9000	18000	-	-	6000	9000	9000	18000	-	-
6+9+9+24		6000	9000	9000	24000	-	-	6000	9000	9000	24000	-	-
6+9+12+12		6000	9000	12000	12000	-	-	6000	9000	12000	12000	-	-
6+9+12+18		6000	9000	12000	18000	-	-	6000	9000	12000	18000	-	-
6+9+12+24		5647	8471	11294	22588	-	-	5647	8471	11294	22588	-	-
6+9+18+18		5647	8471	16941	16941	-	-	5647	8471	16941	16941	-	-
6+9+18+24		5053	7579	15158	20211	-	-	5053	7579	15158	20211	-	-
6+12+12+12		6000	12000	12000	12000	-	-	6000	12000	12000	12000	-	-
6+12+12+18		6000	12000	12000	18000	-	-	6000	12000	12000	18000	-	-
6+12+12+24		5333	10667	10667	21333	-	-	5333	10667	10667	21333	-	-
6+12+18+18		5333	10667	16000	16000	-	-	5333	10667	16000	16000	-	-
6+12+18+24		4800	9600	14400	19200	-	-	4800	9600	14400	19200	-	-
9+9+9+9		9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
9+9+9+12		9000	9000	9000	12000	-	-	9000	9000	9000	12000	-	-
9+9+9+18		9000	9000	9000	18000	-	-	9000	9000	9000	18000	-	-
9+9+9+24		8471	8471	8471	22588	-	-	8471	8471	8471	22588	-	-
9+9+12+12		9000	9000	12000	12000	-	-	9000	9000	12000	12000	-	-
9+9+12+18		9000	9000	12000	18000	-	-	9000	9000	12000	18000	-	-
9+9+12+24		8000	8000	10667	21333	-	-	8000	8000	10667	21333	-	-
9+9+18+18		8000	8000	16000	16000	-	-	8000	8000	16000	16000	-	-
9+9+18+24		7200	7200	14400	19200	-	-	7200	7200	14400	19200	-	-
9+12+12+12		9000	12000	12000	12000	-	-	9000	12000	12000	12000	-	-
9+12+12+18		8471	11294	11294	16941	-	-	8471	11294	11294	16941	-	-
9+12+12+24		7579	10105	10105	20211	-	-	7579	10105	10105	20211	-	-
9+12+18+18		7579	10105	15158	15158	-	-	7579	10105	15158	15158	-	-
9+12+18+24		6857	9143	13714	18286	-	-	6857	9143	13714	18286	-	-
9+18+18+18		6857	13714	13714	13714	-	-	6857	13714	13714	13714	-	-
12+12+12+12		12000	12000	12000	12000	-	-	12000	12000	12000	12000	-	-
12+12+12+18		10667	10667	10667	16000	-	-	10667	10667	10667	16000	-	-
12+12+12+24		9600	9600	9600	19200	-	-	9600	9600	9600	19200	-	-
12+12+18+18		9600	9600	14400	14400	-	-	9600	9600	14400	14400	-	-
6+6+6+6+6	5-Zone	6000	6000	6000	6000	6000	-	6000	6000	6000	6000	6000	-
6+6+6+6+9		6000	6000	6000	6000	9000	-	6000	6000	6000	6000	9000	-
6+6+6+6+12		6000	6000	6000	6000	12000	-	6000	6000	6000	6000	12000	-
6+6+6+6+18		6000	6000	6000	6000	18000	-	6000	6000	6000	6000	18000	-
6+6+6+6+24		6000	6000	6000	6000	24000	-	6000	6000	6000	6000	24000	-
6+6+6+9+9		6000	6000	6000	9000	9000	-	6000	6000	6000	9000	9000	-
6+6+6+9+12		6000	6000	6000	9000	12000	-	6000	6000	6000	9000	12000	-
6+6+6+9+18		6000	6000	6000	9000	18000	-	6000	6000	6000	9000	18000	-
6+6+6+9+24		5647	5647	5647	8471	22588	-	5647	5647	5647	8471	22588	-
6+6+6+12+12		6000	6000	6000	12000	12000	-	6000	6000	6000	12000	12000	-
6+6+6+12+18		6000	6000	6000	12000	18000	-	6000	6000	6000	12000	18000	-
6+6+6+12+24		5333	5333	5333	10667	21333	-	5333	5333	5333	10667	21333	-
6+6+6+18+18		5333	5333	5333	16000	16000	-	5333	5333	5333	16000	16000	-
6+6+6+18+24		4800	4800	4800	14400	19200	-	4800	4800	4800	14400	19200	-

Multi-Zone Combination Rule - KMIR

Units	NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMIR648-H224-4	48K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+9+9+9	5-Zone	6000	6000	9000	9000	9000	-	6000	6000	9000	9000	9000	-
6+6+9+9+12		6000	6000	9000	9000	12000	-	6000	6000	9000	9000	12000	-
6+6+9+9+18		6000	6000	9000	9000	18000	-	6000	6000	9000	9000	18000	-
6+6+9+9+24		5333	5333	8000	8000	21333	-	5333	5333	8000	8000	21333	-
6+6+9+12+12		6000	6000	9000	12000	12000	-	6000	6000	9000	12000	12000	-
6+6+9+12+18		5647	5647	8471	11294	16941	-	5647	5647	8471	11294	16941	-
6+6+9+12+24		5053	5053	7579	10105	20211	-	5053	5053	7579	10105	20211	-
6+6+9+18+18		5053	5053	7579	15158	15158	-	5053	5053	7579	15158	15158	-
6+6+9+18+24		4571	4571	6857	13714	18286	-	4571	4571	6857	13714	18286	-
6+6+12+12+12		6000	6000	12000	12000	12000	-	6000	6000	12000	12000	12000	-
6+6+12+12+18		5333	5333	10667	10667	16000	-	5333	5333	10667	10667	16000	-
6+6+12+12+24		4800	4800	9600	9600	19200	-	4800	4800	9600	9600	19200	-
6+6+12+18+18		4800	4800	9600	14400	14400	-	4800	4800	9600	14400	14400	-
6+9+9+9+9		6000	9000	9000	9000	9000	-	6000	9000	9000	9000	9000	-
6+9+9+9+12		6000	9000	9000	9000	12000	-	6000	9000	9000	9000	12000	-
6+9+9+9+18		5647	8471	8471	8471	16941	-	5647	8471	8471	8471	16941	-
6+9+9+9+24		5053	7579	7579	7579	20211	-	5053	7579	7579	7579	20211	-
6+9+9+12+12		6000	9000	9000	12000	12000	-	6000	9000	9000	12000	12000	-
6+9+9+12+18		5333	8000	8000	10667	16000	-	5333	8000	8000	10667	16000	-
6+9+9+12+24		4800	7200	7200	9600	19200	-	4800	7200	7200	9600	19200	-
6+9+9+18+18		4800	7200	7200	14400	14400	-	4800	7200	7200	14400	14400	-
6+9+12+12+12		5647	8471	11294	11294	11294	-	5647	8471	11294	11294	11294	-
6+9+12+12+18		5053	7579	10105	10105	15158	-	5053	7579	10105	10105	15158	-
6+9+12+12+24		4571	6857	9143	9143	18286	-	4571	6857	9143	9143	18286	-
6+9+12+18+18		4571	6857	9143	13714	13714	-	4571	6857	9143	13714	13714	-
6+12+12+12+12		5333	10667	10667	10667	10667	-	5333	10667	10667	10667	10667	-
6+12+12+12+18		4800	9600	9600	9600	14400	-	4800	9600	9600	9600	14400	-
9+9+9+9+9		9000	9000	9000	9000	9000	-	9000	9000	9000	9000	9000	-
9+9+9+9+12		9000	9000	9000	9000	12000	-	9000	9000	9000	9000	12000	-
9+9+9+9+18		8000	8000	8000	8000	16000	-	8000	8000	8000	8000	16000	-
9+9+9+9+24		7200	7200	7200	7200	19200	-	7200	7200	7200	7200	19200	-
9+9+9+12+12		8471	8471	8471	11294	11294	-	8471	8471	8471	11294	11294	-
9+9+9+12+18		7579	7579	7579	10105	15158	-	7579	7579	7579	10105	15158	-
9+9+9+12+24		6857	6857	6857	9143	18286	-	6857	6857	6857	9143	18286	-
9+9+9+18+18		6857	6857	6857	13714	13714	-	6857	6857	6857	13714	13714	-
9+9+12+12+12		8000	8000	10667	10667	10667	-	8000	8000	10667	10667	10667	-
9+9+12+12+18		7200	7200	9600	9600	14400	-	7200	7200	9600	9600	14400	-
9+12+12+12+12		7579	10105	10105	10105	10105	-	7579	10105	10105	10105	10105	-
9+12+12+12+18		6857	9143	9143	9143	13714	-	6857	9143	9143	9143	13714	-
12+12+12+12+12		9600	9600	9600	9600	9600	-	9600	9600	9600	9600	9600	-
6+6+6+6+6+6	6-Zone	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
6+6+6+6+6+9		6000	6000	6000	6000	6000	9000	6000	6000	6000	6000	6000	9000
6+6+6+6+6+12		6000	6000	6000	6000	6000	12000	6000	6000	6000	6000	6000	12000
6+6+6+6+6+18		6000	6000	6000	6000	6000	18000	6000	6000	6000	6000	6000	18000
6+6+6+6+9+9		6000	6000	6000	6000	9000	9000	6000	6000	6000	6000	9000	9000
6+6+6+6+9+12		6000	6000	6000	6000	9000	12000	6000	6000	6000	6000	9000	12000
6+6+6+6+9+18		5647	5647	5647	5647	8471	16941	5647	5647	5647	5647	8471	16941
6+6+6+6+12+12		6000	6000	6000	6000	12000	12000	6000	6000	6000	6000	12000	12000
6+6+6+6+12+18		5333	5333	5333	5333	10667	16000	5333	5333	5333	5333	10667	16000
6+6+6+9+9+9		6000	6000	6000	9000	9000	9000	6000	6000	6000	9000	9000	9000
6+6+6+9+9+12		6000	6000	6000	9000	9000	12000	6000	6000	6000	9000	9000	12000
6+6+6+9+9+18		5333	5333	5333	8000	8000	16000	5333	5333	5333	8000	8000	16000
6+6+6+9+12+12		5647	5647	5647	8471	11294	11294	5647	5647	5647	8471	11294	11294
6+6+6+9+12+18		5053	5053	5053	7579	10105	15158	5053	5053	5053	7579	10105	15158
6+6+6+12+12+12		5333	5333	5333	10667	10667	10667	5333	5333	5333	10667	10667	10667
6+6+6+12+12+18		4800	4800	4800	9600	9600	14400	4800	4800	4800	9600	9600	14400
6+6+9+9+9+9		6000	6000	9000	9000	9000	9000	6000	6000	9000	9000	9000	9000
6+6+9+9+9+12		5647	5647	8471	8471	8471	11294	5647	5647	8471	8471	8471	11294
6+6+9+9+9+18		5053	5053	7579	7579	7579	15158	5053	5053	7579	7579	7579	15158
6+6+9+9+12+12		5333	5333	8000	8000	10667	10667	5333	5333	8000	8000	10667	10667
6+6+9+9+12+18		4800	4800	7200	7200	9600	14400	4800	4800	7200	7200	9600	14400
6+6+9+12+12+12		5053	5053	7579	10105	10105	10105	5053	5053	7579	10105	10105	10105
6+6+9+12+12+18		4571	4571	6857	9143	9143	13714	4571	4571	6857	9143	9143	13714
6+9+9+9+9+9		5647	8471	8471	8471	8471	8471	5647	8471	8471	8471	8471	8471
6+9+9+9+9+12		5333	8000	8000	8000	8000	10667	5333	8000	8000	8000	8000	10667
6+9+9+9+9+18		4800	7200	7200	7200	7200	14400	4800	7200	7200	7200	7200	14400
6+9+9+9+12+12		5053	7579	7579	7579	10105	10105	5053	7579	7579	7579	10105	10105
6+9+9+9+12+18		4571	6857	6857	6857	9143	13714	4571	6857	6857	6857	9143	13714
6+9+9+12+12+12		4800	7200	7200	9600	9600	9600	4800	7200	7200	9600	9600	9600
9+9+9+9+9+9		8000	8000	8000	8000	8000	8000	8000	8000	8000	8000	8000	8000
9+9+9+9+9+12		7579	7579	7579	7579	7579	10105	7579	7579	7579	7579	7579	10105
9+9+9+9+9+18		6857	6857	6857	6857	6857	13714	6857	6857	6857	6857	6857	13714
9+9+9+9+12+12		7200	7200	7200	7200	9600	9600	7200	7200	7200	7200	9600	9600
9+9+9+12+12+12		6857	6857	6857	9143	9143	9143	6857	6857	6857	9143	9143	9143

Multi-Zone Combination Rule - KMIR

Units	NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMIR660-H218-4	60K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
30	1-Zone	30000	-	-	-	-	-	30000	-	-	-	-	-
36		36000	-	-	-	-	-	36000	-	-	-	-	-
6+24	2-Zone	6000	24000	-	-	-	-	6000	24000	-	-	-	-
6+30		6000	30000	-	-	-	-	6000	30000	-	-	-	-
6+36		6000	36000	-	-	-	-	6000	36000	-	-	-	-
9+18		9000	18000	-	-	-	-	9000	18000	-	-	-	-
9+24		9000	24000	-	-	-	-	9000	24000	-	-	-	-
9+30		9000	30000	-	-	-	-	9000	30000	-	-	-	-
9+36		9000	36000	-	-	-	-	9000	36000	-	-	-	-
12+12		12000	12000	-	-	-	-	12000	12000	-	-	-	-
12+18		12000	18000	-	-	-	-	12000	18000	-	-	-	-
12+24		12000	24000	-	-	-	-	12000	24000	-	-	-	-
12+30		12000	30000	-	-	-	-	12000	30000	-	-	-	-
12+36		12000	36000	-	-	-	-	12000	36000	-	-	-	-
18+18		18000	18000	-	-	-	-	18000	18000	-	-	-	-
18+24		18000	24000	-	-	-	-	18000	24000	-	-	-	-
18+30		18000	30000	-	-	-	-	18000	30000	-	-	-	-
18+36		16000	32000	-	-	-	-	16000	32000	-	-	-	-
24+24		24000	24000	-	-	-	-	24000	24000	-	-	-	-
24+30		21333	26667	-	-	-	-	21333	26667	-	-	-	-
24+36		19200	28800	-	-	-	-	19200	28800	-	-	-	-
6+6+18	3-Zone	6000	6000	18000	-	-	-	6000	6000	18000	-	-	-
6+6+24		6000	6000	24000	-	-	-	6000	6000	24000	-	-	-
6+6+30		6000	6000	30000	-	-	-	6000	6000	30000	-	-	-
6+6+36		6000	6000	36000	-	-	-	6000	6000	36000	-	-	-
6+9+12		6000	9000	12000	-	-	-	6000	9000	12000	-	-	-
6+9+18		6000	9000	18000	-	-	-	6000	9000	18000	-	-	-
6+9+24		6000	9000	24000	-	-	-	6000	9000	24000	-	-	-
6+9+30		6000	9000	30000	-	-	-	6000	9000	30000	-	-	-
6+9+36		5647	8471	33882	-	-	-	5647	8471	33882	-	-	-
6+12+18		6000	12000	18000	-	-	-	6000	12000	18000	-	-	-
6+12+24		6000	12000	24000	-	-	-	6000	12000	24000	-	-	-
6+12+30		6000	12000	30000	-	-	-	6000	12000	30000	-	-	-
6+12+36		5333	10667	32000	-	-	-	5333	10667	32000	-	-	-
6+18+18		6000	18000	18000	-	-	-	6000	18000	18000	-	-	-
6+18+24		6000	18000	24000	-	-	-	6000	18000	24000	-	-	-
6+18+30		5333	16000	26667	-	-	-	5333	16000	26667	-	-	-
6+18+36		4800	14400	28800	-	-	-	4800	14400	28800	-	-	-
9+9+9		9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
9+9+12		9000	9000	12000	-	-	-	9000	9000	12000	-	-	-
9+9+18		9000	9000	18000	-	-	-	9000	9000	18000	-	-	-
9+9+24		9000	9000	24000	-	-	-	9000	9000	24000	-	-	-
9+9+30		9000	9000	30000	-	-	-	9000	9000	30000	-	-	-
9+9+36		8000	8000	32000	-	-	-	8000	8000	32000	-	-	-
9+12+12		9000	12000	12000	-	-	-	9000	12000	12000	-	-	-
9+12+18		9000	12000	18000	-	-	-	9000	12000	18000	-	-	-
9+12+24		9000	12000	24000	-	-	-	9000	12000	24000	-	-	-
9+12+30		8471	11294	28235	-	-	-	8471	11294	28235	-	-	-
9+12+36		7579	10105	30316	-	-	-	7579	10105	30316	-	-	-
9+18+18		9000	18000	18000	-	-	-	9000	18000	18000	-	-	-
9+18+24		8471	16941	22588	-	-	-	8471	16941	22588	-	-	-
9+18+30		7579	15158	25263	-	-	-	7579	15158	25263	-	-	-
9+18+36		6857	13714	27429	-	-	-	6857	13714	27429	-	-	-
12+12+12		12000	12000	12000	-	-	-	12000	12000	12000	-	-	-
12+12+18		12000	12000	18000	-	-	-	12000	12000	18000	-	-	-
12+12+24		12000	12000	24000	-	-	-	12000	12000	24000	-	-	-
12+12+30		10667	10667	26667	-	-	-	10667	10667	26667	-	-	-
12+12+36		9600	9600	28800	-	-	-	9600	9600	28800	-	-	-
12+18+18		12000	18000	18000	-	-	-	12000	18000	18000	-	-	-
12+18+24		10667	16000	21333	-	-	-	10667	16000	21333	-	-	-
12+18+30		9600	14400	24000	-	-	-	9600	14400	24000	-	-	-
18+18+18		16000	16000	16000	-	-	-	16000	16000	16000	-	-	-

Multi-Zone Combination Rule - KMIR

Units		NO. OF ZONES & CAPACITY		COOLING CAPACITY (BTU/H)				HEATING CAPACITY (BTU/H)					
KMIR660-H224-4	60K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+6	4-Zone	6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9		6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+18		6000	6000	6000	18000	-	-	6000	6000	6000	18000	-	-
6+6+6+24		6000	6000	6000	24000	-	-	6000	6000	6000	24000	-	-
6+6+9+9		6000	6000	9000	9000	-	-	6000	6000	9000	9000	-	-
6+6+9+12		6000	6000	9000	12000	-	-	6000	6000	9000	12000	-	-
6+6+9+18		6000	6000	9000	18000	-	-	6000	6000	9000	18000	-	-
6+6+9+24		6000	6000	9000	24000	-	-	6000	6000	9000	24000	-	-
6+6+12+12		6000	6000	12000	12000	-	-	6000	6000	12000	12000	-	-
6+6+12+18		6000	6000	12000	18000	-	-	6000	6000	12000	18000	-	-
6+6+12+24		6000	6000	12000	24000	-	-	6000	6000	12000	24000	-	-
6+6+18+18		6000	6000	18000	18000	-	-	6000	6000	18000	18000	-	-
6+6+18+24		5333	5333	16000	21333	-	-	5333	5333	16000	21333	-	-
6+9+9+9		6000	9000	9000	9000	-	-	6000	9000	9000	9000	-	-
6+9+9+12		6000	9000	9000	12000	-	-	6000	9000	9000	12000	-	-
6+9+9+18		6000	9000	9000	18000	-	-	6000	9000	9000	18000	-	-
6+9+9+24		6000	9000	9000	24000	-	-	6000	9000	9000	24000	-	-
6+9+12+12		6000	9000	12000	12000	-	-	6000	9000	12000	12000	-	-
6+9+12+18		6000	9000	12000	18000	-	-	6000	9000	12000	18000	-	-
6+9+12+24		5647	8471	11294	22588	-	-	5647	8471	11294	22588	-	-
6+9+18+18		5647	8471	16941	16941	-	-	5647	8471	16941	16941	-	-
6+9+18+24		5053	7579	15158	20211	-	-	5053	7579	15158	20211	-	-
6+12+12+12		6000	12000	12000	12000	-	-	6000	12000	12000	12000	-	-
6+12+12+18		6000	12000	12000	18000	-	-	6000	12000	12000	18000	-	-
6+12+12+24		5333	10667	10667	21333	-	-	5333	10667	10667	21333	-	-
6+12+18+18		5333	10667	16000	16000	-	-	5333	10667	16000	16000	-	-
6+12+18+24		4800	9600	14400	19200	-	-	4800	9600	14400	19200	-	-
9+9+9+9		9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
9+9+9+12		9000	9000	9000	12000	-	-	9000	9000	9000	12000	-	-
9+9+9+18		9000	9000	9000	18000	-	-	9000	9000	9000	18000	-	-
9+9+9+24		8471	8471	8471	22588	-	-	8471	8471	8471	22588	-	-
9+9+12+12		9000	9000	12000	12000	-	-	9000	9000	12000	12000	-	-
9+9+12+18		9000	9000	12000	18000	-	-	9000	9000	12000	18000	-	-
9+9+12+24		8000	8000	10667	21333	-	-	8000	8000	10667	21333	-	-
9+9+18+18		8000	8000	16000	16000	-	-	8000	8000	16000	16000	-	-
9+9+18+24		7200	7200	14400	19200	-	-	7200	7200	14400	19200	-	-
9+12+12+12		9000	12000	12000	12000	-	-	9000	12000	12000	12000	-	-
9+12+12+18		8471	11294	11294	16941	-	-	8471	11294	11294	16941	-	-
9+12+12+24		7579	10105	10105	20211	-	-	7579	10105	10105	20211	-	-
9+12+18+18		7579	10105	15158	15158	-	-	7579	10105	15158	15158	-	-
9+12+18+24		6857	9143	13714	18286	-	-	6857	9143	13714	18286	-	-
9+18+18+18		6857	13714	13714	13714	-	-	6857	13714	13714	13714	-	-
12+12+12+12		12000	12000	12000	12000	-	-	12000	12000	12000	12000	-	-
12+12+12+18		10667	10667	10667	16000	-	-	10667	10667	10667	16000	-	-
12+12+12+24		9600	9600	9600	19200	-	-	9600	9600	9600	19200	-	-
12+12+18+18		9600	9600	14400	14400	-	-	9600	9600	14400	14400	-	-
6+6+6+6+6	5-Zone	6000	6000	6000	6000	6000	-	6000	6000	6000	6000	6000	-
6+6+6+6+9		6000	6000	6000	6000	9000	-	6000	6000	6000	6000	9000	-
6+6+6+6+12		6000	6000	6000	6000	12000	-	6000	6000	6000	6000	12000	-
6+6+6+6+18		6000	6000	6000	6000	18000	-	6000	6000	6000	6000	18000	-
6+6+6+6+24		6000	6000	6000	6000	24000	-	6000	6000	6000	6000	24000	-
6+6+6+9+9		6000	6000	6000	9000	9000	-	6000	6000	6000	9000	9000	-
6+6+6+9+12		6000	6000	6000	9000	12000	-	6000	6000	6000	9000	12000	-
6+6+6+9+18		6000	6000	6000	9000	18000	-	6000	6000	6000	9000	18000	-
6+6+6+9+24		5647	5647	5647	8471	22588	-	5647	5647	5647	8471	22588	-
6+6+6+12+12		6000	6000	6000	12000	12000	-	6000	6000	6000	12000	12000	-
6+6+6+12+18		6000	6000	6000	12000	18000	-	6000	6000	6000	12000	18000	-
6+6+6+12+24		5333	5333	5333	10667	21333	-	5333	5333	5333	10667	21333	-
6+6+6+18+18		5333	5333	5333	16000	16000	-	5333	5333	5333	16000	16000	-
6+6+6+18+24		4800	4800	4800	14400	19200	-	4800	4800	4800	14400	19200	-
6+6+9+9+9		6000	6000	9000	9000	9000	-	6000	6000	9000	9000	9000	-
6+6+9+9+12		6000	6000	9000	9000	12000	-	6000	6000	9000	9000	12000	-
6+6+9+9+18		6000	6000	9000	9000	18000	-	6000	6000	9000	9000	18000	-
6+6+9+9+24		5333	5333	8000	8000	21333	-	5333	5333	8000	8000	21333	-
6+6+9+12+12		6000	6000	9000	12000	12000	-	6000	6000	9000	12000	12000	-
6+6+9+12+18		5647	5647	8471	11294	16941	-	5647	5647	8471	11294	16941	-
6+6+9+12+24		5053	5053	7579	10105	20211	-	5053	5053	7579	10105	20211	-

Multi-Zone Combination Rule - KMIR

Units		NO. OF ZONES & CAPACITY		COOLING CAPACITY (BTU/H)				HEATING CAPACITY (BTU/H)					
KMIR660-H224-4	60K - Regular Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+9+18+18	5-Zone	5053	5053	7579	15158	15158	-	5053	5053	7579	15158	15158	-
6+6+9+18+24		4571	4571	6857	13714	18286	-	4571	4571	6857	13714	18286	-
6+6+12+12+12		6000	6000	12000	12000	12000	-	6000	6000	12000	12000	12000	-
6+6+12+12+18		5333	5333	10667	10667	16000	-	5333	5333	10667	10667	16000	-
6+6+12+12+24		4800	4800	9600	9600	19200	-	4800	4800	9600	9600	19200	-
6+6+12+18+18		4800	4800	9600	14400	14400	-	4800	4800	9600	14400	14400	-
6+9+9+9+9		6000	9000	9000	9000	9000	-	6000	9000	9000	9000	9000	-
6+9+9+9+12		6000	9000	9000	9000	12000	-	6000	9000	9000	9000	12000	-
6+9+9+9+18		5647	8471	8471	8471	16941	-	5647	8471	8471	8471	16941	-
6+9+9+9+24		5053	7579	7579	7579	20211	-	5053	7579	7579	7579	20211	-
6+9+9+12+12		6000	9000	9000	12000	12000	-	6000	9000	9000	12000	12000	-
6+9+9+12+18		5333	8000	8000	10667	16000	-	5333	8000	8000	10667	16000	-
6+9+9+12+24		4800	7200	7200	9600	19200	-	4800	7200	7200	9600	19200	-
6+9+9+18+18		4800	7200	7200	14400	14400	-	4800	7200	7200	14400	14400	-
6+9+12+12+12		5647	8471	11294	11294	11294	-	5647	8471	11294	11294	11294	-
6+9+12+12+18		5053	7579	10105	10105	15158	-	5053	7579	10105	10105	15158	-
6+9+12+12+24		4571	6857	9143	9143	18286	-	4571	6857	9143	9143	18286	-
6+9+12+18+18		4571	6857	9143	13714	13714	-	4571	6857	9143	13714	13714	-
6+12+12+12+12		5333	10667	10667	10667	10667	-	5333	10667	10667	10667	10667	-
6+12+12+12+18		4800	9600	9600	9600	14400	-	4800	9600	9600	9600	14400	-
9+9+9+9+9		9000	9000	9000	9000	9000	-	9000	9000	9000	9000	9000	-
9+9+9+9+12		9000	9000	9000	9000	12000	-	9000	9000	9000	9000	12000	-
9+9+9+9+18		8000	8000	8000	8000	16000	-	8000	8000	8000	8000	16000	-
9+9+9+9+24		7200	7200	7200	7200	19200	-	7200	7200	7200	7200	19200	-
9+9+9+12+12		8471	8471	8471	11294	11294	-	8471	8471	8471	11294	11294	-
9+9+9+12+18		7579	7579	7579	10105	15158	-	7579	7579	7579	10105	15158	-
9+9+9+12+24		6857	6857	6857	9143	18286	-	6857	6857	6857	9143	18286	-
9+9+9+18+18		6857	6857	6857	13714	13714	-	6857	6857	6857	13714	13714	-
9+9+12+12+12		8000	8000	10667	10667	10667	-	8000	8000	10667	10667	10667	-
9+9+12+12+18		7200	7200	9600	9600	14400	-	7200	7200	9600	9600	14400	-
9+12+12+12+12		7579	10105	10105	10105	10105	-	7579	10105	10105	10105	10105	-
9+12+12+12+18		6857	9143	9143	9143	13714	-	6857	9143	9143	9143	13714	-
12+12+12+12+12		9600	9600	9600	9600	9600	-	9600	9600	9600	9600	9600	-
6+6+6+6+6+6	6-Zone	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
6+6+6+6+6+9		6000	6000	6000	6000	6000	9000	6000	6000	6000	6000	6000	9000
6+6+6+6+6+12		6000	6000	6000	6000	6000	12000	6000	6000	6000	6000	6000	12000
6+6+6+6+6+18		6000	6000	6000	6000	6000	18000	6000	6000	6000	6000	6000	18000
6+6+6+6+9+9		6000	6000	6000	6000	9000	9000	6000	6000	6000	6000	9000	9000
6+6+6+6+9+12		6000	6000	6000	6000	9000	12000	6000	6000	6000	6000	9000	12000
6+6+6+6+9+18		5647	5647	5647	5647	8471	16941	5647	5647	5647	5647	8471	16941
6+6+6+6+12+12		6000	6000	6000	6000	12000	12000	6000	6000	6000	6000	12000	12000
6+6+6+6+12+18		5333	5333	5333	5333	10667	16000	5333	5333	5333	5333	10667	16000
6+6+6+9+9+9		6000	6000	6000	9000	9000	9000	6000	6000	6000	9000	9000	9000
6+6+6+9+9+12		6000	6000	6000	9000	9000	12000	6000	6000	6000	9000	9000	12000
6+6+6+9+9+18		5333	5333	5333	8000	8000	16000	5333	5333	5333	8000	8000	16000
6+6+6+9+12+12		5647	5647	5647	8471	11294	11294	5647	5647	5647	8471	11294	11294
6+6+6+9+12+18		5053	5053	5053	7579	10105	15158	5053	5053	5053	7579	10105	15158
6+6+6+12+12+12		5333	5333	5333	10667	10667	10667	5333	5333	5333	10667	10667	10667
6+6+6+12+12+18		4800	4800	4800	9600	9600	14400	4800	4800	4800	9600	9600	14400
6+6+9+9+9+9		6000	6000	9000	9000	9000	9000	6000	6000	9000	9000	9000	9000
6+6+9+9+9+12		5647	5647	8471	8471	8471	11294	5647	5647	8471	8471	8471	11294
6+6+9+9+9+18		5053	5053	7579	7579	7579	15158	5053	5053	7579	7579	7579	15158
6+6+9+9+12+12		5333	5333	8000	8000	10667	10667	5333	5333	8000	8000	10667	10667
6+6+9+9+12+18		4800	4800	7200	7200	9600	14400	4800	4800	7200	7200	9600	14400
6+6+9+12+12+12		5053	5053	7579	10105	10105	10105	5053	5053	7579	10105	10105	10105
6+6+9+12+12+18		4571	4571	6857	9143	9143	13714	4571	4571	6857	9143	9143	13714
6+9+9+9+9+9		5647	8471	8471	8471	8471	8471	5647	8471	8471	8471	8471	8471
6+9+9+9+9+12		5333	8000	8000	8000	8000	10667	5333	8000	8000	8000	8000	10667
6+9+9+9+9+18		4800	7200	7200	7200	7200	14400	4800	7200	7200	7200	7200	14400
6+9+9+9+12+12		5053	7579	7579	7579	10105	10105	5053	7579	7579	7579	10105	10105
6+9+9+9+12+18		4571	6857	6857	6857	9143	13714	4571	6857	6857	6857	9143	13714
6+9+9+12+12+12		4800	7200	7200	9600	9600	9600	4800	7200	7200	9600	9600	9600
9+9+9+9+9+9		8000	8000	8000	8000	8000	8000	8000	8000	8000	8000	8000	8000
9+9+9+9+9+12		7579	7579	7579	7579	7579	10105	7579	7579	7579	7579	7579	10105
9+9+9+9+9+18		6857	6857	6857	6857	6857	13714	6857	6857	6857	6857	6857	13714
9+9+9+9+12+12		7200	7200	7200	7200	9600	9600	7200	7200	7200	7200	9600	9600
9+9+9+12+12+12		6857	6857	6857	9143	9143	9143	6857	6857	6857	9143	9143	9143





Multi-Zone Combination Rule - KMHR

Units		NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR319-H221-4		18K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
18	1-Zone	18000	-	-	-	-	-	-	18000	-	-	-	-	-
24		24000	-	-	-	-	-	-	24000	-	-	-	-	-
6+6	2-Zone	6000	6000	-	-	-	-	-	6000	6000	-	-	-	-
6+9		6000	9000	-	-	-	-	-	6000	9000	-	-	-	-
6+12		6000	12000	-	-	-	-	-	6000	12000	-	-	-	-
6+18		6000	18000	-	-	-	-	-	6000	18000	-	-	-	-
6+24		5400	21600	-	-	-	-	-	5400	21600	-	-	-	-
9+9		9000	9000	-	-	-	-	-	9000	9000	-	-	-	-
9+12		9000	12000	-	-	-	-	-	9000	12000	-	-	-	-
9+18		9000	18000	-	-	-	-	-	9000	18000	-	-	-	-
9+24		7364	19636	-	-	-	-	-	7364	19636	-	-	-	-
12+12		12000	12000	-	-	-	-	-	12000	12000	-	-	-	-
12+18		10800	16200	-	-	-	-	-	10800	16200	-	-	-	-
12+24		9000	18000	-	-	-	-	-	9000	18000	-	-	-	-
18+18		13500	13500	-	-	-	-	-	13500	13500	-	-	-	-
6+6+6	3-Zone	6000	6000	6000	-	-	-	-	6000	6000	6000	-	-	-
6+6+9		6000	6000	9000	-	-	-	-	6000	6000	9000	-	-	-
6+6+12		6000	6000	12000	-	-	-	-	6000	6000	12000	-	-	-
6+6+18		5400	5400	16200	-	-	-	-	5400	5400	16200	-	-	-
6+6+24		4500	4500	18000	-	-	-	-	4500	4500	18000	-	-	-
6+9+9		6000	9000	9000	-	-	-	-	6000	9000	9000	-	-	-
6+9+12		6000	9000	12000	-	-	-	-	6000	9000	12000	-	-	-
6+9+18		4909	7364	14727	-	-	-	-	4909	7364	14727	-	-	-
6+12+12		5400	10800	10800	-	-	-	-	5400	10800	10800	-	-	-
6+12+18		4500	9000	13500	-	-	-	-	4500	9000	13500	-	-	-
9+9+9		9000	9000	9000	-	-	-	-	9000	9000	9000	-	-	-
9+9+12		8100	8100	10800	-	-	-	-	8100	8100	10800	-	-	-
9+9+18		6750	6750	13500	-	-	-	-	6750	6750	13500	-	-	-
9+12+12		7364	9818	9818	-	-	-	-	7364	9818	9818	-	-	-
12+12+12		9000	9000	9000	-	-	-	-	9000	9000	9000	-	-	-
KMHR427-H225-4		27K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
24	1-Zone	24000	-	-	-	-	-	-	24000	-	-	-	-	-
30		30000	-	-	-	-	-	-	30000	-	-	-	-	-
6+18	2-Zone	6000	18000	-	-	-	-	-	6000	18000	-	-	-	-
6+24		6000	24000	-	-	-	-	-	6000	24000	-	-	-	-
9+9		9000	9000	-	-	-	-	-	9000	9000	-	-	-	-
9+12		9000	12000	-	-	-	-	-	9000	12000	-	-	-	-
9+18		9000	18000	-	-	-	-	-	9000	18000	-	-	-	-
9+24		9000	24000	-	-	-	-	-	9000	24000	-	-	-	-
12+12		12000	12000	-	-	-	-	-	12000	12000	-	-	-	-
12+18		12000	18000	-	-	-	-	-	12000	18000	-	-	-	-
12+24		12000	24000	-	-	-	-	-	12000	24000	-	-	-	-
18+18		18000	18000	-	-	-	-	-	18000	18000	-	-	-	-
6+6+6	3-Zone	6000	6000	6000	-	-	-	-	6000	6000	6000	-	-	-
6+6+9		6000	6000	9000	-	-	-	-	6000	6000	9000	-	-	-
6+6+12		6000	6000	12000	-	-	-	-	6000	6000	12000	-	-	-
6+6+18		6000	6000	18000	-	-	-	-	6000	6000	18000	-	-	-
6+6+24		6000	6000	24000	-	-	-	-	6000	6000	24000	-	-	-
6+9+9		6000	9000	9000	-	-	-	-	6000	9000	9000	-	-	-
6+9+12		6000	9000	12000	-	-	-	-	6000	9000	12000	-	-	-
6+9+18		6000	9000	18000	-	-	-	-	6000	9000	18000	-	-	-
6+9+24		5538	8308	22154	-	-	-	-	5538	8308	22154	-	-	-
6+12+12		6000	12000	12000	-	-	-	-	6000	12000	12000	-	-	-
6+12+18		6000	12000	18000	-	-	-	-	6000	12000	18000	-	-	-
6+12+24		5143	10286	20571	-	-	-	-	5143	10286	20571	-	-	-
6+18+18		5143	15429	15429	-	-	-	-	5143	15429	15429	-	-	-
6+18+24		4500	13500	18000	-	-	-	-	4500	13500	18000	-	-	-
9+9+9		9000	9000	9000	-	-	-	-	9000	9000	9000	-	-	-
9+9+12		9000	9000	12000	-	-	-	-	9000	9000	12000	-	-	-
9+9+18		9000	9000	18000	-	-	-	-	9000	9000	18000	-	-	-
9+9+24		7714	7714	20571	-	-	-	-	7714	7714	20571	-	-	-
9+12+12		9000	12000	12000	-	-	-	-	9000	12000	12000	-	-	-
9+12+18		8308	11077	16615	-	-	-	-	8308	11077	16615	-	-	-
9+12+24		7200	9600	19200	-	-	-	-	7200	9600	19200	-	-	-
9+18+18		7200	14400	14400	-	-	-	-	7200	14400	14400	-	-	-
12+12+12		12000	12000	12000	-	-	-	-	12000	12000	12000	-	-	-
12+12+18		10286	10286	15429	-	-	-	-	10286	10286	15429	-	-	-
12+12+24		9000	9000	18000	-	-	-	-	9000	9000	18000	-	-	-
12+18+18		9000	13500	13500	-	-	-	-	9000	13500	13500	-	-	-

Multi-Zone Combination Rule - KMHR

Units		NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR319-H221-4		18K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+6		4-Zone	6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9			6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+12			6000	6000	6000	12000	-	-	6000	6000	6000	12000	-	-
6+6+6+18			6000	6000	6000	18000	-	-	6000	6000	6000	18000	-	-
6+6+6+24			5143	5143	5143	20571	-	-	5143	5143	5143	20571	-	-
6+6+9+9			6000	6000	9000	9000	-	-	6000	6000	9000	9000	-	-
6+6+9+12			6000	6000	9000	12000	-	-	6000	6000	9000	12000	-	-
6+6+9+18			5538	5538	8308	16615	-	-	5538	5538	8308	16615	-	-
6+6+9+24			4800	4800	7200	19200	-	-	4800	4800	7200	19200	-	-
6+6+12+12			6000	6000	12000	12000	-	-	6000	6000	12000	12000	-	-
6+6+12+18			5143	5143	10286	15429	-	-	5143	5143	10286	15429	-	-
6+6+12+24			4500	4500	9000	18000	-	-	4500	4500	9000	18000	-	-
6+6+18+18			4500	4500	13500	13500	-	-	4500	4500	13500	13500	-	-
6+9+9+9			6000	9000	9000	9000	-	-	6000	9000	9000	9000	-	-
6+9+9+12			6000	9000	9000	12000	-	-	6000	9000	9000	12000	-	-
6+9+9+18			5143	7714	7714	15429	-	-	5143	7714	7714	15429	-	-
6+9+9+24			4500	6750	6750	18000	-	-	4500	6750	6750	18000	-	-
6+9+12+12			5538	8308	11077	11077	-	-	5538	8308	11077	11077	-	-
6+9+12+18			4800	7200	9600	14400	-	-	4800	7200	9600	14400	-	-
6+12+12+12			5143	10286	10286	10286	-	-	5143	10286	10286	10286	-	-
6+12+12+18			4500	9000	9000	13500	-	-	4500	9000	9000	13500	-	-
9+9+9+9			9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
9+9+9+12			8308	8308	8308	11077	-	-	8308	8308	8308	11077	-	-
9+9+9+18			7200	7200	7200	14400	-	-	7200	7200	7200	14400	-	-
9+9+12+12			7714	7714	10286	10286	-	-	7714	7714	10286	10286	-	-
9+9+12+18			6750	6750	9000	13500	-	-	6750	6750	9000	13500	-	-
9+12+12+12			7200	9600	9600	9600	-	-	7200	9600	9600	9600	-	-
12+12+12+12			9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
KMHR536-H224-4			36K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5
30	1-Zone		30000	-	-	-	-	-	30000	-	-	-	-	-
36			36000	-	-	-	-	-	36000	-	-	-	-	-
6+24			6000	24000	-	-	-	-	6000	24000	-	-	-	-
6+30	2-Zone		6000	30000	-	-	-	-	6000	30000	-	-	-	-
6+36			5714	34286	-	-	-	-	5714	34286	-	-	-	-
9+18			9000	18000	-	-	-	-	9000	18000	-	-	-	-
9+24			9000	24000	-	-	-	-	9000	24000	-	-	-	-
9+30			9000	30000	-	-	-	-	9000	30000	-	-	-	-
9+36			8000	32000	-	-	-	-	8000	32000	-	-	-	-
12+12			12000	12000	-	-	-	-	12000	12000	-	-	-	-
12+18			12000	18000	-	-	-	-	12000	18000	-	-	-	-
12+24			12000	24000	-	-	-	-	12000	24000	-	-	-	-
12+30			11429	28571	-	-	-	-	11429	28571	-	-	-	-
12+36			10000	30000	-	-	-	-	10000	30000	-	-	-	-
18+18			18000	18000	-	-	-	-	18000	18000	-	-	-	-
18+24			17143	22857	-	-	-	-	17143	22857	-	-	-	-
18+30			15000	25000	-	-	-	-	15000	25000	-	-	-	-
24+24			20000	20000	-	-	-	-	20000	20000	-	-	-	-
6+6+12	3-Zone		6000	6000	12000	-	-	-	6000	6000	12000	-	-	-
6+6+18			6000	6000	18000	-	-	-	6000	6000	18000	-	-	-
6+6+24			6000	6000	24000	-	-	-	6000	6000	24000	-	-	-
6+6+30			5714	5714	28571	-	-	-	5714	5714	28571	-	-	-
6+6+36			5000	5000	30000	-	-	-	5000	5000	30000	-	-	-
6+9+9			6000	9000	9000	-	-	-	6000	9000	9000	-	-	-
6+9+12			6000	9000	12000	-	-	-	6000	9000	12000	-	-	-
6+9+18			6000	9000	18000	-	-	-	6000	9000	18000	-	-	-
6+9+24			6000	9000	24000	-	-	-	6000	9000	24000	-	-	-
6+9+30			5333	8000	26667	-	-	-	5333	8000	26667	-	-	-
6+12+12			6000	12000	12000	-	-	-	6000	12000	12000	-	-	-
6+12+18			6000	12000	18000	-	-	-	6000	12000	18000	-	-	-
6+12+24			5714	11429	22857	-	-	-	5714	11429	22857	-	-	-
6+12+30			5000	10000	25000	-	-	-	5000	10000	25000	-	-	-
6+18+18			5714	17143	17143	-	-	-	5714	17143	17143	-	-	-
6+18+24			5000	15000	20000	-	-	-	5000	15000	20000	-	-	-
9+9+9			9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
9+9+12			9000	9000	12000	-	-	-	9000	9000	12000	-	-	-
9+9+18			9000	9000	18000	-	-	-	9000	9000	18000	-	-	-
9+9+24			8571	8571	22857	-	-	-	8571	8571	22857	-	-	-
9+9+30			7500	7500	25000	-	-	-	7500	7500	25000	-	-	-
9+12+12			9000	12000	12000	-	-	-	9000	12000	12000	-	-	-
9+12+18			9000	12000	18000	-	-	-	9000	12000	18000	-	-	-
9+12+24			8000	10667	21333	-	-	-	8000	10667	21333	-	-	-
9+18+18			8000	16000	16000	-	-	-	8000	16000	16000	-	-	-
9+18+24			7059	14118	18824	-	-	-	7059	14118	18824	-	-	-
12+12+12			12000	12000	12000	-	-	-	12000	12000	12000	-	-	-
12+12+18			11429	11429	17143	-	-	-	11429	11429	17143	-	-	-
12+12+24			10000	10000	20000	-	-	-	10000	10000	20000	-	-	-
12+18+18			10000	15000	15000	-	-	-	10000	15000	15000	-	-	-
12+18+24			8889	13333	17778	-	-	-	8889	13333	17778	-	-	-
18+18+18			13333	13333	13333	-	-	-	13333	13333	13333	-	-	-

Multi-Zone Combination Rule - KMHR

Units		NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR319-H221-4		18K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+6			6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9			6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+12			6000	6000	6000	12000	-	-	6000	6000	6000	12000	-	-
6+6+6+18			6000	6000	6000	18000	-	-	6000	6000	6000	18000	-	-
6+6+6+24			5714	5714	5714	22857	-	-	5714	5714	5714	22857	-	-
6+6+9+9			6000	6000	9000	9000	-	-	6000	6000	9000	9000	-	-
6+6+9+12			6000	6000	9000	12000	-	-	6000	6000	9000	12000	-	-
6+6+9+18			6000	6000	9000	18000	-	-	6000	6000	9000	18000	-	-
6+6+9+24			5333	5333	8000	21333	-	-	5333	5333	8000	21333	-	-
6+6+12+12			6000	6000	12000	12000	-	-	6000	6000	12000	12000	-	-
6+6+12+18			5714	5714	11429	17143	-	-	5714	5714	11429	17143	-	-
6+6+12+24			5000	5000	10000	20000	-	-	5000	5000	10000	20000	-	-
6+6+18+18			5000	5000	15000	15000	-	-	5000	5000	15000	15000	-	-
6+6+18+24			4444	4444	13333	17778	-	-	4444	4444	13333	17778	-	-
6+9+9+9			6000	9000	9000	9000	-	-	6000	9000	9000	9000	-	-
6+9+9+12			6000	9000	9000	12000	-	-	6000	9000	9000	12000	-	-
6+9+9+18			5714	8571	8571	17143	-	-	5714	8571	8571	17143	-	-
6+9+9+24			5000	7500	7500	20000	-	-	5000	7500	7500	20000	-	-
6+9+12+12			6000	9000	12000	12000	-	-	6000	9000	12000	12000	-	-
6+9+12+18			5333	8000	10667	16000	-	-	5333	8000	10667	16000	-	-
6+9+12+24	4706	7059	9412	18824	-	-	4706	7059	9412	18824	-	-		
6+9+18+18	4706	7059	14118	14118	-	-	4706	7059	14118	14118	-	-		
6+9+18+24	4211	6316	12632	16842	-	-	4211	6316	12632	16842	-	-		
6+12+12+12	4-Zone		5714	11429	11429	11429	-	-	5714	11429	11429	11429	-	-
6+12+12+18			5000	10000	10000	15000	-	-	5000	10000	10000	15000	-	-
6+12+12+24			4444	8889	8889	17778	-	-	4444	8889	8889	17778	-	-
6+12+18+18			4444	8889	13333	13333	-	-	4444	8889	13333	13333	-	-
6+12+18+24			4000	8000	12000	16000	-	-	4000	8000	12000	16000	-	-
6+18+18+18			4000	12000	12000	12000	-	-	4000	12000	12000	12000	-	-
9+9+9+9			9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
9+9+9+12			9000	9000	9000	12000	-	-	9000	9000	9000	12000	-	-
9+9+9+18			8000	8000	8000	16000	-	-	8000	8000	8000	16000	-	-
9+9+9+24			7059	7059	7059	18824	-	-	7059	7059	7059	18824	-	-
9+9+12+12	8571	8571	11429	11429	-	-	8571	8571	11429	11429	-	-		
9+9+12+18	7500	7500	10000	15000	-	-	7500	7500	10000	15000	-	-		
9+9+12+24	6667	6667	8889	17778	-	-	6667	6667	8889	17778	-	-		
9+9+18+18	6667	6667	13333	13333	-	-	6667	6667	13333	13333	-	-		
9+9+18+24	6000	6000	12000	16000	-	-	6000	6000	12000	16000	-	-		
9+12+12+12	8000	10667	10667	10667	-	-	8000	10667	10667	10667	-	-		
9+12+12+18	7059	9412	9412	14118	-	-	7059	9412	9412	14118	-	-		
9+12+12+24	6316	8421	8421	16842	-	-	6316	8421	8421	16842	-	-		
9+12+18+18	6316	8421	12632	12632	-	-	6316	8421	12632	12632	-	-		
9+18+18+18	5714	11429	11429	11429	-	-	5714	11429	11429	11429	-	-		
12+12+12+12	10000	10000	10000	10000	-	-	10000	10000	10000	10000	-	-		
12+12+12+18	8889	8889	8889	13333	-	-	8889	8889	8889	13333	-	-		
12+12+12+24	8000	8000	8000	16000	-	-	8000	8000	8000	16000	-	-		
12+12+18+18	8000	8000	12000	12000	-	-	8000	8000	12000	12000	-	-		
6+6+6+6+6	5-Zone		6000	6000	6000	6000	6000	-	6000	6000	6000	6000	6000	-
6+6+6+6+9			6000	6000	6000	6000	9000	-	6000	6000	6000	6000	9000	-
6+6+6+6+12			6000	6000	6000	6000	12000	-	6000	6000	6000	6000	12000	-
6+6+6+6+18			5714	5714	5714	5714	17143	-	5714	5714	5714	5714	17143	-
6+6+6+9+9			6000	6000	6000	9000	9000	-	6000	6000	6000	9000	9000	-
6+6+6+9+12			6000	6000	6000	9000	12000	-	6000	6000	6000	9000	12000	-
6+6+6+9+18			5333	5333	5333	8000	16000	-	5333	5333	5333	8000	16000	-
6+6+6+12+12			5714	5714	5714	11429	11429	-	5714	5714	5714	11429	11429	-
6+6+6+12+18			5000	5000	5000	10000	15000	-	5000	5000	5000	10000	15000	-
6+6+9+9+9			6000	6000	9000	9000	9000	-	6000	6000	9000	9000	9000	-
6+6+9+9+12			5714	5714	8571	8571	11429	-	5714	5714	8571	8571	11429	-
6+6+9+9+18			5000	5000	7500	7500	15000	-	5000	5000	7500	7500	15000	-
6+6+9+12+12			5333	5333	8000	10667	10667	-	5333	5333	8000	10667	10667	-
6+6+12+12+12			5000	5000	10000	10000	10000	-	5000	5000	10000	10000	10000	-
6+9+9+9+9			5714	8571	8571	8571	8571	-	5714	8571	8571	8571	8571	-
6+9+9+9+12			5333	8000	8000	8000	10667	-	5333	8000	8000	8000	10667	-
6+9+9+12+12			5000	7500	7500	10000	10000	-	5000	7500	7500	10000	10000	-
9+9+9+9+9			8000	8000	8000	8000	8000	-	8000	8000	8000	8000	8000	-
9+9+9+9+12			7500	7500	7500	7500	10000	-	7500	7500	7500	7500	10000	-


Multi-Zone Combination Rule - KMHR

Units	NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR648-H224-4 & KMHR648-H224-4	48K/60K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
30	1-Zone	30000	-	-	-	-	-	30000	-	-	-	-	-
36		36000	-	-	-	-	-	36000	-	-	-	-	-
6+24	2-Zone	6000	24000	-	-	-	-	6000	24000	-	-	-	-
6+30		6000	30000	-	-	-	-	6000	30000	-	-	-	-
6+36		6000	36000	-	-	-	-	6000	36000	-	-	-	-
9+18		9000	18000	-	-	-	-	9000	18000	-	-	-	-
9+24		9000	24000	-	-	-	-	9000	24000	-	-	-	-
9+30		9000	30000	-	-	-	-	9000	30000	-	-	-	-
9+36		9000	36000	-	-	-	-	9000	36000	-	-	-	-
12+12		12000	12000	-	-	-	-	12000	12000	-	-	-	-
12+18		12000	18000	-	-	-	-	12000	18000	-	-	-	-
12+24		12000	24000	-	-	-	-	12000	24000	-	-	-	-
12+30		12000	30000	-	-	-	-	12000	30000	-	-	-	-
12+36		12000	36000	-	-	-	-	12000	36000	-	-	-	-
18+18		18000	18000	-	-	-	-	18000	18000	-	-	-	-
18+24		18000	24000	-	-	-	-	18000	24000	-	-	-	-
18+30		18000	30000	-	-	-	-	18000	30000	-	-	-	-
18+36		18000	36000	-	-	-	-	18000	36000	-	-	-	-
24+24		24000	24000	-	-	-	-	24000	24000	-	-	-	-
24+30		24000	30000	-	-	-	-	24000	30000	-	-	-	-
24+36		22000	33000	-	-	-	-	22000	33000	-	-	-	-
6+6+18	3-Zone	6000	6000	18000	-	-	-	6000	6000	18000	-	-	-
6+6+24		6000	6000	24000	-	-	-	6000	6000	24000	-	-	-
6+6+30		6000	6000	30000	-	-	-	6000	6000	30000	-	-	-
6+6+36		6000	6000	36000	-	-	-	6000	6000	36000	-	-	-
6+9+9		6000	9000	9000	-	-	-	6000	9000	9000	-	-	-
6+9+12		6000	9000	12000	-	-	-	6000	9000	12000	-	-	-
6+9+18		6000	9000	18000	-	-	-	6000	9000	18000	-	-	-
6+9+24		6000	9000	24000	-	-	-	6000	9000	24000	-	-	-
6+9+30		6000	9000	30000	-	-	-	6000	9000	30000	-	-	-
6+9+36		6000	9000	36000	-	-	-	6000	9000	36000	-	-	-
6+12+12		6000	12000	12000	-	-	-	6000	12000	12000	-	-	-
6+12+18		6000	12000	18000	-	-	-	6000	12000	18000	-	-	-
6+12+24		6000	12000	24000	-	-	-	6000	12000	24000	-	-	-
6+12+30		6000	12000	30000	-	-	-	6000	12000	30000	-	-	-
6+12+36		6000	12000	36000	-	-	-	6000	12000	36000	-	-	-
6+18+18		6000	18000	18000	-	-	-	6000	18000	18000	-	-	-
6+18+24		6000	18000	24000	-	-	-	6000	18000	24000	-	-	-
6+18+30		6000	18000	30000	-	-	-	6000	18000	30000	-	-	-
6+18+36		5500	16500	33000	-	-	-	5500	16500	33000	-	-	-
9+9+9		9000	9000	9000	-	-	-	9000	9000	9000	-	-	-
9+9+12		9000	9000	12000	-	-	-	9000	9000	12000	-	-	-
9+9+18		9000	9000	18000	-	-	-	9000	9000	18000	-	-	-
9+9+24		9000	9000	24000	-	-	-	9000	9000	24000	-	-	-
9+9+30		9000	9000	30000	-	-	-	9000	9000	30000	-	-	-
9+9+36		9000	9000	36000	-	-	-	9000	9000	36000	-	-	-
9+12+12		9000	12000	12000	-	-	-	9000	12000	12000	-	-	-
9+12+18		9000	12000	18000	-	-	-	9000	12000	18000	-	-	-
9+12+24		9000	12000	24000	-	-	-	9000	12000	24000	-	-	-
9+12+30		9000	12000	30000	-	-	-	9000	12000	30000	-	-	-
9+12+36		8684	11579	34737	-	-	-	8684	11579	34737	-	-	-
9+18+18		9000	18000	18000	-	-	-	9000	18000	18000	-	-	-
9+18+24		9000	18000	24000	-	-	-	9000	18000	24000	-	-	-
9+18+30		8684	17368	28947	-	-	-	8684	17368	28947	-	-	-
9+18+36		7857	15714	31429	-	-	-	7857	15714	31429	-	-	-
12+12+12		12000	12000	12000	-	-	-	12000	12000	12000	-	-	-
12+12+18		12000	12000	18000	-	-	-	12000	12000	18000	-	-	-
12+12+24		12000	12000	24000	-	-	-	12000	12000	24000	-	-	-
12+12+30		12000	12000	30000	-	-	-	12000	12000	30000	-	-	-
12+12+36		11000	11000	33000	-	-	-	11000	11000	33000	-	-	-
12+18+18		12000	18000	18000	-	-	-	12000	18000	18000	-	-	-
12+18+24		12000	18000	24000	-	-	-	12000	18000	24000	-	-	-
12+18+30		11000	16500	27500	-	-	-	11000	16500	27500	-	-	-
12+18+36		10000	15000	30000	-	-	-	10000	15000	30000	-	-	-
18+18+18		18000	18000	18000	-	-	-	18000	18000	18000	-	-	-

Multi-Zone Combination Rule - KMHR

Units	NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR648-H224-4 & KMHR648-H224-4	48K/60K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+6	4-Zone	6000	6000	6000	6000	-	-	6000	6000	6000	6000	-	-
6+6+6+9		6000	6000	6000	9000	-	-	6000	6000	6000	9000	-	-
6+6+6+12		6000	6000	6000	12000	-	-	6000	6000	6000	12000	-	-
6+6+6+18		6000	6000	6000	18000	-	-	6000	6000	6000	18000	-	-
6+6+6+24		6000	6000	6000	24000	-	-	6000	6000	6000	24000	-	-
6+6+9+9		6000	6000	9000	9000	-	-	6000	6000	9000	9000	-	-
6+6+9+12		6000	6000	9000	12000	-	-	6000	6000	9000	12000	-	-
6+6+9+18		6000	6000	9000	18000	-	-	6000	6000	9000	18000	-	-
6+6+9+24		6000	6000	9000	24000	-	-	6000	6000	9000	24000	-	-
6+6+12+12		6000	6000	12000	12000	-	-	6000	6000	12000	12000	-	-
6+6+12+18		6000	6000	12000	18000	-	-	6000	6000	12000	18000	-	-
6+6+12+24		6000	6000	12000	24000	-	-	6000	6000	12000	24000	-	-
6+6+18+18		6000	6000	18000	18000	-	-	6000	6000	18000	18000	-	-
6+6+18+24		6000	6000	18000	24000	-	-	6000	6000	18000	24000	-	-
6+9+9+9		6000	9000	9000	9000	-	-	6000	9000	9000	9000	-	-
6+9+9+12		6000	9000	9000	12000	-	-	6000	9000	9000	12000	-	-
6+9+9+18		6000	9000	9000	18000	-	-	6000	9000	9000	18000	-	-
6+9+9+24		6000	9000	9000	24000	-	-	6000	9000	9000	24000	-	-
6+9+12+12		6000	9000	12000	12000	-	-	6000	9000	12000	12000	-	-
6+9+12+18		6000	9000	12000	18000	-	-	6000	9000	12000	18000	-	-
6+9+12+24		6000	9000	12000	24000	-	-	6000	9000	12000	24000	-	-
6+9+18+18		6000	9000	18000	18000	-	-	6000	9000	18000	18000	-	-
6+9+18+24		5789	8684	17368	23158	-	-	5789	8684	17368	23158	-	-
6+12+12+12		6000	12000	12000	12000	-	-	6000	12000	12000	12000	-	-
6+12+12+18		6000	12000	12000	18000	-	-	6000	12000	12000	18000	-	-
6+12+12+24		6000	12000	12000	24000	-	-	6000	12000	12000	24000	-	-
6+12+18+18		6000	12000	18000	18000	-	-	6000	12000	18000	18000	-	-
6+12+18+24		5500	11000	16500	22000	-	-	5500	11000	16500	22000	-	-
6+18+18+18		5500	16500	16500	16500	-	-	5500	16500	16500	16500	-	-
6+18+18+24		5000	15000	15000	20000	-	-	5000	15000	15000	20000	-	-
9+9+9+9		9000	9000	9000	9000	-	-	9000	9000	9000	9000	-	-
9+9+9+12		9000	9000	9000	12000	-	-	9000	9000	9000	12000	-	-
9+9+9+18		9000	9000	9000	18000	-	-	9000	9000	9000	18000	-	-
9+9+9+24		9000	9000	9000	24000	-	-	9000	9000	9000	24000	-	-
9+9+12+12		9000	9000	12000	12000	-	-	9000	9000	12000	12000	-	-
9+9+12+18		9000	9000	12000	18000	-	-	9000	9000	12000	18000	-	-
9+9+12+24		9000	9000	12000	24000	-	-	9000	9000	12000	24000	-	-
9+9+18+18		9000	9000	18000	18000	-	-	9000	9000	18000	18000	-	-
9+9+18+24		8250	8250	16500	22000	-	-	8250	8250	16500	22000	-	-
9+12+12+12		9000	12000	12000	12000	-	-	9000	12000	12000	12000	-	-
9+12+12+18		9000	12000	12000	18000	-	-	9000	12000	12000	18000	-	-
9+12+12+24		8684	11579	11579	23158	-	-	8684	11579	11579	23158	-	-
9+12+18+18		8684	11579	17368	17368	-	-	8684	11579	17368	17368	-	-
9+12+18+24		7857	10476	15714	20952	-	-	7857	10476	15714	20952	-	-
9+18+18+18		7857	15714	15714	15714	-	-	7857	15714	15714	15714	-	-
12+12+12+12		12000	12000	12000	12000	-	-	12000	12000	12000	12000	-	-
12+12+12+18		12000	12000	12000	18000	-	-	12000	12000	12000	18000	-	-
12+12+12+24		11000	11000	11000	22000	-	-	11000	11000	11000	22000	-	-
12+12+18+18		11000	11000	16500	16500	-	-	11000	11000	16500	16500	-	-
12+12+18+24		10000	10000	15000	20000	-	-	10000	10000	15000	20000	-	-
12+18+18+18		10000	15000	15000	15000	-	-	10000	15000	15000	15000	-	-
6+6+6+6+6	5-Zone	6000	6000	6000	6000	6000	-	6000	6000	6000	6000	6000	-
6+6+6+6+9		6000	6000	6000	6000	9000	-	6000	6000	6000	6000	9000	-
6+6+6+6+12		6000	6000	6000	6000	12000	-	6000	6000	6000	6000	12000	-
6+6+6+6+18		6000	6000	6000	6000	18000	-	6000	6000	6000	6000	18000	-
6+6+6+6+24		6000	6000	6000	6000	24000	-	6000	6000	6000	6000	24000	-
6+6+6+9+9		6000	6000	6000	9000	9000	-	6000	6000	6000	9000	9000	-
6+6+6+9+12		6000	6000	6000	9000	12000	-	6000	6000	6000	9000	12000	-
6+6+6+9+18		6000	6000	6000	9000	18000	-	6000	6000	6000	9000	18000	-

Multi-Zone Combination Rule - KMHR

Units		NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR648-H224-4 & KMHR648-H224-4		48K/60K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+9+24			6000	6000	6000	9000	24000	-	6000	6000	6000	9000	24000	-
6+6+6+12+12			6000	6000	6000	12000	12000	-	6000	6000	6000	12000	12000	-
6+6+6+12+18			6000	6000	6000	12000	18000	-	6000	6000	6000	12000	18000	-
6+6+6+12+24			6000	6000	6000	12000	24000	-	6000	6000	6000	12000	24000	-
6+6+6+18+18			6000	6000	6000	18000	18000	-	6000	6000	6000	18000	18000	-
6+6+6+18+24			5500	5500	5500	16500	22000	-	5500	5500	5500	16500	22000	-
6+6+9+9+9			6000	6000	9000	9000	9000	-	6000	6000	9000	9000	9000	-
6+6+9+9+12			6000	6000	9000	9000	12000	-	6000	6000	9000	9000	12000	-
6+6+9+9+18			6000	6000	9000	9000	18000	-	6000	6000	9000	9000	18000	-
6+6+9+9+24			6000	6000	9000	9000	24000	-	6000	6000	9000	9000	24000	-
6+6+9+12+12		5-Zone	6000	6000	9000	12000	12000	-	6000	6000	9000	12000	12000	-
6+6+9+12+18			6000	6000	9000	12000	18000	-	6000	6000	9000	12000	18000	-
6+6+9+12+24			5789	5789	8684	11579	23158	-	5789	5789	8684	11579	23158	-
6+6+9+18+18			5789	5789	8684	17368	17368	-	5789	5789	8684	17368	17368	-
6+6+9+18+24			5238	5238	7857	15714	20952	-	5238	5238	7857	15714	20952	-
6+6+12+12+12			6000	6000	12000	12000	12000	-	6000	6000	12000	12000	12000	-
6+6+12+12+18			6000	6000	12000	12000	18000	-	6000	6000	12000	12000	18000	-
6+6+12+12+24			5500	5500	11000	11000	22000	-	5500	5500	11000	11000	22000	-
6+6+12+18+18			5500	5500	11000	16500	16500	-	5500	5500	11000	16500	16500	-
6+6+12+18+24			5000	5000	10000	15000	20000	-	5000	5000	10000	15000	20000	-
6+6+18+18+18			5000	5000	15000	15000	15000	-	5000	5000	15000	15000	15000	-
6+6+18+18+24			4583	4583	13750	13750	18333	-	4583	4583	13750	13750	18333	-
6+9+9+9+9			6000	9000	9000	9000	9000	-	6000	9000	9000	9000	9000	-
6+9+9+9+12			6000	9000	9000	9000	12000	-	6000	9000	9000	9000	12000	-
6+9+9+9+18			6000	9000	9000	9000	18000	-	6000	9000	9000	9000	18000	-
6+9+9+9+24			5789	8684	8684	8684	23158	-	5789	8684	8684	8684	23158	-
6+9+9+12+12			6000	9000	9000	12000	12000	-	6000	9000	9000	12000	12000	-
6+9+9+12+18			6000	9000	9000	12000	18000	-	6000	9000	9000	12000	18000	-
6+9+9+12+24			5500	8250	8250	11000	22000	-	5500	8250	8250	11000	22000	-
6+9+9+18+18			5500	8250	8250	16500	16500	-	5500	8250	8250	16500	16500	-
6+9+9+18+24			5000	7500	7500	15000	20000	-	5000	7500	7500	15000	20000	-
6+9+12+12+12			6000	9000	12000	12000	12000	-	6000	9000	12000	12000	12000	-
6+9+12+12+18			5789	8684	11579	11579	17368	-	5789	8684	11579	11579	17368	-
6+9+12+12+24			5238	7857	10476	10476	20952	-	5238	7857	10476	10476	20952	-
6+9+12+18+18			5238	7857	10476	15714	15714	-	5238	7857	10476	15714	15714	-
6+9+12+18+24			4783	7174	9565	14348	19130	-	4783	7174	9565	14348	19130	-
6+9+18+18+18			4783	7174	14348	14348	14348	-	4783	7174	14348	14348	14348	-
6+12+12+12+12			6000	12000	12000	12000	12000	-	6000	12000	12000	12000	12000	-
6+12+12+12+18			5500	11000	11000	11000	16500	-	5500	11000	11000	11000	16500	-
6+12+12+12+24			5000	10000	10000	10000	20000	-	5000	10000	10000	10000	20000	-
6+12+12+18+18			5000	10000	10000	15000	15000	-	5000	10000	10000	15000	15000	-
6+12+18+18+18			4583	9167	13750	13750	13750	-	4583	9167	13750	13750	13750	-
9+9+9+9+9			9000	9000	9000	9000	9000	-	9000	9000	9000	9000	9000	-
9+9+9+9+12			9000	9000	9000	9000	12000	-	9000	9000	9000	9000	12000	-
9+9+9+9+18			9000	9000	9000	9000	18000	-	9000	9000	9000	9000	18000	-
9+9+9+9+24			8250	8250	8250	8250	22000	-	8250	8250	8250	8250	22000	-
9+9+9+12+12			9000	9000	9000	12000	12000	-	9000	9000	9000	12000	12000	-
9+9+9+12+18			8684	8684	8684	11579	17368	-	8684	8684	8684	11579	17368	-
9+9+9+12+24			7857	7857	7857	10476	20952	-	7857	7857	7857	10476	20952	-
9+9+9+18+18			7857	7857	7857	15714	15714	-	7857	7857	7857	15714	15714	-
9+9+9+18+24		7174	7174	7174	14348	19130	-	7174	7174	7174	14348	19130	-	
9+9+12+12+12		9000	9000	12000	12000	12000	-	9000	9000	12000	12000	12000	-	
9+9+12+12+18		8250	8250	11000	11000	16500	-	8250	8250	11000	11000	16500	-	
9+9+12+12+24		7500	7500	10000	10000	20000	-	7500	7500	10000	10000	20000	-	
9+9+12+18+18		7500	7500	10000	15000	15000	-	7500	7500	10000	15000	15000	-	
9+9+12+18+24		6875	6875	9167	13750	18333	-	6875	6875	9167	13750	18333	-	
9+9+18+18+18		6875	6875	13750	13750	13750	-	6875	6875	13750	13750	13750	-	
9+12+12+12+12		8684	11579	11579	11579	11579	-	8684	11579	11579	11579	11579	-	
9+12+12+12+18		7857	10476	10476	10476	15714	-	7857	10476	10476	10476	15714	-	
9+12+12+12+24		7174	9565	9565	9565	19130	-	7174	9565	9565	9565	19130	-	
9+12+12+18+18		7174	9565	9565	14348	14348	-	7174	9565	9565	14348	14348	-	
12+12+12+12+12		11000	11000	11000	11000	11000	-	11000	11000	11000	11000	11000	-	
12+12+12+12+18		10000	10000	10000	10000	15000	-	10000	10000	10000	10000	15000	-	
12+12+12+12+24		9167	9167	9167	9167	18333	-	9167	9167	9167	9167	18333	-	
12+12+12+18+18		9167	9167	9167	13750	13750	-	9167	9167	9167	13750	13750	-	

Multi-Zone Combination Rule - KMHR

Units		NO. OF ZONES & CAPACITY	COOLING CAPACITY (BTU/H)						HEATING CAPACITY (BTU/H)					
KMHR648-H224-4 & KMHR648-H224-4		48K/60K - Hyper Heat	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6
6+6+6+6+6+6			6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
6+6+6+6+6+9			6000	6000	6000	6000	6000	9000	6000	6000	6000	6000	6000	9000
6+6+6+6+6+12			6000	6000	6000	6000	6000	12000	6000	6000	6000	6000	6000	12000
6+6+6+6+6+18			6000	6000	6000	6000	6000	18000	6000	6000	6000	6000	6000	18000
6+6+6+6+6+24			6000	6000	6000	6000	6000	24000	6000	6000	6000	6000	6000	24000
6+6+6+6+9+9			6000	6000	6000	6000	9000	9000	6000	6000	6000	6000	9000	9000
6+6+6+6+9+12			6000	6000	6000	6000	9000	12000	6000	6000	6000	6000	9000	12000
6+6+6+6+9+18			6000	6000	6000	6000	9000	18000	6000	6000	6000	6000	9000	18000
6+6+6+6+9+24			5789	5789	5789	5789	8684	23158	5789	5789	5789	5789	8684	23158
6+6+6+6+12+12			6000	6000	6000	6000	12000	12000	6000	6000	6000	6000	12000	12000
6+6+6+6+12+18		6000	6000	6000	6000	12000	18000	6000	6000	6000	6000	12000	18000	
6+6+6+6+12+24		5500	5500	5500	5500	11000	22000	5500	5500	5500	5500	11000	22000	
6+6+6+9+9+9		6000	6000	6000	9000	9000	9000	6000	6000	6000	9000	9000	9000	
6+6+6+9+9+12		6000	6000	6000	9000	9000	12000	6000	6000	6000	9000	9000	12000	
6+6+6+9+9+18		6000	6000	6000	9000	9000	18000	6000	6000	6000	9000	9000	18000	
6+6+6+9+9+24		5500	5500	5500	8250	8250	22000	5500	5500	5500	8250	8250	22000	
6+6+6+9+12+12		6000	6000	6000	9000	12000	12000	6000	6000	6000	9000	12000	12000	
6+6+6+9+12+18		5789	5789	5789	8684	11579	17368	5789	5789	5789	8684	11579	17368	
6+6+6+9+12+24		5238	5238	5238	7857	10476	20952	5238	5238	5238	7857	10476	20952	
6+6+6+12+12+12		6000	6000	6000	12000	12000	12000	6000	6000	6000	12000	12000	12000	
6+6+6+12+12+18		5500	5500	5500	11000	11000	16500	5500	5500	5500	11000	11000	16500	
6+6+6+12+12+24		5000	5000	5000	10000	10000	20000	5000	5000	5000	10000	10000	20000	
6+6+9+9+9+9		6000	6000	9000	9000	9000	9000	6000	6000	9000	9000	9000	9000	
6+6+9+9+9+12		6000	6000	9000	9000	9000	12000	6000	6000	9000	9000	9000	12000	
6+6+9+9+9+18		5789	5789	8684	8684	8684	17368	5789	5789	8684	8684	8684	17368	
6+6+9+9+9+24		5238	5238	7857	7857	7857	20952	5238	5238	7857	7857	7857	20952	
6+6+9+9+12+12		6000	6000	9000	9000	12000	12000	6000	6000	9000	9000	12000	12000	
6+6+9+9+12+18		5500	5500	8250	8250	11000	16500	5500	5500	8250	8250	11000	16500	
6+6+9+9+12+24		5000	5000	7500	7500	10000	20000	5000	5000	7500	7500	10000	20000	
6+6+9+12+12+12		5789	5789	8684	11579	11579	11579	5789	5789	8684	11579	11579	11579	
6+6+9+12+12+18		5238	5238	7857	10476	10476	15714	5238	5238	7857	10476	10476	15714	
6+6+9+12+12+24		4783	4783	7174	9565	9565	19130	4783	4783	7174	9565	9565	19130	
6+6+12+12+12+12		5500	5500	11000	11000	11000	11000	5500	5500	11000	11000	11000	11000	
6+6+12+12+12+18		5000	5000	10000	10000	10000	15000	5000	5000	10000	10000	10000	15000	
6+6+12+12+12+24		4583	4583	9167	9167	9167	18333	4583	4583	9167	9167	9167	18333	
6+9+9+9+9+9		6000	9000	9000	9000	9000	9000	6000	9000	9000	9000	9000	9000	
6+9+9+9+9+12		6000	9000	9000	9000	9000	12000	6000	9000	9000	9000	9000	12000	
6+9+9+9+9+18		5500	8250	8250	8250	8250	16500	5500	8250	8250	8250	8250	16500	
6+9+9+9+9+24		5000	7500	7500	7500	7500	20000	5000	7500	7500	7500	7500	20000	
6+9+9+9+12+12		5789	8684	8684	8684	11579	11579	5789	8684	8684	8684	11579	11579	
6+9+9+9+12+18		5238	7857	7857	7857	10476	15714	5238	7857	7857	7857	10476	15714	
6+9+9+9+12+24		4783	7174	7174	7174	9565	19130	4783	7174	7174	7174	9565	19130	
6+9+9+12+12+12		5500	8250	8250	11000	11000	11000	5500	8250	8250	11000	11000	11000	
6+9+9+12+12+18		5000	7500	7500	10000	10000	15000	5000	7500	7500	10000	10000	15000	
6+9+9+12+12+24		4583	6875	6875	9167	9167	18333	4583	6875	6875	9167	9167	18333	
6+9+12+12+12+12		5238	7857	10476	10476	10476	10476	5238	7857	10476	10476	10476	10476	
6+9+12+12+12+18		4783	7174	9565	9565	9565	14348	4783	7174	9565	9565	9565	14348	
6+12+12+12+12+12		5000	10000	10000	10000	10000	10000	5000	10000	10000	10000	10000	10000	
6+12+12+12+12+18		4583	9167	9167	9167	9167	13750	4583	9167	9167	9167	9167	13750	
9+9+9+9+9+9		9000	9000	9000	9000	9000	9000	9000	9000	9000	9000	9000	9000	
9+9+9+9+9+12		8684	8684	8684	8684	8684	11579	8684	8684	8684	8684	8684	11579	
9+9+9+9+9+18		7857	7857	7857	7857	7857	15714	7857	7857	7857	7857	7857	15714	
9+9+9+9+9+24		7174	7174	7174	7174	7174	19130	7174	7174	7174	7174	7174	19130	
9+9+9+9+12+12		8250	8250	8250	8250	11000	11000	8250	8250	8250	8250	11000	11000	
9+9+9+9+12+18		7500	7500	7500	7500	10000	15000	7500	7500	7500	7500	10000	15000	
9+9+9+9+12+24		6875	6875	6875	6875	9167	18333	6875	6875	6875	6875	9167	18333	
9+9+9+12+12+12		7857	7857	7857	10476	10476	10476	7857	7857	7857	10476	10476	10476	
9+9+9+12+12+18		7174	7174	7174	9565	9565	14348	7174	7174	7174	9565	9565	14348	
9+9+12+12+12+12		7500	7500	10000	10000	10000	10000	7500	7500	10000	10000	10000	10000	
9+9+12+12+12+18		6875	6875	9167	9167	9167	13750	6875	6875	9167	9167	9167	13750	
9+12+12+12+12+12		7174	9565	9565	9565	9565	9565	7174	9565	9565	9565	9565	9565	
12+12+12+12+12+12		9167	9167	9167	9167	9167	9167	9167	9167	9167	9167	9167	9167	



Klimaair KSIH Hyper Heat Series High Wall-Mounted Indoor Unit



Klimaair Model Number			KSIH006-H225-IW-4	KSIH009-H225-IW-4	KSIH012-H222-IW-4	KSIH018-H220-IW-4	KSIH024-H220-IW-4
Power supply	Voltage	V-ph-Hz	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60
	Cooling	Btu/h	6.000	9.000	12.000	18.000	23.000
Nominal Capacity	Heating	Btu/h	7.000	12.000	12.000	18.000	26.000
Minimum Circuit Ampacity (MCA)		A	3	3	3	3	3
Indoor Air Flow (Turbo/Hi/Mi/Lo/Si)		cfm	294.3 235.4 176.6 141.3 N/A	382.6 294.3 194.2 153.0 N/A	382.6 294.3 194.2 153.0 N/A	759.3 500.3 441.4 370.8 N/A	759.3 588.6 459.1 382.6 N/A
Indoor Noise Level (Turbo/Hi/Mi/Lo/Si)		dB(A)	42/37/32/24/20	45.5/42/36/21/19.5	46/43/37/20/19	54/45/40/26/20	54/48.5/43.5/27.5/20.5
Room Temperature	Cooling	°F	60~90	60~90	60~90	60~90	60~90
	Heating	°F	32-86	32-86	32-86	32-86	32-86
Dimensions	Unit	in	28.2 x 5.9 x 11.5	31.6 x 7.9 x 11.6	31.6 x 7.9 x 11.6	42.6 x 9.2 x 13.3	42.6 x 9.2 x 13.3
	Packing	in	31.1 x 10.7 x 14.6	34.5 x 11.2 x 15	34.5 x 11.2 x 15	45.5 x 16.3 x 12.4	45.5 x 16.3 x 12.4
	Net/Gross Weight	lb	19.0/24.3	19.0/24.3	19.0/24.3	30.4/39.7	30.9/40.6
Refrigerant Connections	Liquid/Gas	in	1/4" x 3/8"	1/4" x 3/8"	1/4" x 3/8"	1/4" x 1/2"	3/8" x 5/8"



Klimaair KTIS Series 4-Way Compact Round Flow Cassette Indoor Unit




Klimaair Model Number			KTIS09-H2-4	KTIS12-H2-4	KTIS18-H2-4	KTIS24-H2-4
Front Panel Model Number			KTIS928-DFP	KTIS928-DFP	KTIS928-DFP	KTIS468-DFP
Power supply	Voltage	V-ph-Hz	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60
	Cooling	Btu/h	9000	12000	16000	23400
Nominal Capacity	Heating	Btu/h	10000	12000	19000	25000
Minimum Circuit Ampacity (MCA)		A	3	3	3	3
Indoor Air Flow (Turbo/Hi/Mi/Lo/Si)		cfm	353.2 312.0 264.9 182.5 147.2	417.9 364.9 306.1 194.2 147.2	447.3 388.5 317.8 194.2 147.2	765.2 706.3 635.7 547.4 N/A
Indoor Noise Level (Turbo/Hi/Mi/Lo/Si)		dB(A)	42.5/40.0/37.5/26.0/24.0	46/43.5/40.5/27.5/26.0	48/44.5/41.0/27.5/23.5	48.5/45.0/42.5/33.5/N/A
Room Temperature	Cooling	°F	60~90	60~90	60~90	60~90
	Heating	°F	32~86	32~86	32~86	32~86
Dimensions	Unit	in	22.4 x 22.4 x 9.7	22.4 x 22.4 x 9.7	22.4 x 22.4 x 9.7	32.7 x 32.7 x 8.1
	Packing	in	28.15 x 25.20 x 11.61	28.15 x 25.20 x 11.61	28.15 x 25.20 x 11.61	35.83 x 35.83 x 9.84
	Net/Gross Weight	lb	35./41.9	35./41.9	35./41.9	47.2/59.1
Refrigerant Connections	Liquid/Gas	in	1/4" x 3/8"	1/4" x 3/8"	1/4" x 1/2"	3/8" x 5/8"

Klimaire KDIP Series Ducted Ceiling-Recessed Indoor Unit



Klimaire Model Number			KDIP09-H2-4	KDIP12-H2-4	KDIP18-H2-4	KDIP24-H2-4
Power supply	Voltage	V-ph-Hz	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60	208-230 / 1 / 60
Nominal Capacity	Cooling	Btu/h	9000	11500	17000	24000
	Heating	Btu/h	10000	12500	19000	26000
Minimum Circuit Ampacity (MCA)		A	3	3	3	3
Indoor Air Flow (Turbo/Hi/Mi/Lo/Si)		cfm	323.7 264.9 206.0 147.2 117.7	400.2 323.7 264.9 176.6 117.7	600.4 559.2 500.3 441.4 N/A	853.5 706.3 618.0 500.3 N/A
Indoor Noise Level (Turbo/Hi/Mi/Lo/Si)		dB(A)	N/A 32.5 31 29.5 23.0	N/A 36.0 34.5 32.5 25.5	N/A 40.0 39.0 38.0 32	N/A 40.0 37.0 35.0 29.5
Indoor Static Pressure		in H ₂ O	0-0.4	0-0.4	0-0.4	0-0.8
Room Temperature	Cooling	°F	60~90	60~90	60~90	60~90
	Heating	°F	32~86	32~86	32~86	32~86
Dimensions	Unit	in	27.6 x 19.9 x 7.9	27.6 x 19.9 x 7.9	34.7 x 26.5 x 8.3	39.4 x 29.5 x 9.7
	Packing	in	33.9 x 21.3 x 11.2	33.9 x 21.3 x 11.2	42.1 x 28.5 x 11.0	48.2 x 33.9 x 12.0
	Net/Gross Weight	lb	39.5 / 46.7	39.5 / 46.7	54.5 / 66.1	80.5 / 91.9
Refrigerant Connections	Liquid/Gas	in	1/4 x 3/8	1/4 x 3/8	1/4 x 1/2	3/8 x 5/8

Klimaire KDIC Series Universal Multi-Position Air Handler Unit



Klimaire Model Number			KDIC18H2-4	KDIC24H2-4
Power supply	Voltage	V-ph-Hz	208-230 / 1 / 60	208-230 / 1 / 60
Nominal Capacity	Cooling	Btu/h	18000	23000
	Cooling Current	A	9,1	8,7
	Heating	A	19500	26000
	Heating Current	Btu/h	9,5	9,7
Minimum Circuit Ampacity (MCA)		A	3,5	4
Indoor Air Flow (Turbo/Hi/Mi/Lo/Si)		cfm	618.0 576.8 529.7 488.5 N/A	824.0 759.3 694.5 629.8 N/A
Indoor Noise Level (Turbo/Hi/Mi/Lo/Si)		dB(A)	N/A 42.5 37.5 30.0 N/A	N/A 43.5 40.0 25.5 N/A
Room Temperature	Cooling	°F	60~90	60~90
	Heating	°F	32-86	32-86
Dimensions	Unit	in	17.5 x 21.0 x 45.0	17.5 x 21.0 x 45.0
	Packing	in	20.9 x 26.6 x 48.6	20.9 x 26.6 x 48.6
	Net/Gross Weight	lb	104.7 / 125.7	104.3 / 125.9
Refrigerant Connections	Liquid/Gas	in	1/4 x 1/2	3/8 x 5/8

KSIH & KDIP Wireless Remote Control

ON/OFF

Turns the unit on or off.

TEMP ^

Increases temperature in 1°C (1°F) increments. Max. temperature is 30°C (86°F).

Note: Press together ∨ & ^ buttons at the same time for 3 seconds will alternate the temperature display between the °C & °F.

SET

Scrolls through operation functions as follows:
Fresh/UV-Clamp (∅) → Sleep (ʒ) → Follow Me (𐄂) → AP mode (𐄂)

The selected symbol will flash on the display area, press the OK button to confirm.

TEMP ∨

Decreases temperature in 1°C (1°F) increments. Min. temperature is 16°C (60°F).

FAN SPEED

Selects fan speeds in the following order: AU → 20% → 40% → 60% → 80% → 100%.

Press the TEMP ^ or ∨ button to increase/decrease the fan speed in 1% increments.

SWING

Starts and stops the horizontal louver movement. For the units with vertical louver swing feature, hold down for 2 seconds to initiate vertical louver auto swing feature.

MODE

Scrolls through operation modes as follows: AUTO → COOL → DRY → HEAT → FAN

Note: HEAT mode is not supported by the cooling only appliance.

ECO/GEAR

Press this button to enter the energy efficient mode in a sequence of following:
ECO → GEAR (75%) → GEAR (50%) → Previous setting mode → ECO.....

OK

Used to confirm the selected functions.

TIMER

Set timer to turn unit on or off.

BREEZE AWAY

This feature avoids direct air flow blowing on the body and makes you feel indulging in silky coolness.

Note: This feature is available under cool, Fan and Dry mode only.

CLEAN


Used to start/stop Active Clean function.

LED

Turns indoor unit's LED display and air conditioner buzzer on and off (model dependent), which create a comfortable and quiet environment.

TURBO

Enables unit to reach present temperature in shortest possible time. Keep pressing this button more than 5 seconds in heating mode to active Super heat operation. To stop this feature, keep pressing this button more than 3 seconds.



Model: RG10R (M2S)/BGEFU1



**Remote
Control
Holder**

KTIS Wireless Remote Control

ON/OFF

Turns the unit on or off.

TEMP ^

Increases temperature in 1°C (1°F) increments. Max. temperature is 30°C (86°F).
NOTE: Press together ∨ & ^ buttons at the same time for 3 seconds will alternate the temperature display between the °C & °F.

SET

Scrolls through operation functions as follows:
Active clean (🌀) → Fresh (🍃) → Sleep (🌙) → Follow Me (👤) → AP mode (📶) → Active clean (🌀).....
The selected symbol will flash on the display area, press the OK button to confirm.

TEMP ∨


Decreases temperature in 1°C (1°F) increments. Min. temperature is 16°C (60°F).

FAN SPEED

Selects fan speeds in the following order: AU → 20% → 40% → 60% → 80% → 100%.
Press the TEMP ^ or ∨ button to increase/decrease the fan speed in 1% increments.

SWING

Starts and stops the horizontal louver movement. Hold down for 2 seconds to initiate vertical louver auto swing feature.



MODE

Scrolls through operation modes as follows: **AUTO** → **COOL** → **DRY** → **HEAT** → **FAN**

NOTE: Please do not select HEAT mode if the machine you purchased is cooling only type. Heat mode is not supported by the cooling only appliance.

BREEZE AWAY

This feature avoids direct air flow blowing on the body and makes you feel indulging in silky coolness.

OK

Used to confirm the selected functions.

TIMER

Set timer to turn unit on or off

ECO/GEAR

Press this button to enter the energy efficient mode in a sequence of following:
ECO → GEAR (75%) → GEAR (50%) → Previous setting mode → ECO

HUMIDITY

Adjust the room humidity during Dry operation in a range of 35%~85%. Press this button to increase the humidity in 5% increments.

NOTE: After setting, the humidity settings will display on the screen.

LED

Turns indoor unit's LED display and air conditioner buzzer on and off, which create a comfortable and quiet environment.

Turbo

Enables unit to reach present temperature in shortest possible time. Keep pressing this button more than 5 seconds in heating mode to active Super heat operation. To stop this feature, keep pressing this button more than 3 seconds.



**Remote
Control
Holder**


KDIP Wired Remote Control

MODE BUTTON

- Used to select the operating mode
— AUTO → COOL → DRY → HEAT → FAN —
- For cooling-only units, there is no HEAT function.


FUNC. BUTTON

- Used to scroll through operation functions as follows:



FAN SPEED BUTTON

- Used to select the fan speed.



SWING BUTTON

- The SWING button starts and stops the louver movement and sets the desired airflow direction.

LOCK BUTTON

- Used to lock/unlock the current setting.

ADJUST BUTTON

- The UP (▲) and DOWN (▼) buttons are used to adjust the temperature.

TIMER BUTTON

- Used to automatically turn on/off the air conditioner at a specified time.

ON/OFF BUTTON


- Used to start/stop the air conditioner.

CONFIRM button

BACK button

LCD Display


MODE display
Displays the current mode, including:



Temperature display

Lock display

FAN SPEED display
Displays selected fan speed:



On some models

Timer/ON/Off display

°F °C / °F display

Room temperature display

Follow me feature display

Fresh feature display
(on some models)

Turbo feature display

Active clean display

SLEEP feature display

UP and down swing
(on some models)


GEAR GEAR feature display
(on some models)

ECO ECO feature display
(on some models)

Electric heating display
(on some models)

Left and right swing
(on some models)

KDIC Wireless Remote Control



ON/OFF
Turns the unit on or off.

TEMP ^
Increases temperature in 1°F (1°C) increments. Max. temperature is 86°F (30°C).

SET
Scrolls through operation functions as follows:
I SENSE () → AP mode() → I SENSE...

The selected symbol will flash on the display area, press the OK button to confirm.

TEMP v
Decreases temperature in 1°F (1°C) increments. Min. temperature is 60°F (16°C).

FAN SPEED
Selects fan speeds in the following order:
AUTO → LOW → MED → HIGH

TIMER ON
Sets timer to turn unit on (see How to Use Basic Functions for instructions).

MODE
Scrolls through operation modes as follows: **AUTO** → **COOL** → **DRY** → **HEAT** → **FAN**

NOTE: Please do not select HEAT mode if the machine you purchased is cooling only type. Heat mode is not supported by the cooling only appliance.

SHORTCUT
Used to restore the current settings or resume previous settings.

OK
Used to confirm the selected functions

SLEEP
Saves energy during sleeping hours.

TIMER OFF
Sets timer to turn unit off (see How to Use Basic Functions for instructions).

°C/°F
The temperature display between the °C & °F.

LED
Turns indoor unit's LED display and air conditioner buzzer on and off, which create a comfortable and quiet environment.



Turbo
Enables unit to reach present temperature in shortest possible time. Keep pressing this button more than 5 seconds in heating mode to active Super heat operation. To stop this feature, keep pressing this button more than 3 seconds.

Model:
RG10F8(2)/BGEFU1



**Remote
Control
Holder**

KDIC Wired Remote Control



ACCESSORIES

REFRIGERANT LINE COVER KIT (16 FT)





Elegant and Durable PVC line cover kit hides and covers up to 16 ft length of all exposed refrigerant tubing along the external wall of your home to give an attractive and professionally finished installation.



BRACKETS

WAFP24

Heavy duty universal wall mount bracket.
Max load 396 lb



WAFB24

Adjustable width crossbar universal wall mount bracket.
Max load 330 lb



Adjustable pitch rooftop mount bracket.
Max load 330 lb

DRAIN KIT MINIPUMP

Ultra slim High performance Plug & Play
Anti siphon device.
12 L/h max. flow
10m max. rec. head
(flow rate 6L/h)
21 dB(A)
Up to 16 kW / 54,000 Btu/h



MAFP2406-2 Application

Wall mount	Optional
Floor-ceiling	Optional

INSTALLATION KITS

Kit Number	Specification	Application
IKM1438F16-C17	1/4" liquid x 3/8" suction - 16' length	9k Btu Fan coils
IKM1438F25-C26	1/4" liquid x 3/8" suction - 25' length	9k Btu Fan coils
IKM1412F16-C17	1/4" liquid x 1/2" suction - 16' length	12k & 18k Fan coils
IKM1412F25-C26	1/4" liquid x 1/2" suction - 25' length	12k & 18k Fan coils
IKM1412F35-C36	1/4" liquid x 1/2" suction - 35' length	12k & 18k Fan coils
IKM3858F16-C17	3/8" liquid x 5/8" suction - 16' length	24k Fan coils
IKM3858F25-C26	3/8" liquid x 5/8" suction - 25' length	24k Fan coils
IKM3858F50-C51	3/8" liquid x 5/8" suction - 50' length	24k Fan coils



Factory flared, pre-insulated
ASTM-B280 Soft copper /
16 AWGx4 Stranded,
unshielded interconnecting
cable.

ACCESSORIES

3" EcoPad Black Plastic equipment pad 18" x 38"



3" EcoPad™ Used where local codes supersede the International code and require a pad thicker than 2".

EcoPad™ 18x38x3 Equipment Pad

30A fusible disconnect switch

- Single phase, 240V
- 10,000 Amp Rated
- NEMA 3R, Rainproof
- UL & CUL Rated
- Contractor Friendly
- Unique Side Open Door
- Easy Access
- Patented Finger Safe Pullout Section



Surge Protector Device AG3000



Green LED indicator provides status of protection

TPMOV Technology: The AG3000's thermally protected metal oxide varistor (TPMOV) technology provides protection from a greater variety of electrical failures when compared to MOV technology, which is still used by many surge protection devices.

The AG3000 attaches quickly and easily to the electrical disconnect of your equipment.

Surge protector is tough enough to withstand any conditions either indoor or outdoor.



KMIR - KSIH Series Multi-Zone Heating & Cooling Systems



Klimaire Products Inc.
7999NW 81 Place - Miami, FL 33166 - USA
Tel: (305)593-8358 - Fax (305) 675-2212
www.klimaire.com - sales@klimaire.com

KlimaIRE[®]
Mark of Superior Quality