






AURORA

CONNECT UP TO **5** INDOOR UNITS



COMING SOON!
DAIKIN VISTA R-32



DAIKIN AURORA MXT SERIES MULTI-ZONE HEATING AND COOLING SYSTEM

UP TO 21 SEER2 / UP TO 10 HSPF2 / 12 EER2



The air today feels just right — amazing temperature, ideal humidity, and freshness — like right after it rains. But what makes it even better is that this ideal air is happening indoors. Inside your space. Inside, where we spend most of our time — working, playing, sleeping, living.

At Daikin, we're committed to making the air inside just as refreshing as the air outside. With Daikin efficiency, quality, and control, you can create your own ideal indoor environment. So, every day feels perfect, inside, and out.

Perfecting The Air We Share.




Daikin *AURORA* MXT

High-FIVE to home comfort!

The Daikin *AURORA* MXT is an energy-efficient and feature-rich heat pump system. Harnessing the flexibility to connect up to five indoor units to just one outdoor unit, the *AURORA* MXT offers a range of solutions for most any project!

At the heart of this system lies an Inverter-driven heat pump setup, renowned for its ability to deliver all-season year-round comfort and efficiency. This high-performance zoned-comfort solution offers homeowners five zones including a multi-position air handler for larger areas.

Whether embarking on a new construction project or transforming an existing space through renovation, the *AURORA* MXT system offers an innovative, robust zoning solution that adapts to the diverse climate needs across North America whole home ducted and ductless needs.



* Complete warranty available from your local dealer or at www.daikincomfort.com. To receive 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. The duration of warranty coverage may depend on the state in which you reside. Some states and provinces do not allow warranty coverage to be conditioned on registration. For a list of states and provinces that do not allow warranty coverage to be conditioned on registration, please visit www.daikincomfort.com/warranty-information or, to request a paper copy of this information, please call us at 1-855-502-3903. Other limitations and exclusions apply, refer to complete warranty details for full list of limitations and exclusions.

Daikin *AURORA* MXT Series Multi-Zone Heat Pump System:

Comfort without compromise —
when and where you need it.

Imagine having complete control of your comfort, room by room. Daikin *AURORA* multi-zone system offers a separate indoor unit for each zone. Since each zone is unique, your system can adjust. For example, your main bedroom can be set at 67°F at night for the eight hours of sleep, then off when you leave for work. Other spaces, like the spare bedroom, home office, hobby room, or main living areas, can have their own unique ecosystem. This system flexibility ensures that every member enjoys their preferred comfort level without having to argue over the thermostat.



Efficiency and Comfort:

Energy Efficient –

- » Up to 21 SEER2 / Up to 10 HSPF2
Up to 12 EER2 / Up to 1.8 COP

All-Climate Performance –


- Delivers up to 100% rated cooling capacity at **115°F DB (46°C DB)**
- Up to **100% rated heating capacity at 5°F***

* Select heat pump models meet the **ENERGY STAR**[®] cold climate heat pump requirements. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. ENERGY STAR products are third party certified by an EPA-recognized Certification Body. Products that earn the ENERGY STAR prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.





Ideal Solution for:

- » Renovations, remodeling and new construction.
- » A perfect alternative to noisy and inefficient window or through-the-wall AC units.
- » Sunrooms, basements, attics, garages, hot or cold spaces, and more.
- » Entire homes or floors of homes.
- » Multiple zones.
- » New construction.
- » Primary living areas (main bedrooms and living rooms).
- » Rooms where floor space comes at a premium or is not available for other applications.
- » Ceiling void or attic does not allow for a viable duct run option.
- » Bigger rooms and open floor plans.





Innovative Technology:



3MXT drain pan shown

Optimized Drain Pan:

- » Outdoor unit drain pans have up to 14 holes which allows for effective drainage of condensation. In some cases, this drain pan design eliminates the need for drain pan heaters, resulting in higher efficiencies in low ambient temperatures.

Outdoor Unit Features:



Anti-Corrosion Treatment on Heat Exchanger



Quick Warming Function – Preheats the compressor to shorten the time required to discharge warm air.



Automatic Defrosting – Sensor performs automatic defrosting of the outdoor heat exchanger if necessary, ensuring optimum heating performance.



Outdoor Unit Quiet Operation – Outdoor unit sound levels can be reduced by 3dB for times when quieter operation is needed.



Intelligent Defrost Mode* – The outdoor unit will enable this mode to help prevent frost/ice from building up in cold climate conditions. It will also help with longer heating operation time for additional comfort for occupants (compared to HVAC systems without this function).

* Available on 3MXT, 4MXT, 5MXT with or without drain pan heater.



Select heat pump models meet the **ENERGY STAR** cold climate requirements. Please refer to product engineering manuals for additional information or visit www.energystar.gov. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.

Knowledge is Power

The current efficiency standards are based on new metrics (SEER2/EER2/HSPF2) derived from new test procedure (M1) rather than the historical metrics (SEER/EER/HSPF) from the old test procedure (M). Testing procedures and requirement for developing efficiency ratings become more stringent with the new 2023 DOE regulations. The prior M testing procedure was replaced by the M1 testing procedure for 2023 compliance.

Up to 21 SEER2	Up to 12 EER2
Up to 10 HSPF2	Up to 1.8 COP
(Coefficient of Performance)	

Daikin **AURORA MXT** Series
Outdoor Unit Efficiency Ratings

Why is Coefficient Of Performance (COP) Important?

The COP of a heat pump is the ratio of:

$$\text{COP} = \frac{\text{energy out}}{\text{energy in}}$$


When the COP is >1, the result is a system providing more heating energy than energy consumed. As the COP increases, the higher the efficiency — resulting in low utility costs. This rating is important when considering the efficiencies of oil and gas furnaces.

COP				Daikin AURORA MXT Up to 1.8 (Outdoor units)
------------	--	--	--	---




Take comfort in your decision.

DAIKIN AURORA MXT - DRIVEN BY INVERTER TECHNOLOGY



Comfort without compromise:

The Daikin AURORA (MXT) series is an Inverter unit that constantly adjusts the compressor's speed to meet the demand. An inverter is energy saving technology that eliminates wasted operation in air conditioners by efficiently controlling motor speed. Because it maintains the temperature consistently, your space will no longer feel too hot or too cold. Compared to non-inverter type HVAC systems, systems equipped with inverters have less power loss and can save up to 30% or more in energy.



Learn more about the benefits of Daikin Inverter technology:

www.daikincomfort.com/go/inverter/



The right choice to replace R-410A.

Proven. Easy. Available. Efficient.

Step into the future of home comfort with Daikin's line of residential products. As a global leader in air conditioning, Daikin is committed to innovation that enhances your home comfort with the use of low global warming potential (GWP) R-32 refrigerant. Our new R-32 products have been designed to meet efficiency, reliability, and comfort needs, while helping reduce impact on the environment with a lower GWP refrigerant compared to R-410A.

- » **Innovation:** With R-32's lower global warming potential (compared to previous R-410A) you can reduce your impact on the environment while enjoying outstanding cooling and heating at home.
- » **Efficiency:** Daikin's use of R-32 refrigerant and our game-changing inverter technology is designed to provide energy efficiency for low utility bills and energy consumption.
- » **Durability:** Daikin's legacy of over 100 years ensures each product is built to last, delivering reliable performance and comfort year after year.

» **Intelligent:** Many Daikin systems integrate with smart home technologies, making it easy to control and optimize your home's climate. Additionally, for homeowners who want to step their indoor comfort up even more, ask about the Daikin systems that connect to the Daikin *ONE* thermostats, *SkyportCare*, and how to address other indoor air quality concerns.

» **Peace of Mind:** Confident in our quality, Daikin offers robust limited warranties*, ensuring your investment brings long-term comfort and peace of mind.



Aligning with Goals of:

- » **Lower GWP refrigerant — reduce impact at the source:** Utilizing a refrigerant with lower Global Warming Potential (GWP) compared to conventional refrigerants, like R-410A.
- » **Sustainability:** Easy to top off, or clean and reuse on-site and easy to reclaim and recycle.

* Complete warranty details are available from your local dealer/contractor or at www.daikincomfort.com

FIVE ZONES. ONE SMART SYSTEM.

Personalized Comfort Where It's Needed —


Now with the ability to connect to **a traditional ducted air handler!**



**FTXV/CTXV DISCREET
WALL-MOUNTED UNIT**



**FDMA/CDMA MID STATIC
DUCTED CONCEALED**




NOTE: Pages 8 and 9 are for illustrative purposes only. Each home needs unique design by qualified contractor.



CMXV
MULTI-ZONE
AIR HANDLER



FVXV FLOOR
MOUNT



CMXV: Multi-position air handler for homes needing a broad ducted solution.



Features and benefits:

- » Traditional indoor style with modern comfort at the core.
- » **Wi-Fi integration** for true zoned comfort and control.
- » Optimized to fit existing ductwork designs.
- » Simple control installation.
- » **Heat Strip** connection for **cold climate** back up.
- » Improve indoor air quality with large media filters or *Indoor Air cleaner integration*.
- » Flexible **Up, Down, Left or Right** installation.
- » Install as many air handlers as needed to optimize home comfort.
 - EG - Mix 2 air handlers + a mix of other indoor unit styles as needed.
- » No Daikin *ONE* translation adaptor needed.



Control Options:

- » Works with the **Daikin ONE Touch and Daikin ONE+ smart thermostats only!**
- » Compatible with *SkyportHome*

FVXV: Discreet and attractive floor-mounted unit for efficiency and comfort.



Experience ultimate climate control with the new Wi-Fi Inside functionality. This built-in technology helps enhance your living space with comfort control from the palm of your hand or wherever you are.

Features and benefits:

- » **Operating Mode Display:** Quickly identify the system's current operating mode at a glance, ensuring effortless usability. The clear display eliminates guesswork, making operation simple and intuitive.
- » **Three-Way Airflow Direction:** Enjoy flexible comfort with discharge airflow that can be directed both upward and downward for optimal efficiency. This versatile design ensures even air distribution and a more comfortable indoor environment.
- » **Heat Plus Function:** Deliver cozy warmth by simulating radiant heat for 30 minutes. By controlling air volume, it quickly warms the area near the unit for enhanced comfort.
- » **Floor Warming Function:** Optimizes convection by directing warm air from the bottom of the unit for effective floor heating. By closing upper flap, airflow speed increases to deliver heat farther across the floor surface for enhanced comfort.
- » **Program Dry Function:** This feature prioritizes reducing the humidity levels in a room without causing fluctuations in room temperature.



Control Options:

- » Compatible with *SkyportHome* Includes **handheld controller**
- » Compatible with **BRC073A6 Navigational Controller**
- » Works with the **Daikin ONE Touch and Daikin ONE+ smart thermostats**

FTXV/CTXV: Discreet wall-mounted unit providing high efficiency and comfort.



Experience ultimate climate control with the new Wi-Fi Inside functionality. This built-in technology helps enhance your living space with comfort control from the palm of your hand or wherever you are.

Features and benefits:

- » Discreet, **stylish front panel** blends easily with the wall, and matches all interior decors.
- » **Dry program** allows humidity levels to be reduced without variations in room temperature.



Control Options:

- » Compatible with *SkyportHome* Includes **handheld controller**
- » Compatible with **BRC073A6 Navigational controller**
- » Works with the **Daikin ONE Touch** and **Daikin ONE+ smart thermostats**

FDMA/CDMA: Ducted Concealed Unit capable of up to .6 external static pressure (ESP).




Features and benefits:

- » **Built in refrigerant leak detection** enhances safety and reliability by continuously monitoring for refrigerant leaks within the unit.
- » **Higher external static pressure capabilities** allow for longer duct runs and easily implementing up to MERV 13 filters (compared to units with lower static pressure).
- » **Drain pan inspection** port makes it easy to observe drain pan conditions.
- » **Rear or bottom return air configurations** for installation flexibility.
- » Outside air integration possible.

Control Options:

- » Compatible with *SkyportHome*
- » Compatible with **BRC1NRV71 Navigational Controller**
- » Works with the **Daikin ONE Touch** and **Daikin ONE+ smart thermostats**




For systems compatible with Daikin *ONE* smart thermostats:

Once homeowners grant their Daikin contractor access via the *SkyportHome* app, the *SkyportCare* cloud can notify the contractor when the system needs maintenance, alert them if the system ever has an urgent need and provide detailed performance information on the system. Homeowners can decide between one of three levels of remote access to the system, which can be adjusted when/if ever needed. The first year of *SkyportCare* is included with purchase. Ask your Daikin contractor for more information!



Daikin Handheld Controller

The **wireless handheld control** offers convenience, allowing users to easily manage their climate control systems without the need for physical interactions with the unit. When using a Daikin *ONE* thermostat it is recommended that you do **not** use the handheld controller in conjunction with the thermostat.




Daikin *ONE+* Smart Thermostat

The Daikin *ONE+* smart thermostat is available for single and multi-zone indoor unit models. With the new translation adaptor, connecting the Daikin *ONE+* smart thermostat provides several user features including remote monitoring, control and geofencing using the *SkyportHome* app, Google, and Amazon voice assistants. The Daikin *ONE+* smart thermostat can be linked via Wi-Fi to the *SkyportHome* app for control from an iOS or Android phone or tablet.




Daikin *ONE* Wireless RHT Sensor

The Daikin *ONE* Wireless Relative Humidity and Temperature (RHT) Sensor is a compact, wireless sensor designed to measure the average temperature and humidity between the sensor and the thermostat. It delivers thermostat-like functionality by sensing temperature and humidity conditions with full control through the *SkyportHome* app.



Daikin *ONE* Touch Smart Thermostat

A great control option for Daikin single and multi-zone systems. With customizable settings and the power to wirelessly control the system from anywhere, homeowners may never want to change their thermostat manually again. However, the touchscreen interface supports a user-friendly experience when they do. Voice control is also possible with compatible Amazon and Google devices.




Navigation Remote Controller (Wired) (BRC1NRV71)

For Daikin ductless systems that are compatible with the Navigation Remote Control, this controller was designed for direct and easy adjustment of temperature, airflow, and system modes for ideal indoor comfort. Whether managing a single room or multiple zones, the Navigation Remote Control helps provide efficient climate control.

CONNECTED with *SkyportCare*

SkyportCare creates a digital connection between your Daikin heating, ventilation, and air conditioning (HVAC) system and your servicing contractor. You can enjoy peace of mind not only from verification of system installation* but from a 24/7 – 365 connection to Daikin Comfort Technologies cloud**. With *SkyportCare* access, your servicing contractor has access to system health alerts, performance insights, diagnostics, and even remote access to your system(s) settings – with your approval. Unlock the benefits and peace of mind of a connected heating and cooling system today.



* *Quality Install* verifies system installation of Daikin unitary inverter products

** Requires continuous internet connection

Outdoor Units

Outdoor Units	2-Port (2MXT18AVJU9)**	2-Port (2MXTH18AVJU9)**
	Efficiency	Efficiency
Non-Ducted	21 SEER2 / 10 HSPF2 / 12 EER2*	19 SEER2 / 9.5 HSPF2 / 12.5 EER2*

Outdoor Units	2-Port (2MXT18AVJU8)	3-Port (3MXT24AVJU9** / AVJU8)	4-Port (4MXT36AVJU9** / AVJU8)	5-Port (4MXT40AVJU9** / AVJU8)
	Efficiency	Efficiency	Efficiency	Efficiency
Non-Ducted	21 SEER2 / 10 HSPF2 / 12 EER2	19 SEER2 / 9.5 HSPF2 / 12.5 EER2*	20 SEER2 / 9.5 HSPF2 / 12 EER2*	20 SEER2 / 9.5 HSPF2 / 11.7 EER2*
Ducted	COMING SOON!	16 SEER2 / 8.3 HSPF2 / 11 EER2*	16 SEER2 / 8.6 HSPF2 / 9.8 EER2*	15.9 SEER2 / 8.2 HSPF2 / 8.5 EER2*
Mixed		17.5 SEER2 / 8.9 HSPF2 / 11.8 EER2*	18 SEER2 / 9.05 HSPF2 / 10.9 EER2*	17.95 SEER2 / 8.86 HSPF2 / 10.1 EER2*

Outdoor Units	2-Port (2MXTH18AVJU9)**	3-Port (3MXTH24AVJU9)**	4-Port (4MXTH36AVJU9)**	5-Port (5MXT4H0AVJU9)**
	Efficiency	Efficiency	Efficiency	Efficiency
Non-Ducted	21 SEER2 / 10 HSPF2 / 12 EER2*	19 SEER2 / 9.5 HSPF2 / 12.5 EER2*	20 SEER2 / 9.5 HSPF2 / 12 EER2*	20 SEER2 / 9.5 HSPF2 / 11.7 EER2*
Ducted	COMING SOON!	16 SEER2 / 8.3 HSPF2 / 11EER2	16 SEER2 / 8.6 HSPF2 / 9.8 EER2	15.9 SEER2 / 8.2 HSPF2 / 8.5 EER2
Mixed		17.5 SEER2 / 8.9 HSPF2 / 11.8 EER2	18 SEER2 / 9.05 HSPF2 / 10.9 EER2	17.95 SEER2 / 8.86 HSPF2 / 10.1 EER2



* Select heat pump models meet the **ENERGY STAR**® cold climate heat pump requirements. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. ENERGY STAR products are third party certified by an EPA-recognized Certification Body. Products that earn the ENERGY STAR prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.

** AVJU9 models match only with wall mount units.

Indoor Units

Indoor Units / Dimensions (HxWxD)	Unit Class					
	07	09	12	15	18	24
FTXV Wall Mount	CTXV07AVJU9	FTXV09AVJU9	FTXV12AVJU9	FTXV15AVJU9	FTXV18AVJU9	FTXV24AVJU9
	11-1/4" x 30-5/16" x 8-3/4"			11-5/8" x 39" x 10-3/8"		
FVXV Floor Mount / Low Wall Mount	—	FVXV09AVJU(W/T)9	FVXV12AVJU(W/T)9	FVXV15AVJU(W/T)9	FVXV18AVJU(W/T)9	—
	—	23-5/8" x 29-1/2" x 9-3/8"				—
FDMA Ducted Concealed	CDMA07AVJU9	FDMA09AVJU9	FDMA12AVJU9	FDMA15AVJU9	FDMA18AVJU9	FDMA24AVJU9
	9-5/8" x 27-9/16" x 31-1/2"			9-5/8" x 39-3/8" x 31-1/2"		
CMXV Multi Position AHU	—	—	CMXV12AVJU9	—	CMXV18AVJU9	CMXV24AVJU9
	—	—	45" x 17-1/2" x 21"			
VISTA (Ceiling Cassette)	COMING SOON!					
EMURA (Wall Mount)						





Daikin SplitXpress Selection Tool

The new interactive *SplitXpress* mobile app and website provide a complete product selection tool to streamline system selection for single and multi-zone projects. Users can create equipment selections and add accessories / pricing details to quickly share quotes with customers. Available for free on the App Store (iOS) and Google Play (Android), and at <https://splitxpress.daikincity.com>.



BUILD YOUR SYSTEM | DISCOVER REBATES | FIND A CONTRACTOR | LEARN MORE ABOUT DAIKIN:

www.daikincomfort.com



WARNINGS:

- » Always use a licensed installer or contractor to install this product. Do not try to install the product yourself. Improper installation can result in water or refrigerant leakage, electrical shock, fire or explosion.
- » Use only those parts and accessories supplied or specified by Daikin. Ask a licensed contractor to install those parts and accessories. Use of unauthorized parts and accessories or improper installation of parts and accessories can result in water or refrigerant leakage, electrical shock, fire or explosion.
- » Read the Product Manual carefully before using this product. The Product Manuals provide important safety instructions and warnings. Be sure to follow these instructions and warnings.
- » For any inquiries, contact your local Daikin sales office.

Android, Google, Google Assistant, and all related logos are trademarks of Google LLC or its affiliates. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. App Store® is a registered trademark of Apple Inc.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Our continuing commitment to quality products may mean a change in specifications without notice.

© 2026 DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC.

Houston, Texas · USA · www.daikincomfort.com

R32



Select heat pump models meet the **ENERGY STAR®** cold climate requirements. Please refer to product engineering manuals for additional information or visit www.energystar.gov. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. ENERGY STAR products are third party certified by an EPA-recognized Certification Body. Products that earn the ENERGY STAR prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.

CB-AURMZSTH_R32_04-26